

Name	Version	Description
system.security.permissions.4.5.0.nupkg	4.5.0	Provides types supporting Code Access Security (CAS). 30ab651fcb4354552bd4891619a0bdd81e0ebdbf When using NuGet 3.x this package requires at least version 3.4.
system.configuration.configurationmanager.4.5.0.nupkg	4.5.0	Provides types that support using configuration files. Commonly Used Types: System.Configuration.Configuration System.Configuration.ConfigurationManager 30ab651fcb4354552bd4891619a0bdd81e0ebdbf When using NuGet 3.x this package requires at least version 3.4.
system.security.accesscontrol.4.5.0.nupkg	4.5.0	Provides base classes that enable managing access and audit control lists on securable objects. Commonly Used Types: System.Security.AccessControl.AccessRule System.Security.AccessControl.AuditRule System.Security.AccessControl.ObjectAccessRule System.Security.AccessControl.ObjectAuditRule System.Security.AccessControl.ObjectSecurity 30ab651fcb4354552bd4891619a0bdd81e0ebdbf When using NuGet 3.x this

		package requires at least version 3.4.
system.security.cryptography.protecteddata.4.5.0.nupkg	4.5.0	Provides access to Windows Data Protection Api. Commonly Used Types: System.Security.Cryptography.DataProtectionScope System.Security.Cryptography.ProtectedData 30ab651fcb4354552bd4891619a0bdd81e0ebdbf When using NuGet 3.x this package requires at least version 3.4.
xunit.abstractions.2.0.3.nupkg	2.0.3	Common abstractions used to exchange information between xUnit.net and version-independent runners (...)
system.collections.concurrent.4.3.0.nupkg	4.3.0	Provides several thread-safe collection classes that should be used in place of the corresponding types in the System.Collections.NonGeneric and System.Collections packages whenever multiple threads are accessing the collection concurrently. Commonly Used Types: System.Collections.Concurrent.ConcurrentDictionary<TKey, TValue> System.Collections.Concurrent.ConcurrentQueue<T> System.Collections.Concurrent.ConcurrentBag<T> System.Collections.Concur

		rent.BlockingCollection<T> System.Collections.Concurrent.ConcurrentStack<T> When using NuGet 3.x this package requires at least version 3.4.
system.diagnostics.tracing.4.3.0.nupkg	4.3.0	Provides class that enable you to create high performance tracing events to be captured by event tracing for Windows (ETW). Commonly Used Types: System.Diagnostics.Tracing.EventSource System.Diagnostics.Tracing.EventListener System.Diagnostics.Tracing.EventLevel System.Diagnostics.Tracing.EventKeywords System.Diagnostics.Tracing.EventWrittenEventArgs System.Diagnostics.Tracing.EventAttribute System.Diagnostics.Tracing.EventSourceAttribute System.Diagnostics.Tracing.NonEventAttribute When using NuGet 3.x this package requires at least version 3.4.
system.threading.4.3.0.nupkg	4.3.0	Provides the fundamental synchronization primitives, including System.Threading.Monitor and System.Threading.Mutex, that are required when writing asynchronous code. Commonly Used Types:

		System.Threading.Monitor System.Threading.SynchronizationContext System.Threading.ManualResetEvent System.Threading.AutoResetEvent System.Threading.ThreadLocal<T> System.Threading.EventWaitHandle System.Threading.SemaphoreSlim System.Threading.Mutex When using NuGet 3.x this package requires at least version 3.4.
system.security.cryptography.x509certificates.4.3.0.nupkg	4.3.0	Provides types for reading, exporting and verifying Authenticode X.509 v3 certificates. These certificates are signed with a private key that uniquely and positively identifies the holder of the certificate. Commonly Used Types: System.Security.Cryptography.X509Certificates.X509Certificate2 System.Security.Cryptography.X509Certificates.X509Certificate System.Security.Cryptography.X509Certificates.X509ContentType System.Security.Cryptography.X509Certificates.StoreLocation System.Security.Cryptography.X509Certificates.StoreName System.Security.Cryptography

		hy.X509Certificates.X509FindType System.Security.Cryptography.X509Certificates.X509ChainStatus System.Security.Cryptography.X509Certificates.X509Certificate2Collection System.Security.Cryptography.X509Certificates.X509EnhancedKeyUsageExtension System.Security.Cryptography.X509Certificates.X509Chain When using NuGet 3.x this package requires at least version 3.4.
system.reflection.primitives 4.3.0.nupkg	4.3.0	Provides common enumerations for reflection-based libraries. Commonly Used Types: System.Reflection.FieldAttributes System.Reflection.Emit.OpCode System.Reflection.TypeAttributes System.Reflection.MethodAttributes System.Reflection.CallingConventions System.Reflection.PropertyAttributes System.Reflection.EventAttributes System.Reflection.ParameterAttributes System.Reflection.GenericParameterAttributes System.Reflection.MethodImplAttributes

		When using NuGet 3.x this package requires at least version 3.4.
system.reflection.4.3.0.nupkg	4.3.0	Provides types that retrieve information about assemblies, modules, members, parameters, and other entities in managed code by examining their metadata. These types also can be used to manipulate instances of loaded types, for example to hook up events or to invoke methods. Commonly Used Types: System.Reflection.MethodInfo System.Reflection.PropertyInfo System.Reflection.ParameterInfo System.Reflection.FieldInfo System.Reflection.ConstructorInfo System.Reflection.Assembly System.Reflection.MemberInfo System.Reflection.EventInfo System.Reflection.Module When using NuGet 3.x this package requires at least version 3.4.
system.runtime.interopservices.4.3.0.nupkg	4.3.0	Provides types that support COM interop and platform invoke services. Commonly Used Types: System.Runtime.InteropServices.GCHandle

		System.Runtime.InteropServices.GuidAttribute System.Runtime.InteropServices.COMException System.DllNotFoundException System.Runtime.InteropServices.DllImportAttribute When using NuGet 3.x this package requires at least version 3.4.
system.xml.xdocument.4.3.0.nupkg	4.3.0	Provides the classes for Language-Integrated Query (LINQ) to Extensible Markup Language (XML). LINQ to XML is an in-memory XML programming interface that enables you to modify XML documents efficiently and easily. Commonly Used Types: System.Xml.Linq.XElement System.Xml.Linq.XAttribute System.Xml.Linq.XDocument System.Xml.Linq.XText System.Xml.Linq.XNode System.Xml.Linq.XContainer System.Xml.Linq.XComment System.Xml.Linq.XObject System.Xml.Linq.XProcessingInstruction System.Xml.Linq.XDocumentType When using NuGet 3.x this package requires at least version 3.4.
system.io.filesystem.primitives.4.3.0.nupkg	4.3.0	Provides common enumerations and

		exceptions for path-based I/O libraries. Commonly Used Types: System.IO.DirectoryNotFoundException System.IO.FileAccess System.IO.FileLoadException System.IO.PathTooLongException System.IO.FileMode System.IO.FileShare System.IO.FileAttributes When using NuGet 3.x this package requires at least version 3.4.
system.net.primitives.4.3.0.nupkg	4.3.0	Provides common types for network-based libraries, including System.Net.IPAddress, System.Net.IPEndPoint, and System.Net.CookieContainer. Commonly Used Types: System.Net.HttpStatusCode System.Net.Sockets.SocketError System.Net.Cookie System.Net.Sockets.SocketException System.Net.IPEndPoint System.Net.ICredentials System.Net.NetworkCredential System.Net.IPAddress System.Net.CookieCollection System.Net.CookieContainer

		When using NuGet 3.x this package requires at least version 3.4.
system.resources.resource manager.4.3.0.nupkg	4.3.0	Provides classes and attributes that allow developers to create, store, and manage various culture-specific resources used in an application. Commonly Used Types: System.Resources.ResourceManager System.Resources.NeutralResourcesLanguageAttribute System.Resources.SatelliteContractVersionAttribute System.Resources.MissingManifestResourceException When using NuGet 3.x this package requires at least version 3.4.
system.globalization.4.3.0.nupkg	4.3.0	Provides classes that define culture-related information, including language, country/region, calendars in use, format patterns for dates, currency, and numbers, and sort order for strings. Commonly Used Types: System.Globalization.DateTimeFormatInfo System.Globalization.CultureInfo System.Globalization.NumberFormatInfo System.Globalization.CalendarWeekRule System.Globalization.TextIn

		for System.Globalization.Calendar System.Globalization.CompareInfo System.Globalization.CompareOptions System.Globalization.UnicodeCategory When using NuGet 3.x this package requires at least version 3.4.
system.runtime.extensions.4.3.0.nupkg	4.3.0	Provides commonly-used classes for performing mathematical functions, conversions, string comparisons and querying environment information. Commonly Used Types: System.Math System.Environment System.Random System.Progress<T> System.Convert System.Diagnostics.Stopwatch System.Runtime.Versioning.FrameworkName System.StringComparer System.IO.Path When using NuGet 3.x this package requires at least version 3.4.
system.security.cryptography.primitives.4.3.0.nupkg	4.3.0	Provides common types for the cryptographic libraries. Commonly Used Types: System.Security.Cryptography.ICryptoTransform System.Security.Cryptography.AsymmetricAlgorithm

		System.Security.Cryptography.SymmetricAlgorithm System.Security.Cryptography.HashAlgorithm System.Security.Cryptography.KeyedHashAlgorithm System.Security.Cryptography.HMAC System.Security.Cryptography.KeySizes System.Security.Cryptography.CryptographicException System.Security.Cryptography.CipherMode System.Security.Cryptography.PaddingMode System.Security.Cryptography.CryptoStream System.Security.Cryptography.CryptoStreamMode When using NuGet 3.x this package requires at least version 3.4.
system.linq.expressions.4.3.0.nupkg	4.3.0	Provides classes, interfaces and enumerations that enable language-level code expressions to be represented as objects in the form of expression trees. Commonly Used Types: System.Linq.IQueryable<T> System.Linq.IQueryable System.Linq.Expressions.Expression<TDelegate> System.Linq.Expressions.Expression System.Linq.Expressions.ExpressionVisitor When using NuGet 3.x this

		package requires at least version 3.4.
system.threading.tasks.4.3.0.nupkg	4.3.0	Provides types that simplify the work of writing concurrent and asynchronous code. Commonly Used Types: System.Threading.Tasks.Task<TResult> System.Runtime.CompilerServices.TaskAwaiter<TResult> System.Threading.Tasks.TaskCompletionSource<TResult> System.Threading.Tasks.Task System.OperationCanceledException System.AggregateException When using NuGet 3.x this package requires at least version 3.4.
system.reflection.extensions.4.3.0.nupkg	4.3.0	Provides custom attribute extension methods for System.Reflection types. Commonly Used Types: System.Reflection.InterfaceMapping System.Reflection.CustomAttributeExtensions System.Reflection.RuntimeReflectionExtensions When using NuGet 3.x this package requires at least version 3.4.
system.xml.readerwriter.4.3.0.nupkg	4.3.0	Provides provides a fast, non-cached, forward-only way to read and write Extensible Markup

		Language (XML) data. Commonly Used Types: System.Xml.XmlNodeType System.Xml.XmlException System.Xml.XmlReader System.Xml.XmlWriter System.Xml.IXmlLineInfo System.Xml.XmlNameTable System.Xml.IXmlNamespaceResolver System.Xml.XmlNamespaceManager System.Xml.XmlQualifiedName When using NuGet 3.x this package requires at least version 3.4.
system.diagnostics.debug.4.3.0.nupkg	4.3.0	Provides classes and attributes that allows basic interaction with a debugger. Commonly Used Types: System.Diagnostics.Debug System.Diagnostics.DebugStepThroughAttribute System.Diagnostics.Debugger System.Diagnostics.DebuggerDisplayAttribute System.Diagnostics.DebuggerBrowsableAttribute System.Diagnostics.DebuggerBrowsableState System.Diagnostics.DebuggerHiddenAttribute System.Diagnostics.DebuggerNonUserCodeAttribute System.Diagnostics.DebuggerTypeProxyAttribute When using NuGet 3.x this

		package requires at least version 3.4.
system.io.compression.zipfile.4.3.0.nupkg	4.3.0	Provides classes that support the compression and decompression of streams using file system paths. Commonly Used Types: System.IO.Compression.ZipFile When using NuGet 3.x this package requires at least version 3.4.
system.linq.4.3.0.nupkg	4.3.0	Provides classes and interfaces that supports queries that use Language-Integrated Query (LINQ). Commonly Used Types: System.Linq.Enumerable System.Linq.IGrouping<TKey, TElement> System.Linq.IOrderedEnumerable<TElement> System.Linq.ILookup<TKey, TElement> System.Linq.Lookup<TKey, TElement> When using NuGet 3.x this package requires at least version 3.4.
system.collections.4.3.0.nupkg	4.3.0	Provides classes that define generic collections, which allow developers to create strongly typed collections that provide better type safety and performance than non-generic strongly typed collections. Commonly Used Types:

		System.Collections.Generic .List<T> System.Collections.Generic .Dictionary<TKey, TValue> System.Collections.Generic .Queue<T> System.Collections.Generic .Stack<T> System.Collections.Generic .HashSet<T> System.Collections.Generic .LinkedList<T> System.Collections.Generic .EqualityComparer<T> System.Collections.Generic .Comparer<T> System.Collections.Generic .SortedDictionary<TKey, TValue> When using NuGet 3.x this package requires at least version 3.4.
system.objectmodel.4.3.0. nupkg	4.3.0	Provides types and interfaces that allow the creation of observable types that provide notifications to clients when changes are made to it. Commonly Used Types: System.ComponentModel.I NotifyPropertyChanged System.Collections.Object Model.ObservableCollectio n<T> System.ComponentModel. PropertyChangedEventHan dler System.Windows.Input.ICo mmand System.Collections.Special ized.INotifyCollectionChan

		ged System.Collections.Specialized.NotifyCollectionChangedEventArgs System.Collections.Specialized.NotifyCollectionChangedEventHandler System.Collections.ObjectModel.KeyedCollection<TKey, TItem> System.ComponentModel.PropertyChangedEventArgs System.Collections.ObjectModel.ReadOnlyDictionary<TKey, TValue> When using NuGet 3.x this package requires at least version 3.4.
system.net.sockets.4.3.0.nupkg	4.3.0	Provides classes such as Socket, TcpClient and UdpClient, which enable developers to send and receive data over the network. Commonly Used Types: System.Net.Sockets.Socket System.Net.Sockets.SocketAsyncEventArgs System.Net.Sockets.LingerOption System.Net.Sockets.SocketAsyncOperation System.Net.Sockets.ProtocolType System.Net.Sockets.NetworkStream System.Net.Sockets.TcpClient System.Net.Sockets.SocketType System.Net.Sockets.UdpClient

		System.Net.Sockets.Socket Shutdown When using NuGet 3.x this package requires at least version 3.4.
system.runtime.4.3.0.nupkg	4.3.0	Provides the fundamental primitives, classes and base classes that define commonly-used value and reference data types, events and event handlers, interfaces, attributes, and exceptions. This packages represents the core package, and provides the minimal set of types required to build a managed application. Commonly Used Types: System.Object System.Exception System.Int16 System.Int32 System.Int64 System.Enum System.String System.Char System.Boolean System.SByte System.Byte System.DateTime System.DateTimeOffset System.Single System.Double System.UInt16 System.UInt32 System.UInt64 System.IDisposable System.Uri When using NuGet 3.x this

		package requires at least version 3.4.
system.runtime.numerics.4.3.0.nupkg	4.3.0	Provides the numeric types <code>System.Numerics.BigInteger</code> and <code>System.Numerics.Complex</code>, which complement the numeric primitives, such as <code>System.Byte</code>, <code>System.Double</code> and <code>System.Int32</code>. Commonly Used Types: <code>System.Numerics.BigInteger</code> <code>System.Numerics.Complex</code> When using NuGet 3.x this package requires at least version 3.4.
system.diagnostics.tools.4.3.0.nupkg	4.3.0	Provides attributes, such as <code>GeneratedCodeAttribute</code> and <code>SuppressMessageAttribute</code>, that are emitted or consumed by analysis tools. Commonly Used Types: <code>System.CodeDom.Compiler.GeneratedCodeAttribute</code> <code>System.Diagnostics.CodeAnalysis.SuppressMessageAttribute</code> When using NuGet 3.x this package requires at least version 3.4.
system.text.encoding.4.3.0.nupkg	4.3.0	Provides base abstract encoding classes for converting blocks of characters to and from blocks of bytes.

		Commonly Used Types: System.Text.Encoding System.Text.DecoderFallbackException System.Text.Decoder System.Text.EncoderFallbackException System.Text.Encoder System.Text.EncoderFallback System.Text.EncoderFallbackBuffer System.Text.DecoderFallback System.Text.DecoderFallbackBuffer System.Text.DecoderExceptionFallback When using NuGet 3.x this package requires at least version 3.4.
system.appcontext.4.3.0.nupkg	4.3.0	Provides the System.AppContext class, which allows access to the BaseDirectory property and other application specific data. Commonly Used Types: System.AppContext When using NuGet 3.x this package requires at least version 3.4.
system.io.4.3.0.nupkg	4.3.0	Provides base input and output (I/O) types, including System.IO.Stream, System.IO.StreamReader and System.IO.StreamWriter, that allow reading and writing to data streams

		Commonly Used Types: System.IO.Stream System.IO.EndOfStreamException System.IO.MemoryStream System.IO.StreamReader System.IO.StreamWriter System.IO.StringWriter System.IO.TextWriter System.IO.TextReader When using NuGet 3.x this package requires at least version 3.4.
system.runtime.interopservices.runtimeinformation.4.3.0.nupkg	4.3.0	Provides APIs to query about runtime and OS information. Commonly Used Types: System.Runtime.InteropServices.RuntimeInformation System.Runtime.InteropServices.OSPlatform When using NuGet 3.x this package requires at least version 3.4.
system.threading.timer.4.3.0.nupkg	4.3.0	Provides the System.Threading.Timer class, which is a mechanism for executing a method at specified intervals. Commonly Used Types: System.Threading.Timer System.Threading.TimerCallback When using NuGet 3.x this package requires at least version 3.4.
system.security.cryptography.encoding.4.3.0.nupkg	4.3.0	Provides types for representing Abstract

		Syntax Notation One (ASN.1)-encoded data. Commonly Used Types: System.Security.Cryptography.AsnEncodedData System.Security.Cryptography.Oid System.Security.Cryptography.OidCollection When using NuGet 3.x this package requires at least version 3.4.
system.globalization.calendars.4.3.0.nupkg	4.3.0	Provides classes for performing date calculations using specific calendars, including the Gregorian, Julian, Hijri and Korean calendars. Commonly Used Types: System.Globalization.HijriCalendar System.Globalization.GregorianCalendar System.Globalization.HebrewCalendar System.Globalization.KoreanCalendar System.Globalization.ThaiBuddhistCalendar System.Globalization.TaiwanCalendar System.Globalization.JapaneseCalendar System.Globalization.GregorianCalendarTypes System.Globalization.PersianCalendar System.Globalization.UmAlQuraCalendar When using NuGet 3.x this

		package requires at least version 3.4.
system.console.4.3.0.nupkg	4.3.0	Provides the System.Console class, which represents the standard input, output and error streams for console applications. Commonly Used Types: System.Console System.ConsoleColor When using NuGet 3.x this package requires at least version 3.4.
system.io.compression.4.3.0.nupkg	4.3.0	Provides classes that support the compression and decompression of streams. Commonly Used Types: System.IO.Compression.DeflateStream System.IO.Compression.GZipStream System.IO.Compression.CompressionMode System.IO.Compression.CompressionLevel System.IO.Compression.ZipArchiveEntry System.IO.Compression.ZipArchive System.IO.Compression.ZipArchiveMode When using NuGet 3.x this package requires at least version 3.4.
microsoft.win32.primitives.4.3.0.nupkg	4.3.0	Provides common types for Win32-based libraries. Commonly Used Types:

		System.ComponentModel.Win32Exception When using NuGet 3.x this package requires at least version 3.4.
system.io.filesystem.4.3.0.nupkg	4.3.0	Provides types that allow reading and writing to files and types that provide basic file and directory support. Commonly Used Types: System.IO.FileStream System.IO.FileInfo System.IO.DirectoryInfo System.IO.FileSystemInfo System.IO.File System.IO.Directory System.IO.SearchOption System.IO.FileOptions When using NuGet 3.x this package requires at least version 3.4.
system.runtime.handles.4.3.0.nupkg	4.3.0	Provides base classes, including System.Runtime.InteropServices.CriticalHandle and System.Runtime.InteropServices.SafeHandle, for types that represent operating system handles. Commonly Used Types: System.Runtime.InteropServices.SafeHandle Microsoft.Win32.SafeHandles.SafeWaitHandle System.Runtime.InteropServices.CriticalHandle System.Threading.WaitHandleExtensions System.IO.HandleInheritability

		When using NuGet 3.x this package requires at least version 3.4.
system.text.encoding.extensions.4.3.0.nupkg	4.3.0	Provides support for specific encodings, including ASCII, UTF-7, UTF-8, UTF-16, and UTF-32. Commonly Used Types: System.Text.UTF8Encoding System.Text.UnicodeEncoding System.Text.ASCIIEncoding System.Text.UTF7Encoding System.Text.UTF32Encoding When using NuGet 3.x this package requires at least version 3.4.
system.security.cryptography.algorithms.4.3.0.nupkg	4.3.0	Provides base types for cryptographic algorithms, including hashing, encryption, and signing operations. Commonly Used Types: System.Security.Cryptography.Aes System.Security.Cryptography.RSA System.Security.Cryptography.RSAParameters System.Security.Cryptography.HMACSHA1 System.Security.Cryptography.SHA256 System.Security.Cryptography.SHA1 System.Security.Cryptography.SHA512 System.Security.Cryptography.SHA384

		System.Security.Cryptography.HMACSHA256 System.Security.Cryptography.MD5 System.Security.Cryptography.HMACSHA384 System.Security.Cryptography.HMACSHA512 When using NuGet 3.x this package requires at least version 3.4.
system.buffers.4.3.0.nupkg	4.3.0	Provides resource pooling of any type for performance-critical applications that allocate and deallocate objects frequently. Commonly Used Types: System.Buffers.ArrayPool<T> When using NuGet 3.x this package requires at least version 3.4.
system.reflection.emit.4.3.0.nupkg	4.3.0	Provides classes that allow a compiler or tool to emit metadata and optionally generate a PE file on disk. The primary clients of these classes are script engines and compilers. Commonly Used Types: System.Reflection.Emit.AssemblyBuilder System.Reflection.Emit.FieldBuilder System.Reflection.Emit.TypeBuilder System.Reflection.Emit.MethodBuilder System.Reflection.Emit.Co

		nstructorBuilder System.Reflection.Emit.Ge nericTypeParameterBuilder System.Reflection.Emit.Mo duleBuilder System.Reflection.Emit.Pro pertyBuilder System.Reflection.Emit.Ass semblyBuilderAccess System.Reflection.Emit.Eve ntBuilder When using NuGet 3.x this package requires at least version 3.4.
system.security.principal.windows.4.5.0.nupkg	4.5.0	Provides classes for retrieving the current Windows user and for interacting with Windows users and groups. Commonly Used Types: System.Security.Principal.WindowsIdentity System.Security.Principal.SecurityIdentifier System.Security.Principal.NTAccount System.Security.Principal.WindowsPrincipal System.Security.Principal.IdentityReference System.Security.Principal.IdentityNotMappedException System.Security.Principal.WindowsBuiltInRole System.Security.Principal.WellKnownSidType 30ab651fcb4354552bd4891619a0bdd81e0ebdbf When using NuGet 3.x this

		package requires at least version 3.4.
system.net.http.4.3.4.nupkg	4.3.4	Provides a programming interface for modern HTTP applications, including HTTP client components that allow applications to consume web services over HTTP and HTTP components that can be used by both clients and servers for parsing HTTP headers. Commonly Used Types: System.Net.Http.HttpResponseMessage System.Net.Http.DelegatingHandler System.Net.Http.HttpRequestException System.Net.Http.HttpClient System.Net.Http.MultipartContent System.Net.Http.Headers.HttpContentHeaders System.Net.Http.HttpClientHandler System.Net.Http.StreamContent System.Net.Http.FormUrlEncodedContent System.Net.Http.HttpMessageHandler When using NuGet 3.x this package requires at least version 3.4.
netstandard.library.1.6.1.nupkg	1.6.1	A set of standard .NET APIs that are prescribed to be used and supported together. This includes all...
system.reflection.emit.lightweight.4.3.0.nupkg	4.3.0	Provides the System.Reflection.Emit.DynamicCodeGenerator

		dynamicMethod class, which represents a dynamic method that can be compiled, executed, and discarded. Discarded methods are available for garbage collection. Commonly Used Types: System.Reflection.Emit.DynamicMethod When using NuGet 3.x this package requires at least version 3.4.
system.diagnostics.diagnosticsource.4.3.0.nupkg	4.3.0	Provides Classes that allow you to decouple code logging rich (unserializable) diagnostics/telemetry (e.g. framework) from code that consumes it (e.g. tools) Commonly Used Types: System.Diagnostics.DiagnosticListener System.Diagnostics.DiagnosticSource
runtime.opensuse.42.1-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.osx.10.10-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.rhel.7-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.fedora.24-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....

runtime.ubuntu.14.04-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.debian.8-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.ubuntu.16.04-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.ubuntu.16.10-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.fedora.23-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
runtime.opensuse.13.2-x64.runtime.native.system.security.cryptography.openssl.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly....
system.reflection.typeextensions.4.3.0.nupkg	4.3.0	Provides extensions methods for System.Type that are designed to be source-compatible with older framework reflection-based APIs. Commonly Used Types: System.Reflection.TypeExtensions System.Reflection.BindingFlags When using NuGet 3.x this package requires at least version 3.4.
microsoft.diasymreader.native.1.7.0.nupkg	1.7.0	Microsoft DiaSymReader

system.data.datasetextensions.4.5.0.nupkg	4.5.0	Provides extensions to form LINQ expressions and method queries against DataTable objects. Commonly Used Types: System.Data.DataRowComparer System.Data.DataRowExtensions System.Data.DataTableExtensions System.Data.EnumerableRowCollection System.Data.EnumerableRowCollectionExtensions System.Data.OrderedEnumerableRowCollection System.Data.TypedTableBase System.Data.TypedTableBaseExtensions 30ab651fcb4354552bd4891619a0bdd81e0ebdbf When using NuGet 3.x this package requires at least version 3.4.
runtime.osx.10.10-x64.runtime.native.system.security.cryptography.apple.4.3.0.nupkg	4.3.0	Internal implementation package not meant for direct consumption. Please do not reference directly....
system.security.cryptography.cng.4.3.0.nupkg	4.3.0	Provides cryptographic algorithm implementations and key management with Windows Cryptographic Next Generation API (CNG). Commonly Used Types: System.Security.Cryptography.RSACng System.Security.Cryptography.ECDsaCng System.Security.Cryptography

		hy.CngKey When using NuGet 3.x this package requires at least version 3.4.
system.security.cryptography.csp.4.3.0.nupkg	4.3.0	Provides cryptographic algorithm implementations and key management with Windows Cryptographic API (CryptoAPI). Commonly Used Types: System.Security.Cryptography.RSACryptoServiceProvider System.Security.Cryptography.CspParameters When using NuGet 3.x this package requires at least version 3.4.
system.globalization.extensions.4.3.0.nupkg	4.3.0	Provides classes for performing Unicode string normalization, culture-specific string comparisons and support the use of non-ASCII characters for Internet domain names. Commonly Used Types: System.StringNormalizationExtensions System.Text.NormalizationForm System.Globalization.IdnMapping When using NuGet 3.x this package requires at least version 3.4.
system.reflection.emit.ilgeneration.4.3.0.nupkg	4.3.0	Provides classes that allow a compiler or tool to emit Microsoft intermediate language (MSIL). The

		primary clients of these classes are script engines and compilers. Commonly Used Types: System.Reflection.Emit.ILGenerator System.Reflection.Emit.Label System.Reflection.Emit.CustomAttributeBuilder System.Reflection.Emit.LocalBuilder System.Reflection.Emit.ParameterBuilder System.Reflection.Emit.SignatureHelper When using NuGet 3.x this package requires at least version 3.4.
system.security.cryptography.openssl.4.3.0.nupkg	4.3.0	Provides cryptographic algorithm implementations and key management for non-Windows systems with OpenSSL. Commonly Used Types: System.Security.Cryptography.RSAOpenSsl When using NuGet 3.x this package requires at least version 3.4.
system.runtime.4.3.1.nupkg	4.3.1	Provides the fundamental primitives, classes and base classes that define commonly-used value and reference data types, events and event handlers, interfaces, attributes, and exceptions. This packages represents the core package, and provides the

		minimal set of types required to build a managed application. Commonly Used Types: System.Object System.Exception System.Int16 System.Int32 System.Int64 System.Enum System.String System.Char System.Boolean System.SByte System.Byte System.DateTime System.DateTimeOffset System.Single System.Double System.UInt16 System.UInt32 System.UInt64 System.IDisposable System.Uri When using NuGet 3.x this package requires at least version 3.4.
system.text.regularexpressions.4.3.1.nupkg	4.3.1	Provides the System.Text.RegularExpressions.Regex class, an implementation of a regular expression engine. Commonly Used Types: System.Text.RegularExpressions.Regex System.Text.RegularExpressions.RegexOptions System.Text.RegularExpressions.Match System.Text.RegularExpressions.Group

		System.Text.RegularExpressions.Capture System.Text.RegularExpressions.MatchEvaluator When using NuGet 3.x this package requires at least version 3.4.
system.private.uri.4.3.2.nupkg	4.3.2	Internal implementation package not meant for direct consumption. Please do not reference directly. Provides implementation of System.Uri. When using NuGet 3.x this package requires at least version 3.4.
microsoft.win32.registry.5.0.0.nupkg	5.0.0	Provides support for accessing and modifying the Windows Registry. Commonly Used Types: Microsoft.Win32.RegistryKey Microsoft.Win32.Registry Microsoft.Win32.RegistryValueKind Microsoft.Win32.RegistryHive Microsoft.Win32.RegistryView When using NuGet 3.x this package requires at least version 3.4.
system.security.principal.windows.5.0.0.nupkg	5.0.0	Provides classes for retrieving the current Windows user and for interacting with Windows users and groups. Commonly Used Types: System.Security.Principal.WindowsIdentity

		System.Security.Principal.SecurityIdentifier System.Security.Principal.NTAccount System.Security.Principal.WindowsPrincipal System.Security.Principal.IdentityReference System.Security.Principal.IdentityNotMappedException System.Security.Principal.WindowsBuiltInRole System.Security.Principal.WellKnownSidType When using NuGet 3.x this package requires at least version 3.4.
system.security.accesscontrol.5.0.0.nupkg	5.0.0	Provides base classes that enable managing access and audit control lists on securable objects. Commonly Used Types: System.Security.AccessControl.AccessRule System.Security.AccessControl.AuditRule System.Security.AccessControl.ObjectAccessRule System.Security.AccessControl.ObjectAuditRule System.Security.AccessControl.ObjectSecurity When using NuGet 3.x this package requires at least version 3.4.
microsoft.codeanalysis.analyzerutilities.3.3.0.nupkg	3.3.0	Analyzer utilities for various analyses, including Dataflow analysis based on ControlFlowGraph API in Microsoft.CodeAnalysis.

microsoft.extensions.fileproviders.abstractions.6.0.0.nupkg	6.0.0	Abstractions of files and directories. Commonly Used Types: Microsoft.Extensions.FileProviders.IDirectoryContents Microsoft.Extensions.FileProviders.IFileInfo Microsoft.Extensions.FileProviders.IFileProvider
system.runtime.compilerservices.unsafe.6.0.0.nupkg	6.0.0	Provides the System.Runtime.CompilerServices.Unsafe class, which provides generic, low-level functionality for manipulating pointers. Commonly Used Types: System.Runtime.CompilerServices.Unsafe
microsoft.extensions.filesystemglobbing.6.0.0.nupkg	6.0.0	File system globbing to find files matching a specified pattern.
microsoft.win32.systemevents.6.0.0.nupkg	6.0.0	Provides access to Windows system event notifications. Commonly Used Types: Microsoft.Win32.SystemEvents
system.drawing.common.6.0.0.nupkg	6.0.0	Provides access to GDI+ graphics functionality. Commonly Used Types: System.Drawing.Bitmap System.Drawing.BitmapData System.Drawing.Brush System.Drawing.Font System.Drawing.Graphics System.Drawing.Icon Unix support is disabled by default. See

		https://aka.ms/systemdrawnngnonwindows for more information.
microsoft.sourcelink.common.1.1.1.nupkg	1.1.1	MSBuild tasks providing source control information.
microsoft.build.tasks.git.1.1.1.nupkg	1.1.1	MSBuild tasks providing git repository information.
microsoft.sourcelink.github.1.1.1.nupkg	1.1.1	Generates source link for GitHub repositories.
humanizer.core.2.14.1.nupkg	2.14.1	Humanizer core package that contains the library and the neutral language (English) resources
system.linq.async.6.0.1.nupkg	6.0.1	Provides support for Language-Integrated Query (LINQ) over <code>IAsyncEnumerable<T></code> sequences.
xunit.stafact.1.1.11.nupkg	1.1.11	Run your xunit-based tests on an STA thread with the WPF Dispatcher, a WinForms SynchronizationConte...
communitytoolkit.mvvm.8.0.0.nupkg	8.0.0	This package includes a .NET MVVM library with helpers such as: - <code>ObservableObject</code>: a base class for objects implementing the <code>INotifyPropertyChanged</code> interface.
harfbuzzsharp.2.8.2.3.nupkg	2.8.2.3	HarfBuzzSharp is a cross-platform OpenType text shaping engine for .NET platforms.
microsoft.extensions.logging.configuration.7.0.0.nupkg	7.0.0	Configuration support for <code>Microsoft.Extensions.Logging</code> .
microsoft.extensions.configuration.7.0.0.nupkg	7.0.0	Implementation of key-value pair based configuration for <code>Microsoft.Extensions.Configuration</code> . Includes the

		memory configuration provider.
microsoft.extensions.options.configurationextensions.7.0.0.nupkg	7.0.0	Provides additional configuration specific functionality related to Options.
microsoft.extensions.filesystemglobbing.7.0.0.nupkg	7.0.0	File system globbing to find files matching a specified pattern.
microsoft.extensions.logging.debug.7.0.0.nupkg	7.0.0	Debug output logger provider implementation for Microsoft.Extensions.Logging. This logger logs messages to a debugger monitor by writing messages with System.Diagnostics.Debug.WriteLine().
microsoft.extensions.configuration.json.7.0.0.nupkg	7.0.0	JSON configuration provider implementation for Microsoft.Extensions.Configuration.
microsoft.extensions.logging.console.7.0.0.nupkg	7.0.0	Console logger provider implementation for Microsoft.Extensions.Logging.
microsoft.extensions.configuration.binder.7.0.0.nupkg	7.0.0	Functionality to bind an object to data in configuration providers for Microsoft.Extensions.Configuration.
microsoft.extensions.logging.abstractions.7.0.0.nupkg	7.0.0	Logging abstractions for Microsoft.Extensions.Logging. Commonly Used Types: Microsoft.Extensions.Logging.ILogger Microsoft.Extensions.Logging.ILoggerFactory Microsoft.Extensions.Logging.ILogger<TCategoryName>

		Microsoft.Extensions.Logging.LogLevel Microsoft.Extensions.Logging.Logger<T> Microsoft.Extensions.Logging.LoggerMessage Microsoft.Extensions.Logging.Abstractions.NullLogger
microsoft.extensions.primitives.7.0.0.nupkg	7.0.0	Primitives shared by framework extensions. Commonly used types include: Commonly Used Types: Microsoft.Extensions.Primitives.IChangeToken Microsoft.Extensions.Primitives.StringValues Microsoft.Extensions.Primitives.StringSegment
microsoft.extensions.logging.7.0.0.nupkg	7.0.0	Logging infrastructure default implementation for Microsoft.Extensions.Logging.
microsoft.extensions.fileproviders.physical.7.0.0.nupkg	7.0.0	File provider for physical files for Microsoft.Extensions.FileProviders.
microsoft.extensions.fileproviders.abstractions.7.0.0.nupkg	7.0.0	Abstractions of files and directories. Commonly Used Types: Microsoft.Extensions.FileProviders.IDirectoryContents Microsoft.Extensions.FileProviders.IFileInfo Microsoft.Extensions.FileProviders.IFileProvider
microsoft.extensions.options.7.0.0.nupkg	7.0.0	Provides a strongly typed way of specifying and accessing settings using dependency injection.

microsoft.bcl.asyncinterfaces.7.0.0.nupkg	7.0.0	Provides the <code>IAsyncEnumerable<T></code> and <code>IAsyncDisposable</code> interfaces and helper types for .NET Standard 2.0. This package is not required starting with .NET Standard 2.1 and .NET Core 3.0. Commonly Used Types: <code>System.IAsyncDisposable</code> <code>System.Collections.Generic.IAsyncEnumerable</code> <code>System.Collections.Generic.IAsyncEnumerator</code>
system.collections.immutable.7.0.0.nupkg	7.0.0	This package provides collections that are thread safe and guaranteed to never change their contents, also known as immutable collections. Like strings, any methods that perform modifications will not change the existing instance but instead return a new instance. For efficiency reasons, the implementation uses a sharing mechanism to ensure that newly created instances share as much data as possible with the previous instance while ensuring that operations have a predictable time complexity. The <code>System.Collections.Immutable</code> library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you

		need to use it in other target frameworks.
microsoft.extensions.configuration.abstractions.7.0.0.nupkg	7.0.0	Abstractions of key-value pair based configuration. Commonly Used Types: Microsoft.Extensions.Configuration.IConfiguration Microsoft.Extensions.Configuration.IConfigurationBuilder Microsoft.Extensions.Configuration.IConfigurationProvider Microsoft.Extensions.Configuration.IConfigurationRoot Microsoft.Extensions.Configuration.IConfigurationSection
microsoft.extensions.configuration.fileextensions.7.0.0.nupkg	7.0.0	Extension methods for configuring file-based configuration providers for Microsoft.Extensions.Configuration.
microsoft.extensions.dependencyinjection.7.0.0.nupkg	7.0.0	Default implementation of dependency injection for Microsoft.Extensions.DependencyInjection.
microsoft.extensions.dependencyinjection.abstractions.7.0.0.nupkg	7.0.0	Abstractions for dependency injection. Commonly Used Types: Microsoft.Extensions.DependencyInjection.IServiceCollection
system.io.pipelines.7.0.0.nupkg	7.0.0	Single producer single consumer byte buffer management. Commonly Used Types: System.IO.Pipelines.Pipe System.IO.Pipelines.PipeWriter

		System.IO.Pipelines.PipeReader
system.threading.channels.7.0.0.nupkg	7.0.0	Provides types for passing data between producers and consumers. Commonly Used Types: System.Threading.Channel System.Threading.Channel<T>
system.composition.attributedmodel.7.0.0.nupkg	7.0.0	Provides common attributes used by System.Composition types. Commonly Used Types: System.Composition.ExportAttribute System.Composition.ImportAttribute System.Composition.Convention.AttributedModelProvider
system.composition.convention.7.0.0.nupkg	7.0.0	Provides types that support using Managed Extensibility Framework with a convention-based configuration model. Commonly Used Types: System.Composition.Convention.ConventionBuilder System.Composition.Convention.ExportConventionBuilder System.Composition.Convention.ImportConventionBuilder System.Composition.Convention.PartConventionBuilder System.Composition.Convention.ParameterImportConventionBuilder

system.composition.runtime.7.0.0.nupkg	7.0.0	Contains runtime components of the Managed Extensibility Framework. Commonly Used Types: System.Composition.CompositionContext
system.composition.hosting.7.0.0.nupkg	7.0.0	Provides Managed Extensibility Framework types that are useful to developers of extensible applications, or hosts. Commonly Used Types: System.Composition.Hosting.CompositionHost
system.composition.typehelpers.7.0.0.nupkg	7.0.0	Provides some extension methods for the Managed Extensibility Framework. Commonly Used Types: System.Composition.CompositionContextExtensions System.Composition.Hosting.ContainerConfiguration
microsoft.codeanalysis.analyzers.3.3.4.nupkg	3.3.4	Analyzers for consumers of Microsoft.CodeAnalysis NuGet package, i.e. extensions and applications built on top of .NET Compiler Platform (Roslyn). This package is included as a development dependency of Microsoft.CodeAnalysis NuGet package and does not need to be installed separately if you are referencing Microsoft.CodeAnalysis NuGet package.
nuget.frameworks.6.5.0.nupkg	6.5.0	NuGet's understanding of target frameworks.

newtonsoft.json.13.0.3.nupkg	13.0.3	Json.NET is a popular high-performance JSON framework for .NET
avalonedit.6.3.0.90.nupkg	6.3.0.90	AvalonEdit is the WPF-based text editor used in SharpDevelop.
mono.cecil.0.11.5.nupkg	0.11.5	Cecil is a library written by Jb Evain to generate and inspect programs and libraries in the ECMA CIL format.
microsoft.visualstudio.validation.17.6.11.nupkg	17.6.11	Common input validation and state verification utility methods.
microsoft.visualstudio.threading.17.6.40.nupkg	17.6.40	Async synchronization primitives, async collections, TPL and dataflow extensions. The JoinableTaskFactory allows synchronously blocking the UI thread for async work. This package is applicable to any .NET application (not just Visual Studio).
microsoft.visualstudio.threading.analyzers.17.6.40.nupkg	17.6.40	Static code analyzer to detect common mistakes or potential issues regarding threading and async coding.
system.reactive.6.0.0.nupkg	6.0.0	Reactive Extensions (Rx) for .NET
system.reactive.linq.6.0.0.nupkg	6.0.0	Legacy facade for Reactive Extensions (Rx) for .NET
system.reactive.core.6.0.0.nupkg	6.0.0	Legacy facade for Reactive Extensions (Rx) for .NET
system.reflection.metadata.7.0.2.nupkg	7.0.2	This package provides a low-level .NET (ECMA-335) metadata reader and writer. It's geared for performance and is the ideal choice for building higher-level libraries that intend to provide their own object model, such as compilers.

		The metadata format is defined by the ECMA-335 - Common Language Infrastructure (CLI) specification. The System.Reflection.Metadata library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you need to use it in other target frameworks.
system.security.cryptography.pkcs.7.0.3.nupkg	7.0.3	Provides support for PKCS and CMS algorithms. Commonly Used Types: System.Security.Cryptography.Pkcs.EnvelopedCms
system.reflection.metadata.loadcontext.7.0.0.nupkg	7.0.0	Provides read-only reflection on assemblies in an isolated context with support for assemblies that target different processor architectures and runtimes. Using MetadataLoadContext enables you to inspect assemblies without loading them into the main execution context. Assemblies in MetadataLoadContext are treated only as metadata, that is, you can read information about their members, but cannot execute any code contained in them.
nerdbank.streams.2.10.69.nupkg	2.10.69	Streams for full duplex in-proc communication, wrap a WebSocket, split a stream into multiple channels, etc.

microsoft.visualstudio.threading.analyzers.17.7.30.nupkg	17.7.30	Static code analyzer to detect common mistakes or potential issues regarding threading and async coding.
avalonia.controls.datagrid.11.0.0.nupkg	11.0.0	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
microcom.runtime.0.11.0.nupkg	0.11.0	IDL-based COM interop codegen. Consumes MIDL-like IDL file, generates efficient cross-platform C# interop and C++ header files.
avalonia.themes.simple.11.0.0.nupkg	11.0.0	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.controls.colorpicker.11.0.0.nupkg	11.0.0	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.diagnostics.11.0.0.nupkg	11.0.0	Avalonia is a cross-platform UI framework for .NET providing a flexible styling

		system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.angle.windows.natives.2.1.0.2023020321.nupkg	2.1.0.2023020321	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.themes.fluent.11.0.0.nupkg	11.0.0	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
microsoft.codeanalysis.common.4.7.0.nupkg	4.7.0	A shared package used by the Microsoft .NET Compiler Platform ("Roslyn"). Do not install this package manually, it will be added as a prerequisite by other packages that require it.
microsoft.codeanalysis.csharp.4.7.0.nupkg	4.7.0	.NET Compiler Platform ("Roslyn") support for C#, Microsoft.CodeAnalysis.CSharp.dll. More details at

		https://aka.ms/roslyn-packages This package was built from the source at https://github.com/dotnet/roslyn/commit/43b0b05cc4f492fd5de00f6f6717409091df8daa .
microsoft.codeanalysis.csharp.workspaces.4.7.0.nupkg	4.7.0	.NET Compiler Platform ("Roslyn") support for analyzing C# projects and solutions. More details at https://aka.ms/roslyn-packages This package was built from the source at https://github.com/dotnet/roslyn/commit/43b0b05cc4f492fd5de00f6f6717409091df8daa .
microsoft.codeanalysis.workspaces.common.4.7.0.nupkg	4.7.0	A shared package used by the .NET Compiler Platform ("Roslyn") including support for analyzing projects and solutions. Do not install this package manually, it will be added as a prerequisite by other packages that require it. More details at https://aka.ms/roslyn-packages This package was built from the source at https://github.com/dotnet/roslyn/commit/43b0b05cc4f492fd5de00f6f6717409091df8daa .
microsoft.testplatform.objectmodel.17.7.2.nupkg	17.7.2	The Microsoft Test Platform Object Model.

microsoft.codecoverage.17.7.2.nupkg	17.7.2	Microsoft.CodeCoverage package brings infra for collecting code coverage from vstest.console.exe and "dotnet test".
microsoft.testplatform.testhost.17.7.2.nupkg	17.7.2	Testplatform host executes the test using specified adapter.
microsoft.codeanalysis.csharp.scrip.4.7.0.nupkg	4.7.0	Microsoft .NET Compiler Platform ("Roslyn") CSharp scripting package. More details at https://aka.ms/roslyn-packages This package was built from the source at https://github.com/dotnet/roslyn/commit/43b0b05cc4f492fd5de00f6f6717409091df8daa.
microsoft.codeanalysis.scrip.common.4.7.0.nupkg	4.7.0	Microsoft .NET Compiler Platform ("Roslyn") shared scripting package. Do not install this package manually, it will be added as a prerequisite by other packages that require it.
microsoft.codeanalysis.csharp.features.4.7.0.nupkg	4.7.0	.NET Compiler Platform ("Roslyn") support for creating C# editing experiences. More details at https://aka.ms/roslyn-packages This package was built from the source at https://github.com/dotnet/roslyn/commit/43b0b05cc4f492fd5de00f6f6717409091df8daa

		492fd5de00f6f6717409091df8daa.
microsoft.codeanalysis.features.4.7.0.nupkg	4.7.0	.NET Compiler Platform ("Roslyn") support for creating editing experiences. More details at https://aka.ms/roslyn-packages This package was built from the source at https://github.com/dotnet/roslyn/commit/43b0b05cc4f492fd5de00f6f6717409091df8daa.
microsoft.diasymreader.2.0.0.nupkg	2.0.0	Microsoft DiaSymReader interop interfaces and utilities.
avalonia.avaloniaedit.11.0.1.nupkg	11.0.1	This project is a port of AvalonEdit, a WPF-based text editor for Avalonia.
avalonia.freedesktop.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.remote.protocol.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.

avalonia.skia.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.buildservices.0.0.29.nupkg	0.0.29	Package Description
avalonia.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.native.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.win32.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.

avalonia.desktop.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
avalonia.x11.11.0.4.nupkg	11.0.4	Avalonia is a cross-platform UI framework for .NET providing a flexible styling system and supporting a wide range of Operating Systems such as Windows, Linux, macOS and with experimental support for Android, iOS and WebAssembly.
xunit.analyzers.1.4.0.nupkg	1.4.0	xUnit.net is a developer testing framework, built to support Test Driven Development, with a design goal of extreme simplicity and alignment with framework features.
avalonia.thememanager.11.0.0.nupkg	11.0.0	Theme manager for Avalonia applications.
messagepackanalyzer.2.5.108.nupkg	2.5.108	Analyzer of MessagePack for C#, verify rule for [MessagePackObject] and code fix for [Key].
dialoghost.avalonia.0.7.6.nupkg	0.7.6	Avalonia Dialog Host control that provides a simple way to display a dialog with information or prompt the user when information is required
dock.avalonia.11.0.0.nupkg	11.0.0	A docking layout system.
ignoresaccesscheckstogenerator.0.6.0.nupkg	0.6.0	Generates IgnoresAccessChecksTo

		attributes and reference assemblies to allow compile-time access to internals
microsoft.servicehub.analyzers.4.3.50.nupkg	4.3.50	Static code analyzer to detect common mistakes or potential issues when using ServiceHub or IServiceBroker.
dirkster.avalondock.4.72.1.nupkg	4.72.1	This assembly implements a docking layout system for WPF.
dock.model.avalonia.11.0.0.nupkg	11.0.0	A docking layout system.
dock.model.11.0.0.nupkg	11.0.0	A docking layout system.
microsoft.visualstudio.composition.analyzers.17.7.18.nupkg	17.7.18	Analyzers for MEF consumers to help identify common errors in MEF parts.
avalonlibrary.3.0.0.nupkg	3.0.0	WPF Contrib
RoslynPad.Editor.Windows-4.7.0	4.7.0	
RoslynPad.Roslyn-4.7.0	4.7.0	
RoslynPad.Roslyn.Avalonia-4.7.0	4.7.0	
RoslynPad.Roslyn.Windows-4.7.0	4.7.0	
RoslynPad.Common.UI-4.7.0	4.7.0	
RoslynPad.Build-4.7.0	4.7.0	
RestoreHelper-4.7.0	4.7.0	
RoslynPad.Editor.Avalonia-4.7.0	4.7.0	
xunit.extensibility.execution.2.5.3.nupkg	2.5.3	Includes xunit.execution.*.dll for extensibility purposes. Supports .NET 4.5.2 or later, and .NET Standard 1.1.
xunit.extensibility.core.2.5.3.nupkg	2.5.3	Includes xunit.core.dll for extensibility purposes. Supports .NET 4.5.2 or later, and .NET Standard 1.1.

xunit.core.2.5.3.nupkg	2.5.3	Includes the libraries for writing unit tests with xUnit.net.
xunit.assert.2.5.3.nupkg	2.5.3	Includes the assertion library from xUnit.net (xunit.assert.dll). Supports .NET Standard 1.1.
xunit.2.5.3.nupkg	2.5.3	xUnit.net is a developer testing framework, built to support Test Driven Development, with a design goal of extreme simplicity and alignment with framework features. Installing this package installs xunit.core, xunit.assert, and xunit.analyzers.
system.text.encodings.web.8.0.0.nupkg	8.0.0	Provides types for encoding and escaping strings for use in JavaScript, HyperText Markup Language (HTML), and uniform resource locators (URL). Commonly Used Types: System.Text.Encodings.Web.HtmlEncoder System.Text.Encodings.Web.UrlEncoder System.Text.Encodings.Web.JavaScriptEncoder
system.io.pipelines.8.0.0.nupkg	8.0.0	Single producer single consumer byte buffer management. Commonly Used Types: System.IO.Pipelines.Pipe System.IO.Pipelines.PipeWriter System.IO.Pipelines.PipeReader

system.formats.asn1.8.0.1.nupkg	8.0.1	Provides classes that can read and write the ASN.1 BER, CER, and DER data formats. Commonly Used Types: System.Formats.Asn1.AsnReader System.Formats.Asn1.AsnWriter
system.text.json.8.0.5.nupkg	8.0.5	Provides high-performance and low-allocating types that serialize objects to JavaScript Object Notation (JSON) text and deserialize JSON text to objects, with UTF-8 support built-in. Also provides types to read and write JSON text encoded as UTF-8, and to create an in-memory document object model (DOM), that is read-only, for random access of the JSON elements within a structured view of the data. The System.Text.Json library is built-in as part of the shared framework in .NET Runtime. The package can be installed when you need to use it in other target frameworks.
skiasharp.2.88.9.nupkg	2.88.9	SkiaSharp is a cross-platform 2D graphics API for .NET platforms that can be used across mobile, server and desktop models to render images.
nuget.versioning.6.12.1.nupkg	6.12.1	NuGet's implementation of Semantic Versioning.
nuget.configuration.6.12.1.nupkg	6.12.1	NuGet's configuration settings implementation.

nuget.protocol.6.12.1.nupkg	6.12.1	NuGet's implementation for interacting with feeds. Contains functionality for all feed types.
nuget.packaging.6.12.1.nupkg	6.12.1	NuGet's understanding of packages. Reading nuspec, nupkgs and package signing.
nuget.common.6.12.1.nupkg	6.12.1	Common utilities and interfaces for all NuGet libraries.
nuget.frameworks.6.12.1.nupkg	6.12.1	NuGet's understanding of target frameworks.
nuget.dependencyresolver.core.6.12.1.nupkg	6.12.1	NuGet's PackageReference dependency resolver implementation.
nuget.projectmodel.6.12.1.nupkg	6.12.1	NuGet's core types and interfaces for PackageReference-based restore, such as lock files, assets file and internal restore models.
nuget.librarymodel.6.12.1.nupkg	6.12.1	NuGet's types and interfaces for understanding dependencies.
nuget.commands.6.12.1.nupkg	6.12.1	Complete commands common to command-line and GUI NuGet clients.
nuget.credentials.6.12.1.nupkg	6.12.1	NuGet client's authentication models.
tmdbus.protocol.0.92.0.nupkg	0.92.0	Modern, low-level, high-performance D-Bus library for .NET that is NativeAOT compatible.
microsoft.codeanalysis.elfile.1.0.0.nupkg	1.0.0	An extensible library for fast indexing of code artifacts.