

Name	Version	Description
@grafana-plugins/input-datasource-7.5.17.tgz	7.5.17	
@jaegertracing/jaeger-ui-components-7.5.17.tgz	7.5.17	
abab-2.0.6.tgz	2.0.6	WHATWG spec-compliant implementations of window.atob and window.btoa.
abbrev-1.1.1.tgz	1.1.1	Like ruby's abbrev module, but in js
abortcontroller-polyfill-1.4.0.tgz	1.4.0	Polyfill/ponyfill for the AbortController DOM API + optional patching of fetch (stub that calls catch, doesn't actually abort request).
acorn-5.7.4.tgz	5.7.4	ECMAScript parser
acorn-6.4.2.tgz	6.4.2	ECMAScript parser
acorn-7.4.1.tgz	7.4.1	ECMAScript parser
acorn-8.8.2.tgz	8.8.2	
acorn-es7-plugin-1.1.7.tgz	1.1.7	A plugin for the Acorn parser that understands the ES7 keywords async and await
acorn-globals-4.3.4.tgz	4.3.4	Detect global variables in JavaScript using acorn
acorn-globals-6.0.0.tgz	6.0.0	Detect global variables in JavaScript using acorn
acorn-import-assertions-1.9.0.tgz	1.9.0	
acorn-jsx-5.3.2.tgz	5.3.2	Modern, fast React.js JSX parser
acorn-walk-6.2.0.tgz	6.2.0	ECMAScript (ESTree) AST walker
acorn-walk-7.2.0.tgz	7.2.0	ECMAScript (ESTree) AST walker
acorn-walk-8.2.0.tgz	8.2.0	ECMAScript (ESTree) AST walker
add-dom-event-listener-1.1.0.tgz	1.1.0	add dom event listener. normalize ie and others

add-px-to-style-1.0.0.tgz	1.0.0	Will add px to the end of style values which are Numbers
address-1.2.2.tgz	1.2.2	Get current machine IP, MAC and DNS servers.
agent-base-4.3.0.tgz	4.3.0	Turn a function into an `http.Agent` instance
agent-base-6.0.2.tgz	6.0.2	Turn a function into an `http.Agent` instance
agent-base-7.1.0.tgz	7.1.0	
ajv-6.12.6.tgz	6.12.6	Another JSON Schema Validator
ajv-8.12.0.tgz	8.12.0	
ajv-formats-2.1.1.tgz	2.1.1	Format validation for Ajv v7+
ajv-keywords-3.5.2.tgz	3.5.2	Custom JSON-Schema keywords for Ajv validator
ajv-keywords-5.1.0.tgz	5.1.0	Additional JSON-Schema keywords for Ajv JSON validator
angular-1.8.2.tgz	1.8.2	HTML enhanced for web apps
angular-bindonce-0.3.1.tgz	0.3.1	Zero watchers binding directives for AngularJS
angular-route-1.8.2.tgz	1.8.2	AngularJS router module
angular-sanitize-1.8.2.tgz	1.8.2	AngularJS module for sanitizing HTML
ansi-escapes-3.2.0.tgz	3.2.0	ANSI escape codes for manipulating the terminal
ansi-escapes-4.3.2.tgz	4.3.2	ANSI escape codes for manipulating the terminal
ansi-regex-2.1.1.tgz	2.1.1	Regular expression for matching ANSI escape codes
ansi-regex-3.0.1.tgz	3.0.1	Regular expression for matching ANSI escape codes
ansi-regex-5.0.1.tgz	5.0.1	Regular expression for matching ANSI escape codes
ansi-regex-6.0.1.tgz	6.0.1	Regular expression for matching ANSI escape codes

ansi-styles-2.2.1.tgz	2.2.1	ANSI escape codes for styling strings in the terminal
ansi-styles-3.2.1.tgz	3.2.1	ANSI escape codes for styling strings in the terminal
ansi-styles-4.3.0.tgz	4.3.0	ANSI escape codes for styling strings in the terminal
ansi-styles-5.2.0.tgz	5.2.0	ANSI escape codes for styling strings in the terminal
antlr4-4.11.2.tgz	4.11.2	
antlr4-4.8.0.tgz	4.8.0	JavaScript runtime for ANTLR4
any-observable-0.3.0.tgz	0.3.0	Support any Observable library and polyfill
anymatch-2.0.0.tgz	2.0.0	Matches strings against configurable strings, globs, regular expressions, and/or functions
anymatch-3.1.3.tgz	3.1.3	Matches strings against configurable strings, globs, regular expressions, and/or functions
apache-arrow-0.16.0.tgz	0.16.0	Apache Arrow columnar in-memory format
arch-2.2.0.tgz	2.2.0	Better `os.arch()` for node and the browser -- detect OS architecture
arg-4.1.3.tgz	4.1.3	Another simple argument parser
argparse-1.0.10.tgz	1.0.10	Very powerful CLI arguments parser. Native port of argparse - python's options parsing library
argparse-2.0.1.tgz	2.0.1	CLI arguments parser. Native port of python's argparse.
argv-tools-0.1.2.tgz	0.1.2	Some useful tools for working with process.argv
aria-query-4.2.2.tgz	4.2.2	Programmatic access to the ARIA specification

arr-diff-4.0.0.tgz	4.0.0	Returns an array with only the unique values from the first array, by excluding all values from additional arrays using strict equality for comparisons.
arr-flatten-1.1.0.tgz	1.1.0	Recursively flatten an array or arrays.
arr-union-3.1.0.tgz	3.1.0	Combines a list of arrays, returning a single array with unique values, using strict equality for comparisons.
array-back-2.0.0.tgz	2.0.0	Guarantees an array back
array-buffer-byte-length-1.0.0.tgz	1.0.0	
array-equal-1.0.0.tgz	1.0.0	check if two arrays are equal
array-filter-1.0.0.tgz	1.0.0	Array#filter for older browsers.
array-includes-3.1.6.tgz	3.1.6	An ES7/ES2016 spec-compliant `Array.prototype.includes` shim/polyfill/replacement that works as far down as ES3.
array-tree-filter-2.1.0.tgz	2.1.0	filter in array tree
array-union-2.1.0.tgz	2.1.0	Create an array of unique values, in order, from the input arrays
array-unique-0.3.2.tgz	0.3.2	Remove duplicate values from an array. Fastest ES5 implementation.
array.prototype.flatmap-1.3.1.tgz	1.3.1	An ES2019 spec-compliant `Array.prototype.flatMap` shim/polyfill/replacement that works as far down as ES3.
array.prototype.reduce-1.0.5.tgz	1.0.5	An ES5 spec-compliant `Array.prototype.reduce` shim/polyfill/replacement that works as far down as ES3.

asap-1.0.0.tgz	1.0.0	High-priority task queue for Node.js and browsers
asap-2.0.6.tgz	2.0.6	High-priority task queue for Node.js and browsers
asn1-0.2.6.tgz	0.2.6	Contains parsers and serializers for ASN.1 (currently BER only)
aspromise-1.1.2.tgz	1.1.2	Returns a promise from a node-style callback function.
assert-plus-1.0.0.tgz	1.0.0	Extra assertions on top of node's assert module
assign-symbols-1.0.0.tgz	1.0.0	Assign the enumerable es6 Symbol properties from an object (or objects) to the first object passed on the arguments. Can be used as a supplement to other extend, assign or merge methods as a polyfill for the Symbols part of the es6 Object.assign method.
ast-1.11.1.tgz	1.11.1	AST utils for webassemblyjs
ast-1.11.6.tgz	1.11.6	
ast-types-0.13.4.tgz	0.13.4	Esprima-compatible implementation of the Mozilla JS Parser API
async-3.2.4.tgz	3.2.4	Higher-order functions and common patterns for asynchronous code
async-limiter-1.0.1.tgz	1.0.1	asynchronous function queue with adjustable concurrency
asynckit-0.4.0.tgz	0.4.0	Minimal async jobs utility library, with streams support
at-least-node-1.0.0.tgz	1.0.0	Lightweight Node.js version sniffing/comparison
atob-2.1.2.tgz	2.1.2	atob for Node.JS and Linux / Mac / Windows CLI (it's a one-liner)
autoprefixer-10.4.14.tgz	10.4.14	

available-typed-arrays-1.0.5.tgz	1.0.5	Returns an array of Typed Array names that are available in the current environment
aws-sdk-0.0.3.tgz	0.0.3	Common AWS features for grafana
aws-sign2-0.7.0.tgz	0.7.0	AWS signing. Originally pulled from LearnBoost/knox, maintained as vendor in request, now a standalone module.
aws4-1.12.0.tgz	1.12.0	
axios-0.21.4.tgz	0.21.4	Promise based HTTP client for the browser and node.js
babel-jest-26.6.3.tgz	26.6.3	Jest plugin to use babel for transformation.
babel-loader-9.1.2.tgz	9.1.2	
babel-plugin-11.11.0.tgz	11.11.0	
babel-plugin-angularjs-annotate-0.10.0.tgz	0.10.0	Babel plugin to add angularjs dependency injection annotations
babel-plugin-emotion-10.2.2.tgz	10.2.2	A recommended babel preprocessing plugin for emotion, The Next Generation of CSS-in-JS.
babel-plugin-istanbul-5.2.0.tgz	5.2.0	A babel plugin that adds istanbul instrumentation to ES6 code
babel-plugin-istanbul-6.1.1.tgz	6.1.1	A babel plugin that adds istanbul instrumentation to ES6 code
babel-plugin-jest-hoist-26.6.2.tgz	26.6.2	Babel plugin to hoist <code>jest.disableAutomock`</code> , <code>jest.enableAutomock`</code> , <code>jest.unmock`</code> , <code>jest.mock`</code> , calls above <code>import`</code> statements. This plugin is automatically included when using <code>[babel-jest]</code> (https://github.com/fac

		ebook/jest/tree/master/packages/babel-jes
babel-plugin-macros-2.8.0.tgz	2.8.0	Allows you to build compile-time libraries
babel-plugin-macros-3.1.0.tgz	3.1.0	Allows you to build compile-time libraries
babel-plugin-polyfill-corejs2-0.3.3.tgz	0.3.3	A Babel plugin to inject imports to core-js@2 polyfills
babel-plugin-polyfill-corejs3-0.6.0.tgz	0.6.0	A Babel plugin to inject imports to core-js@3 polyfills
babel-plugin-polyfill-regenerator-0.4.1.tgz	0.4.1	A Babel plugin to inject imports to regenerator-runtime
babel-plugin-syntax-jsx-6.18.0.tgz	6.18.0	Allow parsing of jsx
babel-preset-current-node-syntax-1.0.1.tgz	1.0.1	A Babel preset that enables parsing of proposals supported by the current Node.js version.
babel-preset-jest-26.6.2.tgz	26.6.2	> Babel preset for all Jest plugins. This preset is automatically included when using [babel-jest](https://github.com/facebook/jest/tree/master/packages/babel-jest).
babel-runtime-6.26.0.tgz	6.26.0	babel selfContained runtime
babel__core-7.20.1.tgz	7.20.1	
babel__generator-7.6.4.tgz	7.6.4	TypeScript definitions for @babel/generator
babel__template-7.4.1.tgz	7.4.1	TypeScript definitions for @babel/template
babel__traverse-7.20.0.tgz	7.20.0	
balanced-match-1.0.2.tgz	1.0.2	Match balanced character pairs, like "{" and "}"
baron-3.0.3.tgz	3.0.3	A small, fast and crossbrowser custom scrollbar with native system scroll mechanic.

base-0.11.2.tgz	0.11.2	base is the foundation for creating modular, unit testable and highly pluggable node.js applications, starting with a handful of common methods, like `set`, `get`, `del` and `use`.
base64-1.1.2.tgz	1.1.2	A minimal base64 implementation for number arrays.
base64-js-1.5.1.tgz	1.5.1	Base64 encoding/decoding in pure JS
basic-ftp-5.0.3.tgz	5.0.3	
batch-processor-1.0.0.tgz	1.0.0	Batch processing in JS
bcrypt-pbkdf-1.0.2.tgz	1.0.2	Port of the OpenBSD bcrypt_pbkdf function to pure JS
big.js-5.2.2.tgz	5.2.2	A small, fast, easy-to-use library for arbitrary-precision decimal arithmetic
binary-extensions-2.2.0.tgz	2.2.0	List of binary file extensions
bindings-1.5.0.tgz	1.5.0	Helper module for loading your native module's .node file
bl-4.1.0.tgz	4.1.0	Buffer List: collect buffers and access with a standard readable Buffer interface, streamable too!
bl-5.1.0.tgz	5.1.0	
blink-diff-1.0.13.tgz	1.0.13	A lightweight image comparison tool
blob-util-2.0.2.tgz	2.0.2	Utilities for working with Blob objects in the browser
bluebird-3.7.1.tgz	3.7.1	Full featured Promises/A+ implementation with exceptionally good performance
bluebird-3.7.2.tgz	3.7.2	Full featured Promises/A+ implementation with exceptionally good performance

body-parser-1.19.2.tgz	1.19.2	TypeScript definitions for body-parser
boolbase-1.0.0.tgz	1.0.0	two functions: One that returns true, one that returns false
bounds-1.0.0.tgz	1.0.0	Utilities to make your life with bounding boxes better
brace-0.11.1.tgz	0.11.1	browserify compatible version of the ace editor.
brace-expansion-1.1.11.tgz	1.1.11	Brace expansion as known from sh/bash
braces-2.3.2.tgz	2.3.2	Bash-like brace expansion, implemented in JavaScript. Safer than other brace expansion libs, with complete support for the Bash 4.3 braces specification, without sacrificing speed.
braces-3.0.2.tgz	3.0.2	Bash-like brace expansion, implemented in JavaScript. Safer than other brace expansion libs, with complete support for the Bash 4.3 braces specification, without sacrificing speed.
braintree__sanitize-url-4.0.0.tgz	4.0.0	TypeScript definitions for @braintree/sanitize-url
browser-5.25.0.tgz	5.25.0	Official Sentry SDK for browsers
browser-process-hrtime-1.0.0.tgz	1.0.0	Shim for process.hrtime in the browser
browsers-1.4.1.tgz	1.4.1	
browserslist-4.21.7.tgz	4.21.7	
bs-logger-0.2.6.tgz	0.2.6	Bare simple logger for NodeJS
bser-2.1.1.tgz	2.1.1	JavaScript implementation of the BSER Binary Serialization
buffer-5.7.1.tgz	5.7.1	Node.js Buffer API, for the browser

buffer-6.0.3.tgz	6.0.3	Node.js Buffer API, for the browser
buffer-crc32-0.2.13.tgz	0.2.13	A pure javascript CRC32 algorithm that plays nice with binary data
buffer-from-1.1.2.tgz	1.1.2	A [ponyfill](https://ponyfill.com) for `Buffer.from`, uses native implementation if available.
cache-10.0.29.tgz	10.0.29	emotion's cache
cache-11.11.0.tgz	11.11.0	
cache-base-1.0.1.tgz	1.0.1	Basic object cache with `get`, `set`, `del`, and `has` methods for node.js/javascript projects.
cachedir-2.3.0.tgz	2.3.0	Provides a directory where the OS wants you to store cached files.
calculate-size-1.1.1.tgz	1.1.1	Calculate the pixel size of a string
call-bind-1.0.2.tgz	1.0.2	Robustly `call.bind()` a function
call-signature-0.0.2.tgz	0.0.2	Parse / Generate Method Signatures
callsites-3.1.0.tgz	3.1.0	Get callsites from the V8 stack trace API
camel-case-4.1.2.tgz	4.1.2	Transform into a string with the separator denoted by the next word capitalized
camelcase-5.3.1.tgz	5.3.1	Convert a dash/dot/underscore/space separated string to camelCase or PascalCase: `foo-bar` → `fooBar`
camelcase-6.3.0.tgz	6.3.0	Convert a dash/dot/underscore/space separated string to camelCase or PascalCase: `foo-bar` → `fooBar`
caniuse-api-3.0.0.tgz	3.0.0	request the caniuse data to check browsers compatibilities

caniuse-lite-1.0.30001492.tgz	1.0.30001492	
capture-exit-2.0.0.tgz	2.0.0	safely cleanup in signal handlers
cascade-layer-name-parser-1.0.2.tgz	1.0.2	
caseless-0.12.0.tgz	0.12.0	Caseless object set/get/has, very useful when working with HTTP headers.
centrifuge-2.8.5.tgz	2.8.5	Centrifuge and Centrifugo client for NodeJS and browser
chalk-1.1.3.tgz	1.1.3	Terminal string styling done right. Much color.
chalk-2.4.2.tgz	2.4.2	Terminal string styling done right
chalk-3.0.0.tgz	3.0.0	Terminal string styling done right
chalk-4.1.2.tgz	4.1.2	Terminal string styling done right
chalk-5.2.0.tgz	5.2.0	Terminal string styling done right
chance-1.1.11.tgz	1.1.11	Chance - Utility library to generate anything random
change-emitter-0.1.6.tgz	0.1.6	Listen for changes. Like an event emitter that only emits a single event type. Really tiny.
char-regex-1.0.2.tgz	1.0.2	A regex to match any full character, considering weird character ranges.
chardet-0.7.0.tgz	0.7.0	Character detector
charenc-0.0.2.tgz	0.0.2	character encoding utilities
check-more-types-2.24.0.tgz	2.24.0	Large collection of predicates.
chokidar-3.5.3.tgz	3.5.3	Minimal and efficient cross-platform file watching library
chownr-1.1.4.tgz	1.1.4	like `chown -R`
chrome-trace-event-1.0.3.tgz	1.0.3	A library to create a trace of your node app per Google's Trace Event format.

chromium-bidi-0.4.11.tgz	0.4.11	
ci-info-2.0.0.tgz	2.0.0	Get details about the current Continuous Integration environment
ci-info-3.8.0.tgz	3.8.0	
cjs-module-lexer-0.6.0.tgz	0.6.0	Lexes CommonJS modules, returning their named exports metadata
class-utils-0.3.6.tgz	0.3.6	Utils for working with JavaScript classes and prototype methods.
classnames-2.2.6.tgz	2.2.6	A simple utility for conditionally joining classNames together
classnames-2.3.1.tgz	2.3.1	Stub TypeScript definitions entry for classnames, which provides its own types definitions
classnames-2.3.2.tgz	2.3.2	A simple utility for conditionally joining classNames together
clean-css-4.2.6.tgz	4.2.6	TypeScript definitions for clean-css
clean-css-5.3.2.tgz	5.3.2	
cli-cursor-1.0.2.tgz	1.0.2	Toggle the CLI cursor
cli-cursor-2.1.0.tgz	2.1.0	Toggle the CLI cursor
cli-cursor-3.1.0.tgz	3.1.0	Toggle the CLI cursor
cli-cursor-4.0.0.tgz	4.0.0	Toggle the CLI cursor
cli-spinners-2.9.0.tgz	2.9.0	
cli-table3-0.6.3.tgz	0.6.3	Pretty unicode tables for the command line. Based on the original cli-table.
cli-truncate-0.2.1.tgz	0.2.1	Truncate a string to a specific width in the terminal
cli-width-4.0.0.tgz	4.0.0	Get stdout window width, with two fallbacks, tty and then a default.
clipboard-2.0.4.tgz	2.0.4	Modern copy to clipboard. No Flash. Just 2kb
cliui-4.1.0.tgz	4.1.0	easily create complex multi-column command-line-interfaces

cliui-6.0.0.tgz	6.0.0	easily create complex multi-column command-line-interfaces
cliui-8.0.1.tgz	8.0.1	easily create complex multi-column command-line-interfaces
clone-1.0.4.tgz	1.0.4	deep cloning of objects and arrays
clsx-1.2.1.tgz	1.2.1	A tiny (228B) utility for constructing className strings conditionally.
co-4.6.0.tgz	4.6.0	generator async control flow goodness
code-frame-7.21.4.tgz	7.21.4	
code-point-at-1.1.0.tgz	1.1.0	ES2015 `String#codePointAt()` ponyfill
codegen-2.0.4.tgz	2.0.4	A minimalistic code generation utility.
collect-v8-coverage-1.0.1.tgz	1.0.1	Use this module to start and stop the V8 inspector manually and collect precise coverage.
collection-visit-1.0.0.tgz	1.0.0	Visit a method over the items in an object, or map visit over the objects in an array.
color-convert-1.9.3.tgz	1.9.3	Plain color conversion functions
color-convert-2.0.1.tgz	2.0.1	Plain color conversion functions
color-helpers-2.1.0.tgz	2.1.0	
color-name-1.1.3.tgz	1.1.3	A list of color names and its values
color-name-1.1.4.tgz	1.1.4	A list of color names and its values
colord-2.9.3.tgz	2.9.3	? A tiny yet powerful tool for high-performance color manipulations and conversions
colors-1.5.0.tgz	1.5.0	get colors in your node.js console

combined-stream-1.0.8.tgz	1.0.8	A stream that emits multiple other streams one after another.
combokeys-3.0.1.tgz	3.0.1	Handles keyboard shortcuts in the browser
command-exists-1.2.0.tgz	1.2.0	TypeScript definitions for command-exists
command-exists-1.2.9.tgz	1.2.9	check whether a command line command exists in the current environment
command-line-args-5.0.2.tgz	5.0.2	A mature, feature-complete library to parse command-line options.
command-line-usage-5.0.5.tgz	5.0.5	Generates command-line usage information
commander-10.0.1.tgz	10.0.1	
commander-2.20.3.tgz	2.20.3	the complete solution for node.js command-line programs
commander-5.0.0.tgz	5.0.0	the complete solution for node.js command-line programs
commander-5.1.0.tgz	5.1.0	the complete solution for node.js command-line programs
commander-7.2.0.tgz	7.2.0	the complete solution for node.js command-line programs
commander-8.3.0.tgz	8.3.0	the complete solution for node.js command-line programs
comment-parser-1.3.1.tgz	1.3.1	Generic JSDoc-like comment parser
common-tags-1.8.1.tgz	1.8.1	TypeScript definitions for common-tags
common-tags-1.8.2.tgz	1.8.2	a few common utility template tags for ES2015
comondir-1.0.1.tgz	1.0.1	compute the closest common parent for file paths
commons-1.8.6.tgz	1.8.6	Simple functions shared among the sinon end user libraries

compat-data-7.22.3.tgz	7.22.3	
component-classes-1.2.6.tgz	1.2.6	Cross-browser element class list
component-emitter-1.3.0.tgz	1.3.0	Event emitter
component-indexof-0.0.3.tgz	0.0.3	Microsoft sucks
concat-map-0.0.1.tgz	0.0.1	concatenative mapdashery
concat-stream-1.6.2.tgz	1.6.2	writable stream that concatenates strings or binary data and calls a callback with the result
concurrently-4.1.0.tgz	4.1.0	Run commands concurrently
config-array-0.11.8.tgz	0.11.8	
connect-3.4.35.tgz	3.4.35	TypeScript definitions for connect
connect-history-api-fallback-1.5.0.tgz	1.5.0	
console-24.9.0.tgz	24.9.0	
console-26.6.2.tgz	26.6.2	
convert-source-map-1.9.0.tgz	1.9.0	Converts a source-map from/to different formats and allows adding/changing properties.
copy-anything-2.0.6.tgz	2.0.6	An optimised way to copy'ing an object. A small and simple integration
copy-descriptor-0.1.1.tgz	0.1.1	Copy a descriptor from object A to object B
copy-to-clipboard-3.3.3.tgz	3.3.3	
copy-webpack-plugin-11.0.0.tgz	11.0.0	Copy files && directories with webpack
core-10.3.1.tgz	10.3.1	> Simple styling in React.
core-2.5.4.tgz	2.5.4	Tooltip and Popover Positioning Engine
core-26.6.3.tgz	26.6.3	Delightful JavaScript Testing.
core-5.25.0.tgz	5.25.0	Base implementation for all Sentry JavaScript SDKs
core-7.21.3.tgz	7.21.3	Babel compiler core.
core-7.22.1.tgz	7.22.1	
core-js-1.2.7.tgz	1.2.7	Standard library

core-js-2.6.12.tgz	2.6.12	Standard library
core-js-3.29.1.tgz	3.29.1	Standard library
core-js-compat-3.30.2.tgz	3.30.2	
core-js-pure-3.30.2.tgz	3.30.2	
core-util-is-1.0.2.tgz	1.0.2	The `util.is*` functions introduced in Node v0.12.
core-util-is-1.0.3.tgz	1.0.3	The `util.is*` functions introduced in Node v0.12.
cosmiconfig-6.0.0.tgz	6.0.0	Find and load configuration from a package.json property, rc file, or CommonJS module
cosmiconfig-7.1.0.tgz	7.1.0	Find and load configuration from a package.json property, rc file, or CommonJS module
cosmiconfig-8.1.3.tgz	8.1.3	
create-emotion-10.0.27.tgz	10.0.27	The Next Generation of CSS-in-JS.
cross-fetch-3.1.6.tgz	3.1.6	
cross-spawn-6.0.5.tgz	6.0.5	Cross platform child_process#spawn and child_process#spawnSync
cross-spawn-7.0.3.tgz	7.0.3	Cross platform child_process#spawn and child_process#spawnSync
crypt-0.0.2.tgz	0.0.2	utilities for encryption and hashing
css-10.0.27.tgz	10.0.27	a function to serialize css and object styles
css-11.10.6.tgz	11.10.6	
css-3.0.0.tgz	3.0.0	CSS parser / stringifier
css-animation-1.6.1.tgz	1.6.1	css-animation
css-blank-pseudo-5.0.2.tgz	5.0.2	
css-box-model-1.2.1.tgz	1.2.1	Get accurate and well named css box model information about an Element ?
css-calc-1.1.1.tgz	1.1.1	Solve CSS math expressions
css-color-parser-1.2.0.tgz	1.2.0	
css-declaration-sorter-6.4.0.tgz	6.4.0	

css-has-pseudo-5.0.2.tgz	5.0.2	
css-in-js-utils-3.1.0.tgz	3.1.0	Useful utility functions for CSS in JS solutions
css-loader-6.7.3.tgz	6.7.3	
css-minimizer-webpack-plugin-4.2.2.tgz	4.2.2	cssnano plugin for Webpack
css-parser-algorithms-2.1.1.tgz	2.1.1	Algorithms to help you parse CSS from an array of tokens.
css-prefers-color-scheme-8.0.2.tgz	8.0.2	Use light and dark color schemes in all browsers
css-select-4.3.0.tgz	4.3.0	a CSS selector compiler/engine
css-tokenizer-2.1.1.tgz	2.1.1	
css-tree-1.1.3.tgz	1.1.3	A tool set for CSS: fast detailed parser (CSS → AST), walker (AST traversal), generator (AST → CSS) and lexer (validation and matching) based on specs and browser implementations
css-what-6.1.0.tgz	6.1.0	a CSS selector parser
css.escape-1.5.1.tgz	1.5.1	A robust polyfill for the `CSS.escape` utility method as defined in CSSOM.
cssdb-7.6.0.tgz	7.6.0	
cssesc-3.0.0.tgz	3.0.0	A JavaScript library for escaping CSS strings and identifiers while generating the shortest possible ASCII-only output.
cssfilter-0.0.10.tgz	0.0.10	Sanitize untrusted CSS with a configuration specified by a Whitelist. 根据白名单过滤 CSS
cssfontparser-1.2.1.tgz	1.2.1	parse shorthand css font strings"
cssnano-5.1.15.tgz	5.1.15	
cssnano-preset-default-5.2.14.tgz	5.2.14	Safe defaults for cssnano which require minimal configuration.

cssnano-utils-3.1.0.tgz	3.1.0	Utility methods and plugin for cssnano projects
cssso-4.2.0.tgz	4.2.0	CSS minifier with structural optimisations
cssom-0.3.8.tgz	0.3.8	CSS Object Model implementation and CSS parser
cssom-0.4.4.tgz	0.4.4	CSS Object Model implementation and CSS parser
cssstyle-2.3.0.tgz	2.3.0	CSSStyleDeclaration Object Model implementation
csstype-2.6.21.tgz	2.6.21	Strict TypeScript and Flow types for style based on MDN data
csstype-3.1.2.tgz	3.1.2	
curve-1.0.0.tgz	1.0.0	visx curve
cypress-6.9.1.tgz	6.9.1	Cypress.io end to end testing tool
cypress-file-upload-4.1.1.tgz	4.1.1	A Cypress command for file upload
d3-5.15.0.tgz	5.15.0	Data-Driven Documents
d3-array-1.2.4.tgz	1.2.4	Array manipulation, ordering, searching, summarizing, etc.
d3-array-2.12.1.tgz	2.12.1	Array manipulation, ordering, searching, summarizing, etc.
d3-axis-1.0.12.tgz	1.0.12	Displays automatic reference lines for scales.
d3-brush-1.1.6.tgz	1.1.6	Select a one- or two-dimensional region using the mouse or touch.
d3-chord-1.0.6.tgz	1.0.6	Visualize relationships or network flow with an aesthetically-pleasing circular layout.
d3-collection-1.0.7.tgz	1.0.7	Handy data structures for elements keyed by string.
d3-color-1.4.2.tgz	1.4.2	TypeScript definitions for D3JS d3-color module

d3-color-3.1.0.tgz	3.1.0	Color spaces! RGB, HSL, Cubehelix, Lab and HCL (Lch).
d3-contour-1.3.2.tgz	1.3.2	Compute contour polygons using marching squares.
d3-dispatch-1.0.6.tgz	1.0.6	Register named callbacks and call them with arguments.
d3-dispatch-2.0.0.tgz	2.0.0	Register named callbacks and call them with arguments.
d3-drag-1.2.5.tgz	1.2.5	Drag and drop SVG, HTML or Canvas using mouse or touch input.
d3-dsv-1.2.0.tgz	1.2.0	A parser and formatter for delimiter-separated values, such as CSV and TSV
d3-ease-1.0.7.tgz	1.0.7	Easing functions for smooth animation.
d3-fetch-1.2.0.tgz	1.2.0	Convenient parsing for Fetch.
d3-force-1.2.1.tgz	1.2.1	Force-directed graph layout using velocity Verlet integration.
d3-force-2.1.1.tgz	2.1.1	Force-directed graph layout using velocity Verlet integration.
d3-format-1.4.5.tgz	1.4.5	Format numbers for human consumption.
d3-format-2.0.0.tgz	2.0.0	Format numbers for human consumption.
d3-geo-1.12.1.tgz	1.12.1	Shapes and calculators for spherical coordinates.
d3-hierarchy-1.1.9.tgz	1.1.9	Layout algorithms for visualizing hierarchical data.
d3-interpolate-1.4.0.tgz	1.4.0	Interpolate numbers, colors, strings, arrays, objects, whatever!
d3-interpolate-1.4.2.tgz	1.4.2	TypeScript definitions for D3JS d3-interpolate module

d3-interpolate-2.0.1.tgz	2.0.1	Interpolate numbers, colors, strings, arrays, objects, whatever!
d3-path-1.0.9.tgz	1.0.9	Serialize Canvas path commands to SVG.
d3-path-1.0.9.tgz	1.0.9	TypeScript definitions for D3JS d3-path module
d3-polygon-1.0.6.tgz	1.0.6	Operations for two-dimensional polygons.
d3-quadtree-1.0.7.tgz	1.0.7	Two-dimensional recursive spatial subdivision.
d3-quadtree-2.0.0.tgz	2.0.0	Two-dimensional recursive spatial subdivision.
d3-random-1.1.2.tgz	1.1.2	Generate random numbers from various distributions.
d3-scale-2.2.2.tgz	2.2.2	Encodings that map abstract data to visual representation.
d3-scale-3.3.0.tgz	3.3.0	Encodings that map abstract data to visual representation.
d3-scale-3.3.2.tgz	3.3.2	TypeScript definitions for D3JS d3-scale module
d3-scale-chromatic-1.5.0.tgz	1.5.0	Sequential, diverging and categorical color schemes.
d3-selection-1.4.2.tgz	1.4.2	Data-driven DOM manipulation: select elements and join them to data.
d3-shape-1.3.7.tgz	1.3.7	Graphical primitives for visualization, such as lines and areas.
d3-shape-1.3.8.tgz	1.3.8	TypeScript definitions for D3JS d3-shape module
d3-time-1.1.0.tgz	1.1.0	A calculator for humanity's peculiar conventions of time.
d3-time-1.1.1.tgz	1.1.1	TypeScript definitions for D3JS d3-time module
d3-time-2.1.1.tgz	2.1.1	A calculator for humanity's peculiar conventions of time.

d3-time-2.1.1.tgz	2.1.1	TypeScript definitions for D3JS d3-time module
d3-time-format-2.3.0.tgz	2.3.0	A JavaScript time formatter and parser inspired by strftime and strptime.
d3-time-format-3.0.0.tgz	3.0.0	A JavaScript time formatter and parser inspired by strftime and strptime.
d3-timer-1.0.10.tgz	1.0.10	An efficient queue capable of managing thousands of concurrent animations.
d3-timer-2.0.0.tgz	2.0.0	An efficient queue capable of managing thousands of concurrent animations.
d3-transition-1.3.2.tgz	1.3.2	Animated transitions for D3 selections.
d3-voronoi-1.1.4.tgz	1.1.4	Compute the Voronoi diagram of a set of two-dimensional points.
d3-zoom-1.8.3.tgz	1.8.3	Pan and zoom SVG, HTML or Canvas using mouse or touch input.
dangerously-set-html-content-1.0.6.tgz	1.0.6	Render raw html at your own risk!
dashdash-1.14.1.tgz	1.14.1	A light, featureful and explicit option parsing library.
data-7.5.17.tgz	7.5.17	Grafana Data Library
data-uri-to-buffer-5.0.1.tgz	5.0.1	
data-urls-1.1.0.tgz	1.1.0	Parses data: URLs
data-urls-2.0.0.tgz	2.0.0	Parses data: URLs
date-fns-1.30.1.tgz	1.30.1	Modern JavaScript date utility library
date-format-4.0.14.tgz	4.0.14	Formatting Date objects as strings since 2013
dayjs-1.11.7.tgz	1.11.7	2KB immutable date time library alternative to Moment.js with the same modern API
debounce-1.2.1.tgz	1.2.1	Creates and returns a new debounced version of the passed function that will postpone its execution until

		after wait milliseconds have elapsed since the last time it was invoked
debounce-promise-3.1.2.tgz	3.1.2	Create a debounced version of a promise returning function
debug-2.6.9.tgz	2.6.9	small debugging utility
debug-3.2.7.tgz	3.2.7	small debugging utility
debug-4.3.2.tgz	4.3.2	small debugging utility
debug-4.3.4.tgz	4.3.4	Lightweight debugging utility for Node.js and the browser
decamelize-1.2.0.tgz	1.2.0	Convert a camelized string into a lowercased one with a custom separator: unicornRainbow → unicorn_rainbow
decimal.js-10.4.3.tgz	10.4.3	An arbitrary-precision Decimal type for JavaScript.
decode-uri-component-0.2.1.tgz	0.2.1	
deep-diff-0.3.8.tgz	0.3.8	Javascript utility for calculating deep difference, capturing changes, and applying changes across objects; for nodejs and the browser.
deep-extend-0.6.0.tgz	0.6.0	Recursive object extending
deep-freeze-0.0.1.tgz	0.0.1	recursively Object.freeze() objects and functions
deep-freeze-0.1.2.tgz	0.1.2	TypeScript definitions for deep-freeze
deep-is-0.1.4.tgz	0.1.4	node's assert.deepEqual algorithm except for NaN being equal to NaN
deepmerge-4.3.1.tgz	4.3.1	
defaults-1.0.4.tgz	1.0.4	merge single level defaults over a config object
define-lazy-prop-2.0.0.tgz	2.0.0	Define a lazily evaluated property on an object
define-properties-1.2.0.tgz	1.2.0	
define-property-0.2.5.tgz	0.2.5	Define a non-enumerable property on an object.

define-property-1.0.0.tgz	1.0.0	Define a non-enumerable property on an object.
define-property-2.0.2.tgz	2.0.2	Define a non-enumerable property on an object. Uses Reflect.defineProperty when available, otherwise Object.defineProperty.
degenerator-4.0.2.tgz	4.0.2	
delayed-stream-1.0.0.tgz	1.0.0	Buffers events from a stream until you are ready to handle them.
delegate-3.2.0.tgz	3.2.0	Lightweight event delegation
detect-newline-3.1.0.tgz	3.1.0	Detect the dominant newline character of a string
detect-port-alt-1.1.6.tgz	1.1.6	detect available port
devtools-protocol-0.0.1120988.tgz	0.0.1120988	The Chrome DevTools Protocol JSON
diff-4.0.2.tgz	4.0.2	A javascript text diff implementation.
diff-match-patch-1.0.5.tgz	1.0.5	npm package for https://github.com/google/diff-match-patch
diff-sequences-26.6.2.tgz	26.6.2	Compare items in two sequences to find a longest common subsequence
diff-sequences-29.4.3.tgz	29.4.3	
dir-glob-3.0.1.tgz	3.0.1	Convert directories to glob compatible strings
direction-0.1.5.tgz	0.1.5	Detect directionality: left-to-right, right-to-left, or neutral
doctrine-2.1.0.tgz	2.1.0	JSDoc parser
doctrine-3.0.0.tgz	3.0.0	JSDoc parser
dom-align-1.12.4.tgz	1.12.4	Align DOM Node Flexibly
dom-converter-0.2.0.tgz	0.2.0	converts bare objects to DOM objects or xml representations
dom-css-2.1.0.tgz	2.1.0	fast dom CSS styling
dom-helpers-5.2.1.tgz	5.2.1	tiny modular DOM lib for ie9+

dom-serializer-1.4.1.tgz	1.4.1	render domhandler DOM nodes to a string
domelementtype-2.3.0.tgz	2.3.0	all the types of nodes in htmlparser2's dom
domexception-1.0.1.tgz	1.0.1	An implementation of the DOMException class from browsers
domexception-2.0.1.tgz	2.0.1	An implementation of the DOMException class from browsers
domhandler-4.3.1.tgz	4.3.1	Handler for htmlparser2 that turns pages into a dom
domutils-2.8.0.tgz	2.8.0	Utilities for working with htmlparser2's dom
dot-case-3.0.4.tgz	3.0.4	Transform into a lower case string with a period between words
duplexer-0.1.2.tgz	0.1.2	Creates a duplex stream
e2e-7.5.17.tgz	7.5.17	Grafana End-to-End Test Library
e2e-selectors-7.5.17.tgz	7.5.17	Grafana End-to-End Test Selectors Library
eastasianwidth-0.2.0.tgz	0.2.0	Get East Asian Width from a character.
ecc-jsbn-0.1.2.tgz	0.1.2	ECC JS code based on JSBN
electron-to-chromium-1.4.414.tgz	1.4.414	
elegant-spinner-1.0.1.tgz	1.0.1	Elegant spinner for interactive CLI apps
element-resize-detector-1.2.4.tgz	1.2.4	Resize event emitter for elements.
emitter-component-1.1.1.tgz	1.1.1	Event emitter
emittery-0.7.2.tgz	0.7.2	Simple and modern async event emitter
emoji-regex-8.0.0.tgz	8.0.0	A regular expression to match all Emoji-only symbols as per the Unicode Standard.
emojis-list-3.0.0.tgz	3.0.0	Complete list of standard emojis.
emotion-10.0.27.tgz	10.0.27	The Next Generation of CSS-in-JS.

emotion-11.0.0.tgz	11.0.0	The Next Generation of CSS-in-JS.
empower-1.3.1.tgz	1.3.1	Power Assert feature enhancer for assert function/object
empower-core-1.2.0.tgz	1.2.0	Power Assert feature enhancer for assert function/object
encoding-0.1.13.tgz	0.1.13	Convert encodings, uses iconv-lite
end-of-stream-1.4.4.tgz	1.4.4	Call a callback when a readable/writable/duplex stream has completed or failed.
enhanced-resolve-5.14.1.tgz	5.14.1	
entities-2.2.0.tgz	2.2.0	Encode & decode XML and HTML entities with ease
entities-4.5.0.tgz	4.5.0	
environment-24.9.0.tgz	24.9.0	
environment-26.6.2.tgz	26.6.2	
errno-0.1.8.tgz	0.1.8	libuv errno details exposed
error-ex-1.3.2.tgz	1.3.2	Easy error subclassing and stack customization
error-stack-parser-2.1.4.tgz	2.1.4	Extract meaning from JS Errors
es-abstract-1.21.2.tgz	1.21.2	
es-array-method-boxes-properly-1.0.0.tgz	1.0.0	Utility package to determine if an `Array.prototype` method properly boxes the callback's receiver and third argument.
es-module-lexer-0.9.3.tgz	0.9.3	Lexes ES modules returning their import/export metadata
es-module-lexer-1.2.1.tgz	1.2.1	
es-set-tostringtag-2.0.1.tgz	2.0.1	
es-shim-unscopables-1.0.0.tgz	1.0.0	Helper package to shim a method into `Array.prototype[Symbol.unscopables]`

es-to-primitive-1.2.1.tgz	1.2.1	ECMAScript "ToPrimitive" algorithm. Provides ES5 and ES2015 versions.
es6-promise-4.2.8.tgz	4.2.8	A lightweight library that provides tools for organizing asynchronous code
es6-promisify-5.0.0.tgz	5.0.0	Converts callback-based functions to ES6 Promises
escalade-3.1.1.tgz	3.1.1	A tiny (183B to 210B) and fast utility to ascend parent directories
escape-string-regexp-1.0.5.tgz	1.0.5	Escape RegExp special characters
escape-string-regexp-2.0.0.tgz	2.0.0	Escape RegExp special characters
escape-string-regexp-4.0.0.tgz	4.0.0	Escape RegExp special characters
escape-string-regexp-5.0.0.tgz	5.0.0	Escape RegExp special characters
escodegen-1.14.3.tgz	1.14.3	ECMAScript code generator
escodegen-2.0.0.tgz	2.0.0	ECMAScript code generator
eslint-8.26.0.tgz	8.26.0	An AST-based pattern checker for JavaScript.
eslint-8.37.0.tgz	8.37.0	An AST-based pattern checker for JavaScript.
eslint-8.40.0.tgz	8.40.0	
eslint-config-5.1.0.tgz	5.1.0	Grafana's ESLint config
eslint-config-prettier-8.5.0.tgz	8.5.0	Turns off all rules that are unnecessary or might conflict with Prettier.
eslint-config-prettier-8.8.0.tgz	8.8.0	
eslint-plugin-11.10.0.tgz	11.10.0	ESLint rules for emotion
eslint-plugin-5.42.0.tgz	5.42.0	TypeScript plugin for ESLint
eslint-plugin-5.57.1.tgz	5.57.1	
eslint-plugin-jsdoc-39.6.2.tgz	39.6.2	JSDoc linting rules for ESLint.
eslint-plugin-jsdoc-40.1.1.tgz	40.1.1	
eslint-plugin-prettier-4.2.1.tgz	4.2.1	Runs prettier as an eslint rule
eslint-plugin-react-7.31.10.tgz	7.31.10	React specific linting rules for ESLint

eslint-plugin-react-hooks-4.6.0.tgz	4.6.0	ESLint rules for React Hooks
eslint-scope-3.7.4.tgz	3.7.4	TypeScript definitions for eslint-scope
eslint-scope-5.1.1.tgz	5.1.1	ECMAScript scope analyzer for ESLint
eslint-scope-7.2.0.tgz	7.2.0	
eslint-utils-3.0.0.tgz	3.0.0	Utilities for ESLint plugins.
eslint-utils-4.4.0.tgz	4.4.0	
eslint-visitor-keys-2.1.0.tgz	2.1.0	Constants and utilities about visitor keys to traverse AST.
eslint-visitor-keys-3.4.1.tgz	3.4.1	
eslintrc-1.4.1.tgz	1.4.1	
eslintrc-2.0.3.tgz	2.0.3	
espree-9.5.2.tgz	9.5.2	
esprima-4.0.1.tgz	4.0.1	ECMAScript parsing infrastructure for multipurpose analysis
espurify-1.8.1.tgz	1.8.1	Clone new AST without extra properties
esquery-1.5.0.tgz	1.5.0	
esrecurse-4.3.0.tgz	4.3.0	ECMAScript AST recursive visitor
esrever-0.2.0.tgz	0.2.0	A fully Unicode-aware string reverser written in JavaScript.
estrace-4.3.0.tgz	4.3.0	ECMAScript JS AST traversal functions
estrace-5.3.0.tgz	5.3.0	ECMAScript JS AST traversal functions
estree-0.0.51.tgz	0.0.51	TypeScript definitions for ESTree AST specification
estree-1.0.1.tgz	1.0.1	
esutils-2.0.3.tgz	2.0.3	utility box for ECMAScript language tools
event-1.3.0.tgz	1.3.0	visx event
eventemitter-1.1.0.tgz	1.1.0	A minimal event emitter.
eventemitter2-6.4.9.tgz	6.4.9	A feature-rich Node.js event emitter implementation with namespaces, wildcards, TTL, async

		listeners and browser/worker support.
eventemitter3-4.0.0.tgz	4.0.0	EventEmitter3 focuses on performance while maintaining a Node.js AND browser compatible interface.
eventemitter3-4.0.7.tgz	4.0.7	EventEmitter3 focuses on performance while maintaining a Node.js AND browser compatible interface.
events-3.3.0.tgz	3.3.0	Node's event emitter for all engines.
exec-sh-0.3.6.tgz	0.3.6	Execute shell command forwarding all stdio.
execa-1.0.0.tgz	1.0.0	A better `child_process`
execa-2.1.0.tgz	2.1.0	Process execution for humans
execa-4.0.0.tgz	4.0.0	Process execution for humans
execa-4.1.0.tgz	4.1.0	Process execution for humans
executable-4.1.1.tgz	4.1.1	Check if a file is executable
exit-0.1.2.tgz	0.1.2	A replacement for process.exit that ensures stdio are fully drained before exiting.
exit-hook-1.1.1.tgz	1.1.1	Run some code when the process exits
expand-brackets-2.1.4.tgz	2.1.4	Expand POSIX bracket expressions (character classes) in glob patterns.
expect-26.6.2.tgz	26.6.2	This package exports the `expect` function used in [Jest](https://jestjs.io/). You can find its documentation [on Jest's website](https://jestjs.io/docs/en/expect.html).
expect-29.5.0.tgz	29.5.0	
expect-puppeteer-3.3.1.tgz	3.3.1	TypeScript definitions for expect-puppeteer

expect-puppeteer-4.1.1.tgz	4.1.1	Assertion toolkit for Puppeteer.
expect-utils-29.5.0.tgz	29.5.0	
express-4.17.17.tgz	4.17.17	
express-serve-static-core-4.17.35.tgz	4.17.35	
extend-3.0.2.tgz	3.0.2	Port of jQuery.extend for node.js and the browser
extend-shallow-2.0.1.tgz	2.0.1	Extend an object with the properties of additional objects. node.js/javascript util.
extend-shallow-3.0.2.tgz	3.0.2	Extend an object with the properties of additional objects. node.js/javascript util.
external-editor-3.1.0.tgz	3.1.0	Edit a string with the users preferred text editor using \$VISUAL or \$ENVIRONMENT
extglob-2.0.4.tgz	2.0.4	Extended glob support for JavaScript. Adds (almost) the expressive power of regular expressions to glob patterns.
extract-zip-1.7.0.tgz	1.7.0	unzip a zip file into a directory using 100% javascript
extract-zip-2.0.1.tgz	2.0.1	unzip a zip file into a directory using 100% javascript
extsprintf-1.3.0.tgz	1.3.0	extended POSIX-style sprintf
extsprintf-1.4.1.tgz	1.4.1	extended POSIX-style sprintf
fake-timers-24.9.0.tgz	24.9.0	
fake-timers-26.6.2.tgz	26.6.2	
fake-timers-6.0.1.tgz	6.0.1	Fake JavaScript timers
fake.zip		
fast-deep-equal-3.1.3.tgz	3.1.3	Fast deep equal
fast-diff-1.3.0.tgz	1.3.0	
fast-glob-3.2.12.tgz	3.2.12	It's a very fast and efficient glob library for Node.js

fast-json-stable-stringify-2.1.0.tgz	2.1.0	deterministic `JSON.stringify()` - a faster version of substack's json-stable-strigify without jsonify
fast-levenshtein-2.0.6.tgz	2.0.6	Efficient implementation of Levenshtein algorithm with locale-specific collator support.
fast-loops-1.1.4.tgz	1.1.4	
fast-shallow-equal-1.0.0.tgz	1.0.0	[![][npm-badge]][npm-url] [![][travis-badge]][travis-url]
fast-text-encoding-1.0.6.tgz	1.0.6	Fast polyfill for TextEncoder and TextDecoder, only supports utf-8
fastest-stable-stringify-2.0.2.tgz	2.0.2	Fastest stable deterministic JSON.stringify()
fastq-1.15.0.tgz	1.15.0	
fb-watchman-2.0.2.tgz	2.0.2	Bindings for the Watchman file watching service
fbjs-0.8.18.tgz	0.8.18	A collection of utility libraries used by other Facebook JS projects
fd-slicer-1.1.0.tgz	1.1.0	safely create multiple ReadStream or WriteStream objects from the same file descriptor
fetch-1.1.0.tgz	1.1.0	Fetches the contents of a file accross node and browsers.
figures-1.7.0.tgz	1.7.0	Unicode symbols with Windows CMD fallbacks
figures-2.0.0.tgz	2.0.0	Unicode symbols with Windows CMD fallbacks
figures-5.0.0.tgz	5.0.0	Unicode symbols with fallbacks for older terminals
file-entry-cache-6.0.1.tgz	6.0.1	Super simple cache for file metadata, useful for process that work o a given series of files and that only need to repeat the job on the changed ones since the previous run of the process

file-exists-1.1.1.tgz	1.1.1	Synchronous validation of a path existing either as a file or as a directory.
file-loader-6.2.0.tgz	6.2.0	A file loader module for webpack
file-saver-2.0.2.tgz	2.0.2	An HTML5 saveAs() FileSaver implementation
file-uri-to-path-1.0.0.tgz	1.0.0	Convert a file: URI to a file path
filesize-8.0.7.tgz	8.0.7	JavaScript library to generate a human readable String describing the file size
fill-range-4.0.0.tgz	4.0.0	Fill in a range of numbers or letters, optionally passing an increment or `step` to use, or create a regex-compatible range with `options.toRegex`
fill-range-7.0.1.tgz	7.0.1	Fill in a range of numbers or letters, optionally passing an increment or `step` to use, or create a regex-compatible range with `options.toRegex`
find-cache-dir-3.3.2.tgz	3.3.2	Finds the common standard cache directory
find-replace-2.0.1.tgz	2.0.1	Find and either replace or remove items from an array
find-root-1.1.0.tgz	1.1.0	find the closest package.json
find-up-3.0.0.tgz	3.0.0	Find a file or directory by walking up parent directories
find-up-4.1.0.tgz	4.1.0	Find a file or directory by walking up parent directories
find-up-5.0.0.tgz	5.0.0	Find a file or directory by walking up parent directories
flat-cache-3.0.4.tgz	3.0.4	A stupidly simple key/value storage using files to persist some data

flatbuffers-1.10.0.tgz	1.10.0	TypeScript definitions for flatbuffers
flatbuffers-1.11.0.tgz	1.11.0	Memory Efficient Serialization Library
flatted-3.2.7.tgz	3.2.7	A super light and fast circular JSON parser.
float-1.0.2.tgz	1.0.2	Reads / writes floats / doubles from / to buffers in both modern and ancient browsers.
floating-point-hex-parser-1.11.1.tgz	1.11.1	A function to parse floating point hexadecimal strings as defined by the WebAssembly specification
floating-point-hex-parser-1.11.6.tgz	1.11.6	
follow-redirects-1.15.2.tgz	1.15.2	HTTP and HTTPS modules that follow redirects.
for-each-0.3.3.tgz	0.3.3	A better forEach
for-in-1.0.2.tgz	1.0.2	Iterate over the own and inherited enumerable properties of an object, and return an object with properties that evaluate to true from the callback. Exit early by returning `false`. JavaScript/Node.js
forever-agent-0.6.1.tgz	0.6.1	HTTP Agent that keeps socket connections alive between keep-alive requests. Formerly part of mikeal/request, now a standalone module.
fork-ts-checker-webpack-plugin-6.5.3.tgz	6.5.3	
fork-ts-checker-webpack-plugin-8.0.0.tgz	8.0.0	
form-data-2.3.3.tgz	2.3.3	A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications.

form-data-3.0.1.tgz	3.0.1	A library to create readable "multipart/form-data" streams. Can be used to submit forms and file uploads to other web applications.
fraction.js-4.2.0.tgz	4.2.0	A rational number library
fragment-cache-0.2.1.tgz	0.2.1	A cache for managing namespaced sub-caches
fs-constants-1.0.0.tgz	1.0.0	Require constants across node and the browser
fs-extra-10.1.0.tgz	10.1.0	fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as recursive mkdir, copy, and remove.
fs-extra-8.1.0.tgz	8.1.0	fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as mkdir -p, cp -r, and rm -rf.
fs-extra-8.1.2.tgz	8.1.2	TypeScript definitions for fs-extra
fs-extra-9.1.0.tgz	9.1.0	fs-extra contains methods that aren't included in the vanilla Node.js fs package. Such as recursive mkdir, copy, and remove.
fs-monkey-1.0.3.tgz	1.0.3	Monkey patches for file system related things.
fs.realpath-1.0.0.tgz	1.0.0	Use node's fs.realpath, but fall back to the JS implementation if the native one fails
fs.scandir-2.1.5.tgz	2.1.5	List files and directories inside the specified directory
fs.stat-2.0.5.tgz	2.0.5	Get the status of a file with some features
fs.walk-1.2.8.tgz	1.2.8	A library for efficiently walking a directory recursively

fsevents-1.2.13.tgz	1.2.13	Native Access to Mac OS-X FSEvents
fsevents-2.3.2.tgz	2.3.2	Native Access to MacOS FSEvents
function-bind-1.1.1.tgz	1.1.1	Implementation of Function.prototype.bind
function.prototype.name-1.1.5.tgz	1.1.5	An ES2015 spec-compliant `Function.prototype.name` shim
functions-have-names-1.2.3.tgz	1.2.3	Does this JS environment support the `name` property on functions?
fuzzy-0.1.3.tgz	0.1.3	small, standalone fuzzy search / fuzzy filter. browser or node
gen-mapping-0.3.3.tgz	0.3.3	
generator-7.22.3.tgz	7.22.3	
gensync-1.0.0-beta.2.tgz	1.0.0-beta.2	Allows users to use generators in order to write common functions that can be both sync or async.
get-caller-file-1.0.3.tgz	1.0.3	[![Build Status](https://travis-ci.org/stefanpenner/get-caller-file.svg?branch=master)](https://travis-ci.org/stefanpenner/get-caller-file) [![Build status](https://ci.appveyor.com/api/projects/status/ol2q94g1932cy14a/branch/master?svg=true)](https://ci.a
get-caller-file-2.0.5.tgz	2.0.5	[![Build Status](https://travis-ci.org/stefanpenner/get-caller-file.svg?branch=master)](https://travis-ci.org/stefanpenner/get-caller-file) [![Build status](https://ci.appveyor.com/api/projects/status/ol2

		q94g1932cy14a/branch/master?svg=true)](https://ci.a
get-document-1.0.0.tgz	1.0.0	Returns the `document` object from a DOM object
get-intrinsic-1.2.1.tgz	1.2.1	
get-package-type-0.1.0.tgz	0.1.0	Determine the `package.json#type` which applies to a location
get-stream-4.1.0.tgz	4.1.0	Get a stream as a string, buffer, or array
get-stream-5.2.0.tgz	5.2.0	Get a stream as a string, buffer, or array
get-symbol-description-1.0.0.tgz	1.0.0	Gets the description of a Symbol. Handles `Symbol()` vs `Symbol("")` properly when possible.
get-uri-6.0.1.tgz	6.0.1	
get-user-locale-1.5.1.tgz	1.5.1	Returns a list of strings representing the user's preferred languages.
get-value-2.0.6.tgz	2.0.6	Use property paths (`a.b.c`) to get a nested value from an object.
get-window-1.1.2.tgz	1.1.2	Returns the `window` object from a DOM object
getos-3.2.1.tgz	3.2.1	Get the OS/Distribution name of the environment you are working on
getpass-0.1.7.tgz	0.1.7	getpass for node.js
glob-7.2.3.tgz	7.2.3	a little globber
glob-8.1.0.tgz	8.1.0	TypeScript definitions for glob
glob-9.3.5.tgz	9.3.5	the most correct and second fastest glob implementation in JavaScript
glob-parent-6.0.2.tgz	6.0.2	Extract the non-magic parent path from a glob string.
glob-to-regexp-0.4.1.tgz	0.4.1	Convert globs to regular expressions

global-dirs-2.1.0.tgz	2.1.0	Get the directory of globally installed packages and binaries
global-modules-2.0.0.tgz	2.0.0	The directory used by npm for globally installed npm modules.
global-prefix-3.0.0.tgz	3.0.0	Get the npm global path prefix.
globals-11.12.0.tgz	11.12.0	Global identifiers from different JavaScript environments
globals-13.20.0.tgz	13.20.0	
globals-26.6.2.tgz	26.6.2	
globalthis-1.0.3.tgz	1.0.3	ECMAScript spec-compliant polyfill/shim for `globalThis`
globby-11.1.0.tgz	11.1.0	User-friendly glob matching
globby-13.1.4.tgz	13.1.4	User-friendly glob matching
good-listener-1.2.2.tgz	1.2.2	A more versatile way of adding & removing event listeners
gopd-1.0.1.tgz	1.0.1	`Object.getOwnPropertyDescriptor`, but accounts for IE's broken implementation.
graceful-fs-4.1.6.tgz	4.1.6	
graceful-fs-4.2.11.tgz	4.2.11	
gradient-1.0.0.tgz	1.0.0	visx gradient
grafana-simple-json-datasource-ec18fa4da8096a952608a7e4c7782b4260b41bcf.zip		
grapheme-splitter-1.0.4.tgz	1.0.4	A JavaScript library that breaks strings into their individual user-perceived characters. It supports emojis!
group-1.0.0.tgz	1.0.0	visx group
growly-1.3.0.tgz	1.3.0	Simple zero-dependency Growl notifications using Gntp.
gzip-size-6.0.0.tgz	6.0.0	Get the gzipped size of a string or buffer

hammerjs-2.0.8.tgz	2.0.8	A javascript library for multi-touch gestures
har-schema-2.0.0.tgz	2.0.0	JSON Schema for HTTP Archive (HAR)
har-validator-5.1.5.tgz	5.1.5	Extremely fast HTTP Archive (HAR) validator using JSON Schema
has-1.0.3.tgz	1.0.3	Object.prototype.hasOwnProperty.call shortcut
has-ansi-2.0.0.tgz	2.0.0	Check if a string has ANSI escape codes
has-bigints-1.0.2.tgz	1.0.2	Determine if the JS environment has BigInt support.
has-flag-2.0.0.tgz	2.0.0	Check if argv has a specific flag
has-flag-3.0.0.tgz	3.0.0	Check if argv has a specific flag
has-flag-4.0.0.tgz	4.0.0	Check if argv has a specific flag
has-property-descriptors-1.0.0.tgz	1.0.0	Does the environment have full property descriptor support? Handles IE 8's broken defineProperty/gOPD.
has-proto-1.0.1.tgz	1.0.1	
has-symbols-1.0.3.tgz	1.0.3	Determine if the JS environment has Symbol support. Supports spec, or shams.
has-tostringtag-1.0.0.tgz	1.0.0	Determine if the JS environment has `Symbol.toStringTag` support. Supports spec, or shams.
has-value-0.3.1.tgz	0.3.1	Returns true if a value exists, false if empty. Works with deeply nested values using object paths.
has-value-1.0.0.tgz	1.0.0	Returns true if a value exists, false if empty. Works with deeply nested values using object paths.

has-values-0.1.4.tgz	0.1.4	Returns true if any values exist, false if empty. Works for booleans, functions, numbers, strings, nulls, objects and arrays.
has-values-1.0.0.tgz	1.0.0	Returns true if any values exist, false if empty. Works for booleans, functions, numbers, strings, nulls, objects and arrays.
hash-0.8.0.tgz	0.8.0	A MurmurHash2 implementation
hash-0.9.1.tgz	0.9.1	
he-1.2.0.tgz	1.2.0	A robust HTML entities encoder/decoder with full Unicode support.
helper-annotate-as-pure-7.18.6.tgz	7.18.6	Helper function to annotate paths and nodes with <code>#__PURE__</code> comment
helper-api-error-1.11.1.tgz	1.11.1	Common API errors
helper-api-error-1.11.6.tgz	1.11.6	
helper-buffer-1.11.1.tgz	1.11.1	Buffer manipulation utility
helper-buffer-1.11.6.tgz	1.11.6	
helper-builder-binary-assignment-operator-visitor-7.22.3.tgz	7.22.3	
helper-compilation-targets-7.22.1.tgz	7.22.1	
helper-create-class-features-plugin-7.22.1.tgz	7.22.1	
helper-create-regexp-features-plugin-7.22.1.tgz	7.22.1	
helper-define-polyfill-provider-0.3.3.tgz	0.3.3	Babel helper to create your own polyfill provider
helper-environment-visitor-7.22.1.tgz	7.22.1	
helper-function-name-7.21.0.tgz	7.21.0	
helper-hoist-variables-7.18.6.tgz	7.18.6	Helper function to hoist variables
helper-member-expression-to-functions-7.22.3.tgz	7.22.3	

helper-module-imports-7.21.4.tgz	7.21.4	
helper-module-transforms-7.22.1.tgz	7.22.1	
helper-numbers-1.11.1.tgz	1.11.1	Number parsing utility
helper-numbers-1.11.6.tgz	1.11.6	
helper-optimise-call-expression-7.18.6.tgz	7.18.6	Helper function to optimise call expression
helper-plugin-utils-7.21.5.tgz	7.21.5	
helper-remap-async-to-generator-7.18.9.tgz	7.18.9	Helper function to remap async functions to generators
helper-replace-supers-7.22.1.tgz	7.22.1	
helper-simple-access-7.21.5.tgz	7.21.5	Babel helper for ensuring that access to a given value is performed through simple accesses
helper-skip-transparent-expression-wrappers-7.20.0.tgz	7.20.0	Helper which skips types and parentheses
helper-split-export-declaration-7.18.6.tgz	7.18.6	
helper-string-parser-7.21.5.tgz	7.21.5	A utility package to parse strings
helper-validator-identifier-7.19.1.tgz	7.19.1	Validate identifier/keywords name
helper-validator-option-7.21.0.tgz	7.21.0	
helper-wasm-bytecode-1.11.1.tgz	1.11.1	WASM's Bytecode constants
helper-wasm-bytecode-1.11.6.tgz	1.11.6	
helper-wasm-section-1.11.1.tgz	1.11.1	
helper-wasm-section-1.11.6.tgz	1.11.6	
helper-wrap-function-7.20.5.tgz	7.20.5	
helpers-7.22.3.tgz	7.22.3	

highlight-7.18.6.tgz	7.18.6	Syntax highlight JavaScript strings for output in terminals.
highlight-words-core-1.2.2.tgz	1.2.2	Utility functions shared by react-highlight-words and react-native-highlight-words
hoist-non-react-statics-2.5.5.tgz	2.5.5	Copies non-react specific statics from a child component to a parent component
hoist-non-react-statics-3.3.1.tgz	3.3.1	TypeScript definitions for hoist-non-react-statics
hoist-non-react-statics-3.3.2.tgz	3.3.2	Copies non-react specific statics from a child component to a parent component
hosted-git-info-2.8.9.tgz	2.8.9	Provides metadata and conversions from repository urls for Github, Bitbucket and Gitlab
html-encoding-sniffer-1.0.2.tgz	1.0.2	Sniff the encoding from a HTML byte stream
html-encoding-sniffer-2.0.1.tgz	2.0.1	Sniff the encoding from a HTML byte stream
html-escaper-2.0.2.tgz	2.0.2	fast and safe way to escape and unescape &<>" chars
html-loader-4.2.0.tgz	4.2.0	
html-minifier-4.0.2.tgz	4.0.2	TypeScript definitions for html-minifier
html-minifier-terser-6.1.0.tgz	6.1.0	Highly configurable, well-tested, JavaScript-based HTML minifier.
html-minifier-terser-6.1.0.tgz	6.1.0	TypeScript definitions for html-minifier-terser
html-minifier-terser-7.2.0.tgz	7.2.0	
html-webpack-plugin-3.2.6.tgz	3.2.6	TypeScript definitions for html-webpack-plugin
html-webpack-plugin-5.5.1.tgz	5.5.1	
htmlparser2-6.1.0.tgz	6.1.0	Fast & forgiving HTML/XML parser

http-proxy-1.17.11.tgz	1.17.11	
http-proxy-1.18.1.tgz	1.18.1	HTTP proxying for the masses
http-proxy-agent-4.0.1.tgz	4.0.1	An HTTP(s) proxy `http.Agent` implementation for HTTP
http-proxy-agent-7.0.0.tgz	7.0.0	
http-proxy-middleware-1.3.1.tgz	1.3.1	The one-liner node.js proxy middleware for connect, express and browser-sync
http-signature-1.2.0.tgz	1.2.0	Reference implementation of Joyent's HTTP Signature scheme.
http-signature-1.3.6.tgz	1.3.6	Reference implementation of Joyent's HTTP Signature scheme.
https-proxy-agent-2.2.4.tgz	2.2.4	An HTTP(s) proxy `http.Agent` implementation for HTTPS
https-proxy-agent-5.0.1.tgz	5.0.1	An HTTP(s) proxy `http.Agent` implementation for HTTPS
https-proxy-agent-7.0.0.tgz	7.0.0	
hub-5.25.0.tgz	5.25.0	Sentry hub which handles global state management.
human-signals-1.1.1.tgz	1.1.1	Human-friendly process signals
hyphenate-style-name-1.0.4.tgz	1.0.4	Hyphenates a camelcased CSS property name
iconv-lite-0.4.24.tgz	0.4.24	Convert character encodings in pure javascript.
iconv-lite-0.6.3.tgz	0.6.3	Convert character encodings in pure javascript.
icss-utils-5.1.0.tgz	5.1.0	ICSS utils for postcss ast
ieee754-1.11.1.tgz	1.11.1	IEEE754 decoder and encoder
ieee754-1.11.6.tgz	1.11.6	
ieee754-1.2.0.tgz	1.2.0	Read/write IEEE754 floating point numbers from/to a Buffer or array-like object

ieee754-1.2.1.tgz	1.2.1	Read/write IEEE754 floating point numbers from/to a Buffer or array-like object
ignore-5.2.4.tgz	5.2.4	Ignore is a manager and filter for .gitignore rules, the one used by eslint, gitbook and many others.
ignore-by-default-1.0.1.tgz	1.0.1	A list of directories you should ignore by default
image-size-0.5.5.tgz	0.5.5	get dimensions of any image file
immer-9.0.6.tgz	9.0.6	Create your next immutable state by mutating the current one
immutable-3.8.2.tgz	3.8.2	Immutable Data Collections
immutable-4.3.0.tgz	4.3.0	Immutable Data Collections
import-fresh-3.3.0.tgz	3.3.0	Import a module while bypassing the cache
import-local-3.1.0.tgz	3.1.0	Let a globally installed package use a locally installed version of itself if available
imurmurhash-0.1.4.tgz	0.1.4	An incremental implementation of MurmurHash3
indent-string-3.2.0.tgz	3.2.0	Indent each line in a string
indent-string-4.0.0.tgz	4.0.0	Indent each line in a string
indexof-0.0.1.tgz	0.0.1	Microsoft sucks
inflight-1.0.6.tgz	1.0.6	Add callbacks to requests in flight to avoid async duplication
inherits-2.0.4.tgz	2.0.4	Browser-friendly inheritance fully compatible with standard node.js inherits()
ini-1.3.7.tgz	1.3.7	An ini encoder/decoder for node
ini-1.3.8.tgz	1.3.8	An ini encoder/decoder for node
inline-style-prefixer-6.0.4.tgz	6.0.4	Run-time Autoprefixer for JavaScript style objects

inquire-1.1.0.tgz	1.1.0	Requires a module only if available and hides the require call from bundlers.
inquirer-9.0.3.tgz	9.0.3	TypeScript definitions for inquirer
inquirer-9.2.6.tgz	9.2.6	
internal-slot-1.0.5.tgz	1.0.5	
internmap-1.0.1.tgz	1.0.1	Map and Set with automatic key interning
invariant-2.2.4.tgz	2.2.4	invariant
invert-kv-2.0.0.tgz	2.0.0	Invert the key/value of an object. Example: `{foo: 'bar'}` → `{bar: 'foo'}`
ip-1.1.8.tgz	1.1.8	[](https://www.npmjs.com/package/ip)
ip-2.0.0.tgz	2.0.0	[](https://www.npmjs.com/package/ip)
is-accessor-descriptor-0.1.6.tgz	0.1.6	Returns true if a value has the characteristics of a valid JavaScript accessor descriptor.
is-accessor-descriptor-1.0.0.tgz	1.0.0	Returns true if a value has the characteristics of a valid JavaScript accessor descriptor.
is-array-buffer-3.0.2.tgz	3.0.2	
is-arrayish-0.2.1.tgz	0.2.1	Determines if an object can be used as an array
is-bigint-1.0.4.tgz	1.0.4	Is this value an ES BigInt?
is-binary-path-2.1.0.tgz	2.1.0	Check if a file path is a binary file
is-boolean-object-1.1.2.tgz	1.1.2	Is this value a JS Boolean? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
is-buffer-1.1.6.tgz	1.1.6	Determine if an object is a Buffer
is-callable-1.2.7.tgz	1.2.7	Is this JS value callable? Works with Functions and GeneratorFunctions,

		despite ES6 @@toStringTag.
is-ci-2.0.0.tgz	2.0.0	Detect if the current environment is a CI server
is-core-module-2.12.1.tgz	2.12.1	
is-data-descriptor-0.1.4.tgz	0.1.4	Returns true if a value has the characteristics of a valid JavaScript data descriptor.
is-data-descriptor-1.0.0.tgz	1.0.0	Returns true if a value has the characteristics of a valid JavaScript data descriptor.
is-date-object-1.0.5.tgz	1.0.5	Is this value a JS Date object? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
is-descriptor-0.1.6.tgz	0.1.6	Returns true if a value has the characteristics of a valid JavaScript descriptor. Works for data descriptors and accessor descriptors.
is-descriptor-1.0.2.tgz	1.0.2	Returns true if a value has the characteristics of a valid JavaScript descriptor. Works for data descriptors and accessor descriptors.
is-docker-2.2.1.tgz	2.2.1	Check if the process is running inside a Docker container
is-extendable-0.1.1.tgz	0.1.1	Returns true if a value is any of the object types: array, regexp, plain object, function or date. This is useful for determining if a value can be extended, e.g. "can the value have keys?"
is-extendable-1.0.1.tgz	1.0.1	Returns true if a value is a plain object, array or function.
is-extglob-2.1.1.tgz	2.1.1	Returns true if a string has an extglob.
is-fullwidth-code-point-1.0.0.tgz	1.0.0	Check if the character represented by a given

		Unicode code point is fullwidth
is-fullwidth-code-point-2.0.0.tgz	2.0.0	Check if the character represented by a given Unicode code point is fullwidth
is-fullwidth-code-point-3.0.0.tgz	3.0.0	Check if the character represented by a given Unicode code point is fullwidth
is-generator-fn-2.1.0.tgz	2.1.0	Check if something is a generator function
is-glob-4.0.3.tgz	4.0.3	Returns `true` if the given string looks like a glob pattern or an extglob pattern. This makes it easy to create code that only uses external modules like node-glob when necessary, resulting in much faster code execution and initialization time, and a bet
is-hotkey-0.1.4.tgz	0.1.4	Check whether a browser event matches a hotkey.
is-hotkey-0.1.6.tgz	0.1.6	Check whether a browser event matches a hotkey.
is-in-browser-1.1.3.tgz	1.1.3	Simple check to see if current app is running in browser
is-installed-globally-0.3.2.tgz	0.3.2	Check if your package was installed globally
is-interactive-1.0.0.tgz	1.0.0	Check if stdout or stderr is interactive
is-interactive-2.0.0.tgz	2.0.0	Check if stdout or stderr is interactive
is-negative-zero-2.0.2.tgz	2.0.2	Is this value negative zero? === will lie to you
is-number-3.0.0.tgz	3.0.0	Returns true if the value is a number. comprehensive tests.
is-number-7.0.0.tgz	7.0.0	Returns true if a number or string value is a finite number. Useful for regex

		matches, parsing, user input, etc.
is-number-object-1.0.7.tgz	1.0.7	Is this value a JS Number object? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
is-observable-1.1.0.tgz	1.1.0	Check if a value is an Observable
is-path-inside-3.0.3.tgz	3.0.3	Check if a path is inside another path
is-plain-obj-3.0.0.tgz	3.0.0	Check if a value is a plain object
is-plain-object-2.0.4.tgz	2.0.4	Returns true if an object was created by the `Object` constructor.
is-potential-custom-element-name-1.0.1.tgz	1.0.1	Check whether a given string matches the `PotentialCustomElementName` production as defined in the HTML Standard.
is-promise-2.2.2.tgz	2.2.2	Test whether an object looks like a promises-a+ promise
is-regex-1.1.4.tgz	1.1.4	Is this value a JS regex? Works cross-realm/iframe, and despite ES6 @@toStringTag
is-root-2.1.0.tgz	2.1.0	Check if the process is running as root user, for example, one started with `sudo`
is-shared-array-buffer-1.0.2.tgz	1.0.2	Is this value a JS SharedArrayBuffer?
is-stream-1.1.0.tgz	1.1.0	Check if something is a Node.js stream
is-stream-2.0.1.tgz	2.0.1	Check if something is a Node.js stream
is-string-1.0.7.tgz	1.0.7	Is this value a JS String object or primitive? This module works cross-

		realm/iframe, and despite ES6 @@toStringTag.
is-symbol-1.0.4.tgz	1.0.4	Determine if a value is an ES6 Symbol or not.
is-typed-array-1.1.10.tgz	1.1.10	Is this value a JS Typed Array? This module works cross-realm/iframe, does not depend on <code>`instanceof`</code> or mutable properties, and despite ES6 Symbol.toStringTag.
is-typedarray-1.0.0.tgz	1.0.0	Detect whether or not an object is a Typed Array
is-unicode-supported-0.1.0.tgz	0.1.0	Detect whether the terminal supports Unicode
is-unicode-supported-1.3.0.tgz	1.3.0	
is-weakref-1.0.2.tgz	1.0.2	Is this value a JS WeakRef? This module works cross-realm/iframe, and despite ES6 @@toStringTag.
is-what-3.14.1.tgz	3.14.1	JS type check (TypeScript supported) functions like <code>`isPlainObject() isArray()`</code> etc. A simple & small integration.
is-window-1.0.2.tgz	1.0.2	Checks if the given value is a window object.
is-windows-1.0.2.tgz	1.0.2	Returns true if the platform is windows. UMD module, works with node.js, commonjs, browser, AMD, electron, etc.
is-wsl-2.2.0.tgz	2.2.0	Check if the process is running inside Windows Subsystem for Linux (Bash on Windows)
isarray-1.0.0.tgz	1.0.0	Array#isArray for older browsers
isarray-2.0.5.tgz	2.0.5	Array#isArray for older browsers
isexe-2.0.0.tgz	2.0.0	Minimal module to check if a file is executable.

isobject-2.1.0.tgz	2.1.0	Returns true if the value is an object and not an array or null.
isobject-3.0.1.tgz	3.0.1	Returns true if the value is an object and not an array or null.
isomorphic-base64-1.0.2.tgz	1.0.2	atob and btoa for browsers or node
isomorphic-fetch-2.2.1.tgz	2.2.1	Isomorphic WHATWG Fetch API, for Node & Browserify
isstream-0.1.2.tgz	0.1.2	Determine if an object is a Stream
istanbul-lib-coverage-2.0.4.tgz	2.0.4	TypeScript definitions for istanbul-lib-coverage
istanbul-lib-coverage-2.0.5.tgz	2.0.5	Data library for istanbul coverage objects
istanbul-lib-coverage-3.2.0.tgz	3.2.0	Data library for istanbul coverage objects
istanbul-lib-instrument-3.3.0.tgz	3.3.0	Core istanbul API for JS code coverage
istanbul-lib-instrument-4.0.3.tgz	4.0.3	Core istanbul API for JS code coverage
istanbul-lib-instrument-5.2.1.tgz	5.2.1	Core istanbul API for JS code coverage
istanbul-lib-report-3.0.0.tgz	3.0.0	Base reporting library for istanbul
istanbul-lib-report-3.0.0.tgz	3.0.0	TypeScript definitions for istanbul-lib-report
istanbul-lib-source-maps-4.0.1.tgz	4.0.1	Source maps support for istanbul
istanbul-reports-1.1.2.tgz	1.1.2	TypeScript definitions for istanbul-reports
istanbul-reports-3.0.1.tgz	3.0.1	TypeScript definitions for istanbul-reports
istanbul-reports-3.1.5.tgz	3.1.5	istanbul reports
jest-26.0.24.tgz	26.0.24	TypeScript definitions for Jest
jest-26.6.3.tgz	26.6.3	Delightful JavaScript Testing.
jest-29.5.1.tgz	29.5.1	
jest-canvas-mock-2.3.0.tgz	2.3.0	Mock a canvas in your jest tests.

jest-changed-files-26.6.2.tgz	26.6.2	A module used internally by Jest to check which files have changed since you last committed in git or hg.
jest-cli-26.6.3.tgz	26.6.3	Delightful JavaScript Testing.
jest-config-26.6.3.tgz	26.6.3	
jest-coverage-badges-1.1.2.tgz	1.1.2	Create a group of coverage badges from jest
jest-diff-26.6.2.tgz	26.6.2	Display differences clearly so people can review changes confidently.
jest-diff-29.5.0.tgz	29.5.0	
jest-docblock-26.0.0.tgz	26.0.0	`jest-docblock` is a package that can extract and parse a specially-formatted comment called a "docblock" at the top of a file.
jest-dom-5.11.9.tgz	5.11.9	Custom jest matchers to test the state of the DOM
jest-each-26.6.2.tgz	26.6.2	Parameterised tests for Jest
jest-environment-jsdom-26.6.2.tgz	26.6.2	
jest-environment-jsdom-fifteen-1.0.2.tgz	1.0.2	JSDOM environment for Jest with JSDOM 15
jest-environment-node-26.6.2.tgz	26.6.2	
jest-get-type-26.3.0.tgz	26.3.0	A utility function to get the type of a value
jest-get-type-29.4.3.tgz	29.4.3	
jest-haste-map-24.9.0.tgz	24.9.0	
jest-haste-map-26.6.2.tgz	26.6.2	
jest-jasmine2-26.6.3.tgz	26.6.3	
jest-junit-15.0.0.tgz	15.0.0	A jest reporter that generates junit xml files
jest-leak-detector-26.6.2.tgz	26.6.2	Module for verifying whether an object has been garbage collected or not.
jest-matcher-utils-26.6.2.tgz	26.6.2	A set of utility functions for expect and related packages

jest-matcher-utils-29.5.0.tgz	29.5.0	
jest-message-util-24.9.0.tgz	24.9.0	
jest-message-util-26.6.2.tgz	26.6.2	
jest-message-util-29.5.0.tgz	29.5.0	
jest-mock-24.9.0.tgz	24.9.0	## API
jest-mock-26.6.2.tgz	26.6.2	## API
jest-pnp-resolver-1.2.3.tgz	1.2.3	plug'n'play resolver for Webpack
jest-regex-util-24.9.0.tgz	24.9.0	
jest-regex-util-26.0.0.tgz	26.0.0	
jest-resolve-26.6.2.tgz	26.6.2	
jest-resolve-dependencies-26.6.3.tgz	26.6.3	
jest-runner-26.6.3.tgz	26.6.3	
jest-runtime-26.6.3.tgz	26.6.3	
jest-serializer-24.9.0.tgz	24.9.0	Module for serializing and deserializing object into memory and disk. By default, the `v8` implementations are used, but if not present, it defaults to `JSON` implementation. Both serializers have the advantage of being able to serialize `Map`, `Set`, `un
jest-serializer-26.6.2.tgz	26.6.2	Module for serializing and deserializing object into memory and disk. By default, the `v8` implementations are used, but if not present, it defaults to `JSON` implementation. Both serializers have the advantage of being able to serialize `Map`, `Set`, `un
jest-snapshot-26.6.2.tgz	26.6.2	
jest-util-24.9.0.tgz	24.9.0	
jest-util-26.6.2.tgz	26.6.2	
jest-util-29.5.0.tgz	29.5.0	
jest-validate-26.6.2.tgz	26.6.2	Generic configuration validation tool that helps you with warnings, errors

		and deprecation messages as well as showing users examples of correct configuration.
jest-watcher-26.6.2.tgz	26.6.2	Delightful JavaScript Testing.
jest-worker-24.9.0.tgz	24.9.0	Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.
jest-worker-26.6.2.tgz	26.6.2	Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.
jest-worker-27.5.1.tgz	27.5.1	Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.
jest-worker-29.5.0.tgz	29.5.0	Module for executing heavy tasks under forked processes in parallel, by providing a `Promise` based interface, minimum overhead, and bound workers.
jquery-3.5.1.tgz	3.5.1	JavaScript library for DOM operations
js-8.37.0.tgz	8.37.0	
js-cookie-2.2.1.tgz	2.2.1	A simple, lightweight JavaScript API for handling cookies
js-cookie-2.2.5.tgz	2.2.5	TypeScript definitions for js-cookie
js-sdsl-4.4.0.tgz	4.4.0	

js-tokens-4.0.0.tgz	4.0.0	A regex that tokenizes JavaScript.
js-yaml-3.14.1.tgz	3.14.1	YAML 1.2 parser and serializer
js-yaml-4.1.0.tgz	4.1.0	YAML 1.2 parser and serializer
jsbn-0.1.1.tgz	0.1.1	The jsbn library is a fast, portable implementation of large-number math in pure JavaScript, enabling public-key crypto and other applications on desktop and mobile browsers.
jsdoc-type-pratt-parser-3.1.0.tgz	3.1.0	[![Npm Package](https://badgen.net/npm/v/jsdoc-type-pratt-parser)](https://www.npmjs.com/package/jsdoc-type-pratt-parser) [![Test Status](https://github.com/jsdoc-type-pratt-parser/jsdoc-type-pratt-parser/actions/workflows/test.yml/badge.svg?branch=main)]
jsdoc-type-pratt-parser-4.0.0.tgz	4.0.0	[![Npm Package](https://badgen.net/npm/v/jsdoc-type-pratt-parser)](https://www.npmjs.com/package/jsdoc-type-pratt-parser) [![Test Status](https://github.com/jsdoc-type-pratt-parser/jsdoc-type-pratt-parser/actions/workflows/test.yml/badge.svg?branch=main)]
jsdoccomment-0.36.1.tgz	0.36.1	Maintained replacement for ESLint's deprecated <code>SourceCode#getJSDocComment</code> along with other jsdoc utilities

jsdoccomment-0.37.1.tgz	0.37.1	Maintained replacement for ESLint's deprecated SourceCode#getJSDocComment along with other jsdoc utilities
jsdom-15.2.1.tgz	15.2.1	A JavaScript implementation of many web standards
jsdom-16.7.0.tgz	16.7.0	A JavaScript implementation of many web standards
jsesc-0.5.0.tgz	0.5.0	A JavaScript library for escaping JavaScript strings while generating the shortest possible valid output.
jsesc-2.5.2.tgz	2.5.2	Given some data, jsesc returns the shortest possible stringified & ASCII-safe representation of that data.
json-bignum-0.0.3.tgz	0.0.3	Node.js JSON replacement which handles 64-bit integers and arbitrary-precision decimals.
json-file-reporter-1.3.0.tgz	1.3.0	JSON file reporter for Mocha
json-markup-1.1.3.tgz	1.1.3	a json to html syntax highlighter
json-parse-better-errors-1.0.2.tgz	1.0.2	JSON.parse with context information on error
json-parse-even-better-errors-2.3.1.tgz	2.3.1	JSON.parse with context information on error
json-schema-0.4.0.tgz	0.4.0	JSON Schema validation and specifications
json-schema-7.0.12.tgz	7.0.12	
json-schema-traverse-0.4.1.tgz	0.4.1	Traverse JSON Schema passing each schema object to callback
json-schema-traverse-1.0.0.tgz	1.0.0	Traverse JSON Schema passing each schema object to callback
json-stable-stringify-without-jsonify-1.0.1.tgz	1.0.1	deterministic JSON.stringify() with

		custom sorting to get deterministic hashes from stringified results, with no public domain dependencies
json-stringify-safe-5.0.1.tgz	5.0.1	Like JSON.stringify, but doesn't blow up on circular refs.
json5-2.2.3.tgz	2.2.3	
jsonfile-4.0.0.tgz	4.0.0	Easily read/write JSON files.
jsonfile-6.1.0.tgz	6.1.0	Easily read/write JSON files.
jsprim-1.4.2.tgz	1.4.2	utilities for primitive JavaScript types
jsprim-2.0.2.tgz	2.0.2	utilities for primitive JavaScript types
jsurl-0.1.5.tgz	0.1.5	URL friendly JSON-like formatting and parsing
jsurl-1.2.30.tgz	1.2.30	TypeScript definitions for jsurl
jsx-ast-utils-3.3.3.tgz	3.3.3	AST utility module for statically analyzing JSX
keycharm-0.2.0.tgz	0.2.0	Simple, lightweight key-binding lib
kind-of-3.2.2.tgz	3.2.2	Get the native type of a value.
kind-of-4.0.0.tgz	4.0.0	Get the native type of a value.
kind-of-5.1.0.tgz	5.1.0	Get the native type of a value.
kind-of-6.0.3.tgz	6.0.3	Get the native type of a value.
kleur-3.0.3.tgz	3.0.3	The fastest Node.js library for formatting terminal text with ANSI colors~!
klona-2.0.6.tgz	2.0.6	
lazy-ass-1.6.0.tgz	1.6.0	Lazy assertions without performance penalty
lcid-2.0.0.tgz	2.0.0	Mapping between standard locale identifiers and Windows locale identifiers (LCID)
leb128-1.11.1.tgz	1.11.1	LEB128 decoder and encoder

leb128-1.11.6.tgz	1.11.6	
less-4.1.3.tgz	4.1.3	Leaner CSS
less-loader-10.2.0.tgz	10.2.0	A Less loader for webpack. Compiles Less to CSS.
leven-3.1.0.tgz	3.1.0	Measure the difference between two strings using the fastest JS implementation of the Levenshtein distance algorithm
levn-0.3.0.tgz	0.3.0	Light ECMAScript (JavaScript) Value Notation - human written, concise, typed, flexible
levn-0.4.1.tgz	0.4.1	Light ECMAScript (JavaScript) Value Notation - human written, concise, typed, flexible
lilconfig-2.1.0.tgz	2.1.0	
lines-and-columns-1.2.4.tgz	1.2.4	Maps lines and columns to character offsets and back.
listr-0.14.3.tgz	0.14.3	Terminal task list
listr-silent-renderer-1.1.1.tgz	1.1.1	Supress Listr rendering output
listr-update-renderer-0.5.0.tgz	0.5.0	Listr update renderer
listr-verbose-renderer-0.4.1.tgz	0.4.1	Listr verbose renderer
listr-verbose-renderer-0.5.0.tgz	0.5.0	Listr verbose renderer
load-json-file-4.0.0.tgz	4.0.0	Read and parse a JSON file
load-nyc-config-1.1.0.tgz	1.1.0	Utility function to load nyc configuration
loader-runner-4.3.0.tgz	4.3.0	Runs (webpack) loaders
loader-utils-1.4.2.tgz	1.4.2	utils for webpack loaders
loader-utils-2.0.4.tgz	2.0.4	utils for webpack loaders
loader-utils-3.2.1.tgz	3.2.1	utils for webpack loaders
locate-path-3.0.0.tgz	3.0.0	Get the first path that exists on disk of multiple paths
locate-path-5.0.0.tgz	5.0.0	Get the first path that exists on disk of multiple paths
locate-path-6.0.0.tgz	6.0.0	Get the first path that exists on disk of multiple paths

lodash-4.14.195.tgz	4.14.195	
lodash-4.17.21.tgz	4.17.21	Lodash modular utilities.
lodash.camelcase-4.3.0.tgz	4.3.0	The lodash method <code>_.camelCase</code> exported as a module.
lodash.debounce-4.0.8.tgz	4.0.8	The lodash method <code>_.debounce</code> exported as a module.
lodash.isequal-4.5.0.tgz	4.5.0	The Lodash method <code>_.isEqual</code> exported as a module.
lodash.memoize-4.1.2.tgz	4.1.2	The lodash method <code>_.memoize</code> exported as a module.
lodash.merge-4.6.2.tgz	4.6.2	The Lodash method <code>_.merge</code> exported as a module.
lodash.once-4.1.1.tgz	4.1.1	The lodash method <code>_.once</code> exported as a module.
lodash.padend-4.6.1.tgz	4.6.1	The lodash method <code>_.padEnd</code> exported as a module.
lodash.sortby-4.7.0.tgz	4.7.0	The lodash method <code>_.sortBy</code> exported as a module.
lodash.uniq-4.5.0.tgz	4.5.0	The lodash method <code>_.uniq</code> exported as a module.
log-symbols-1.0.2.tgz	1.0.2	Colored symbols for various log levels. Example: <code>✓</code> success
log-symbols-4.1.0.tgz	4.1.0	Colored symbols for various log levels. Example: <code>✓</code> Success
log-symbols-5.1.0.tgz	5.1.0	Colored symbols for various log levels. Example: <code>✓</code> Success
log-update-2.3.0.tgz	2.3.0	Log by overwriting the previous output in the terminal. Useful for rendering progress bars, animations, etc.

log4js-6.9.1.tgz	6.9.1	
long-4.2.2.tgz	4.2.2	A Long class for representing a 64-bit two's-complement integer value.
long-5.2.3.tgz	5.2.3	
loose-envify-1.4.0.tgz	1.4.0	Fast (and loose) selective `process.env` replacer using js-tokens instead of an AST
lower-case-2.0.2.tgz	2.0.2	Transforms the string to lower case
lru-cache-5.1.1.tgz	5.1.1	A cache object that deletes the least-recently-used items.
lru-cache-7.18.3.tgz	7.18.3	
lru-cache-9.1.1.tgz	9.1.1	A cache object that deletes the least-recently-used items.
lru-memoize-1.1.0.tgz	1.1.0	A utility to provide lru memoization for any js function
make-dir-2.1.0.tgz	2.1.0	Make a directory and its parents if needed - Think `mkdir -p`
make-dir-3.1.0.tgz	3.1.0	Make a directory and its parents if needed - Think `mkdir -p`
make-error-1.3.6.tgz	1.3.6	Make your own error types!
makeerror-1.0.12.tgz	1.0.12	A library to make errors.
map-age-cleaner-0.1.3.tgz	0.1.3	Automatically cleanup expired items in a Map
map-cache-0.2.2.tgz	0.2.2	Basic cache object for storing key-value pairs.
map-visit-1.0.0.tgz	1.0.0	Map `visit` over an array of objects.
marked-4.3.0.tgz	4.3.0	A markdown parser built for speed
material-0.2.4.tgz	0.2.4	> materialdesignicons.com
material-colors-1.2.6.tgz	1.2.6	Colors of Google's Material Design made available to coders
md5-2.3.0.tgz	2.3.0	js function for hashing messages with MD5

md5-2.3.2.tgz	2.3.2	TypeScript definitions for md5
md5-file-4.0.0.tgz	4.0.0	return an md5sum of a given file
mdn-data-2.0.14.tgz	2.0.14	Open Web data by the Mozilla Developer Network
media-query-list-parser-2.0.4.tgz	2.0.4	Parse CSS media query lists.
mem-4.3.0.tgz	4.3.0	Memoize functions - An optimization used to speed up consecutive function calls by caching the result of calls with identical input
memfs-3.5.1.tgz	3.5.1	
memoize-0.7.4.tgz	0.7.4	emotion's memoize utility
memoize-0.8.1.tgz	0.8.1	
memoize-one-4.1.0.tgz	4.1.0	A memoization library which only remembers the latest invocation
memoize-one-5.1.1.tgz	5.1.1	A memoization library which only remembers the latest invocation
memoize-one-5.2.1.tgz	5.2.1	A memoization library which only remembers the latest invocation
merge-class-names-1.4.2.tgz	1.4.2	A function that merges given class names, no matter their format: string with single or multiple class names or an array of class names. Filters out invalid class names as well.
merge-stream-2.0.0.tgz	2.0.0	Create a stream that emits events from multiple other streams
merge2-1.4.1.tgz	1.4.1	Merge multiple streams into one stream in sequence or parallel.
micromatch-3.1.10.tgz	3.1.10	Glob matching for javascript/node.js. A drop-in replacement and faster alternative to minimatch and multimatch.

micromatch-4.0.5.tgz	4.0.5	Glob matching for javascript/node.js. A replacement and faster alternative to minimatch and multimatch.
mime-1.3.2.tgz	1.3.2	TypeScript definitions for mime
mime-1.6.0.tgz	1.6.0	A comprehensive library for mime-type mapping
mime-2.6.0.tgz	2.6.0	A comprehensive library for mime-type mapping
mime-3.0.1.tgz	3.0.1	TypeScript definitions for mime
mime-db-1.52.0.tgz	1.52.0	Media Type Database
mime-types-2.1.35.tgz	2.1.35	The ultimate javascript content-type utility.
mimic-fn-1.2.0.tgz	1.2.0	Make a function mimic another one
mimic-fn-2.1.0.tgz	2.1.0	Make a function mimic another one
min-indent-1.0.1.tgz	1.0.1	Get the shortest leading whitespace from lines in a string
mini-css-extract-plugin-2.7.6.tgz	2.7.6	
minimal-5.25.0.tgz	5.25.0	Sentry minimal library that can be used in other packages
minimatch-3.1.2.tgz	3.1.2	a glob matcher in javascript
minimatch-5.1.2.tgz	5.1.2	TypeScript definitions for minimatch
minimist-1.2.6.tgz	1.2.6	parse argument options
minipass-4.2.8.tgz	4.2.8	minimal implementation of a PassThrough stream
minipass-6.0.2.tgz	6.0.2	
mitt-3.0.0.tgz	3.0.0	Tiny 200b functional Event Emitter / pubsub.
mixin-deep-1.3.2.tgz	1.3.2	Deeply mix the properties of objects into the first object. Like merge-deep, but doesn't clone.
mkdirp-0.5.1.tgz	0.5.1	Recursively mkdir, like <code>mkdir -p`</code>

mkdirp-0.5.6.tgz	0.5.6	Recursively mkdir, like `mkdir -p`
mkdirp-1.0.4.tgz	1.0.4	Recursively mkdir, like `mkdir -p`
mkdirp-classic-0.5.3.tgz	0.5.3	Mirror of mkdirp 0.5.2
module-importer-1.0.1.tgz	1.0.1	Universal module importer for Node.js
moment-2.29.4.tgz	2.29.4	Parse, validate, manipulate, and display dates
moment-timezone- 0.5.41.tgz	0.5.41	Parse and display moments in any timezone.
monaco-editor-0.20.0.tgz	0.20.0	A browser based code editor
monaco-editor-0.38.0.tgz	0.38.0	
moo-color-1.0.3.tgz	1.0.3	A javascript class that provides convenience for color parsing and manipulating.
mousetrap-1.6.5.tgz	1.6.5	Simple library for handling keyboard shortcuts
mousetrap-global-bind- 1.1.0.tgz	1.1.0	Mousetrap plugin for global bindings (works in input elements) with an additional unbindGlobal method.
ms-2.0.0.tgz	2.0.0	Tiny milisecond conversion utility
ms-2.1.2.tgz	2.1.2	Tiny millisecond conversion utility
ms-2.1.3.tgz	2.1.3	Tiny millisecond conversion utility
mute-stream-1.0.0.tgz	1.0.0	
nan-2.17.0.tgz	2.17.0	Native Abstractions for Node.js: C++ header for Node 0.8 -> 18 compatibility
nano-css-5.3.5.tgz	5.3.5	Smallest 5th gen CSS-in-JS library
nanoid-3.3.6.tgz	3.3.6	
nanomatch-1.2.13.tgz	1.2.13	Fast, minimal glob matcher for node.js. Similar to micromatch, minimatch and multimatch, but

		complete Bash 4.3 wildcard support only (no support for exglobs, posix brackets or braces)
natural-compare-1.4.0.tgz	1.4.0	Compare strings containing a mix of letters and numbers in the way a human being would in sort order.
natural-compare-lite-1.4.0.tgz	1.4.0	Compare strings containing a mix of letters and numbers in the way a human being would in sort order.
needle-3.2.0.tgz	3.2.0	The leanest and most handsome HTTP client in the Nodelands.
neo-async-2.6.2.tgz	2.6.2	Neo-Async is a drop-in replacement for Async, it almost fully covers its functionality and runs faster
netmask-2.0.2.tgz	2.0.2	Parse and lookup IP network blocks
nice-try-1.0.5.tgz	1.0.5	Tries to execute a function and discards any error that occurs
no-case-3.0.4.tgz	3.0.4	Transform into a lower cased string with spaces between words
node-12.12.50.tgz	12.12.50	TypeScript definitions for Node.js
node-12.20.55.tgz	12.20.55	TypeScript definitions for Node.js
node-20.2.5.tgz	20.2.5	
node-abort-controller-3.1.1.tgz	3.1.1	
node-fetch-1.7.3.tgz	1.7.3	A light-weight module that brings window.fetch to node.js and io.js
node-fetch-2.6.11.tgz	2.6.11	
node-int64-0.4.0.tgz	0.4.0	Support for representing 64-bit integers in JavaScript

node-notifier-8.0.2.tgz	8.0.2	A Node.js module for sending notifications on native Mac, Windows (post and pre 8) and Linux (or Growl as fallback)
node-releases-2.0.12.tgz	2.0.12	
nodemon-2.0.22.tgz	2.0.22	
nopt-1.0.10.tgz	1.0.10	Option parsing for Node, supporting types, shorthands, etc. Used by npm.
normalize-package-data-2.4.1.tgz	2.4.1	TypeScript definitions for normalize-package-data
normalize-package-data-2.5.0.tgz	2.5.0	Normalizes data that can be found in package.json files.
normalize-path-2.1.1.tgz	2.1.1	Normalize file path slashes to be unix-like forward slashes. Also condenses repeat slashes to a single slash and removes and trailing slashes unless disabled.
normalize-path-3.0.0.tgz	3.0.0	Normalize slashes in a file path to be posix/unix-like forward slashes. Also condenses repeat slashes to a single slash and removes and trailing slashes, unless disabled.
normalize-range-0.1.2.tgz	0.1.2	Utility for normalizing a numeric range, with a wrapping function useful for polar coordinates
normalize-url-6.1.0.tgz	6.1.0	Normalize a URL
npm-run-path-2.0.2.tgz	2.0.2	Get your PATH prepended with locally installed binaries
npm-run-path-3.1.0.tgz	3.1.0	Get your PATH prepended with locally installed binaries
npm-run-path-4.0.1.tgz	4.0.1	Get your PATH prepended with locally installed binaries

nssm-2.24.zip	2.24	
nth-check-2.1.1.tgz	2.1.1	Parses and compiles CSS nth-checks to highly optimized functions.
number-is-nan-1.0.1.tgz	1.0.1	ES2015 Number.isNaN() ponyfill
nwsapi-2.2.5.tgz	2.2.5	
oauth-sign-0.9.0.tgz	0.9.0	OAuth 1 signing. Formerly a vendor lib in mikeal/request, now a standalone module.
object-assign-4.1.1.tgz	4.1.1	ES2015 `Object.assign()` ponyfill
object-copy-0.1.0.tgz	0.1.0	Copy static properties, prototype properties, and descriptors from one object to another.
object-hash-1.3.1.tgz	1.3.1	Generate hashes from javascript objects in node and the browser.
object-inspect-1.12.3.tgz	1.12.3	
object-keys-1.1.1.tgz	1.1.1	An Object.keys replacement, in case Object.keys is not available. From https://github.com/es-shims/es5-shim
object-schema-1.2.1.tgz	1.2.1	An object schema merger/validator
object-visit-1.0.1.tgz	1.0.1	Call a specified method on each value in the given object.
object.assign-4.1.4.tgz	4.1.4	ES6 spec-compliant Object.assign shim. From https://github.com/es-shims/es6-shim
object.entries-1.1.6.tgz	1.1.6	ES2017 spec-compliant Object.entries shim.
object.fromentries-2.0.6.tgz	2.0.6	ES proposal-spec-compliant Object.fromEntries shim.
object.getownpropertydescriptors-2.1.6.tgz	2.1.6	

object.hasown-1.1.2.tgz	1.1.2	ES spec-compliant shim for Object.hasOwn
object.pick-1.3.0.tgz	1.3.0	Returns a filtered copy of an object with only the specified keys, similar to <code>_.pick</code> from lodash / underscore.
object.values-1.1.6.tgz	1.1.6	ES2017 spec-compliant Object.values shim.
once-1.1.2.tgz	1.1.2	Creates a Promise that waits for a single event
once-1.4.0.tgz	1.4.0	Run a function exactly one time
onetime-1.1.0.tgz	1.1.0	Only call a function once
onetime-2.0.1.tgz	2.0.1	Ensure a function is only called once
onetime-5.1.2.tgz	5.1.2	Ensure a function is only called once
open-8.4.2.tgz	8.4.2	
optionator-0.8.3.tgz	0.8.3	option parsing and help generation
optionator-0.9.1.tgz	0.9.1	option parsing and help generation
ora-5.4.1.tgz	5.4.1	Elegant terminal spinner
ora-6.3.1.tgz	6.3.1	
os-locale-3.1.0.tgz	3.1.0	Get the system locale
os-tmpdir-1.0.2.tgz	1.0.2	Node.js os.tmpdir() ponyfill
ospath-1.2.2.tgz	1.2.2	Operating system specific paths.
p-defer-1.0.0.tgz	1.0.0	Create a deferred promise
p-each-series-2.2.0.tgz	2.2.0	Iterate over promises serially
p-finally-1.0.0.tgz	1.0.0	<code>Promise#finally()</code> ponyfill - Invoked when the promise is settled regardless of outcome
p-finally-2.0.1.tgz	2.0.1	<code>Promise#finally()</code> ponyfill - Invoked when the promise is settled regardless of outcome
p-is-promise-2.1.0.tgz	2.1.0	Check if something is a promise

p-limit-2.3.0.tgz	2.3.0	Run multiple promise-returning & async functions with limited concurrency
p-limit-3.1.0.tgz	3.1.0	Run multiple promise-returning & async functions with limited concurrency
p-locate-3.0.0.tgz	3.0.0	Get the first fulfilled promise that satisfies the provided testing function
p-locate-4.1.0.tgz	4.1.0	Get the first fulfilled promise that satisfies the provided testing function
p-locate-5.0.0.tgz	5.0.0	Get the first fulfilled promise that satisfies the provided testing function
p-map-2.1.0.tgz	2.1.0	Map over promises concurrently
p-try-2.2.0.tgz	2.2.0	` Start a promise chain
pac-proxy-agent-6.0.3.tgz	6.0.3	
pac-resolver-6.0.1.tgz	6.0.1	
pad-left-2.1.0.tgz	2.1.0	Left pad a string with zeros or a specified string. Fastest implementation.
pako-0.2.9.tgz	0.2.9	zlib port to javascript - fast, modularized, with browser support
papaparse-5.3.0.tgz	5.3.0	Fast and powerful CSV parser for the browser that supports web workers and streaming large files. Converts CSV to JSON and JSON to CSV.
param-case-3.0.4.tgz	3.0.4	Transform into a lower cased string with dashes between words
parent-module-1.0.1.tgz	1.0.1	Get the path of the parent module
parse-json-4.0.0.tgz	4.0.0	Parse JSON with more helpful errors
parse-json-4.0.0.tgz	4.0.0	TypeScript definitions for parse-json
parse-json-5.2.0.tgz	5.2.0	Parse JSON with more helpful errors

parse-node-version-1.0.1.tgz	1.0.1	Turn node's process.version into something useful.
parse5-5.1.0.tgz	5.1.0	HTML parser and serializer.
parse5-6.0.1.tgz	6.0.1	HTML parser and serializer.
parse5-7.1.2.tgz	7.1.2	
parser-5.42.0.tgz	5.42.0	An ESLint custom parser which leverages TypeScript ESTree
parser-5.57.1.tgz	5.57.1	An ESLint custom parser which leverages TypeScript ESTree
parser-7.22.4.tgz	7.22.4	
pascal-case-3.1.2.tgz	3.1.2	Transform into a string of capitalized words without separators
pascalcase-0.1.1.tgz	0.1.1	Convert a string to pascal-case.
path-1.1.2.tgz	1.1.2	A minimal path module to resolve Unix, Windows and URL paths alike.
path-exists-3.0.0.tgz	3.0.0	Check if a path exists
path-exists-4.0.0.tgz	4.0.0	Check if a path exists
path-is-absolute-1.0.1.tgz	1.0.1	Node.js 0.12 path.isAbsolute() ponyfill
path-key-2.0.1.tgz	2.0.1	Get the PATH environment variable key cross-platform
path-key-3.1.1.tgz	3.1.1	Get the PATH environment variable key cross-platform
path-parse-1.0.7.tgz	1.0.7	Node.js path.parse() ponyfill
path-scurry-1.9.2.tgz	1.9.2	
path-type-3.0.0.tgz	3.0.0	Check if a path is a file, directory, or symlink
path-type-4.0.0.tgz	4.0.0	Check if a path is a file, directory, or symlink
pend-1.2.0.tgz	1.2.0	dead-simple optimistic async helper
performance-now-2.1.0.tgz	2.1.0	Implements performance.now (based on process.hrtime).
picocolors-1.0.0.tgz	1.0.0	The tiniest and the fastest library for terminal output formatting with ANSI colors

picomatch-2.3.1.tgz	2.3.1	Blazing fast and accurate glob matcher written in JavaScript, with no dependencies and full support for standard and extended Bash glob features, including braces, extglobs, POSIX brackets, and regular expressions.
pify-2.3.0.tgz	2.3.0	Promisify a callback-style function
pify-3.0.0.tgz	3.0.0	Promisify a callback-style function
pify-4.0.1.tgz	4.0.1	Promisify a callback-style function
pirates-4.0.5.tgz	4.0.5	Properly hijack require
pixelmatch-5.3.0.tgz	5.3.0	The smallest and fastest pixel-level image comparison library.
pkg-dir-4.2.0.tgz	4.2.0	Find the root directory of a Node.js project or npm package
pkg-up-3.1.0.tgz	3.1.0	Find the closest package.json file
plugin-bugfix-safari-id-destructuring-collision-in-function-expression-7.18.6.tgz	7.18.6	Rename destructuring parameter to workaround https://bugs.webkit.org/show_bug.cgi?id=220517
plugin-bugfix-v8-spread-parameters-in-optional-chaining-7.22.3.tgz	7.22.3	
plugin-proposal-async-generator-functions-7.20.7.tgz	7.20.7	
plugin-proposal-class-properties-7.18.6.tgz	7.18.6	This plugin transforms static class properties as well as properties declared with the property initializer syntax
plugin-proposal-class-static-block-7.21.0.tgz	7.21.0	
plugin-proposal-dynamic-import-7.18.6.tgz	7.18.6	Transform import() expressions

plugin-proposal-export-namespace-from-7.18.9.tgz	7.18.9	Compile export namespace to ES2015
plugin-proposal-json-strings-7.18.6.tgz	7.18.6	Escape U+2028 LINE SEPARATOR and U+2029 PARAGRAPH SEPARATOR in JS strings
plugin-proposal-logical-assignment-operators-7.20.7.tgz	7.20.7	
plugin-proposal-nullish-coalescing-operator-7.18.6.tgz	7.18.6	Remove nullish coalescing operator
plugin-proposal-numeric-separator-7.18.6.tgz	7.18.6	Remove numeric separators from Decimal, Binary, Hex and Octal literals
plugin-proposal-object-rest-spread-7.20.7.tgz	7.20.7	
plugin-proposal-optional-catch-binding-7.18.6.tgz	7.18.6	Compile optional catch bindings
plugin-proposal-optional-chaining-7.21.0.tgz	7.21.0	
plugin-proposal-private-methods-7.18.6.tgz	7.18.6	This plugin transforms private class methods
plugin-proposal-private-property-in-object-7.21.0.tgz	7.21.0	
plugin-proposal-unicode-property-regex-7.18.6.tgz	7.18.6	Compile Unicode property escapes in Unicode regular expressions to ES5.
plugin-syntax-async-generators-7.8.4.tgz	7.8.4	Allow parsing of async generator functions
plugin-syntax-bigint-7.8.3.tgz	7.8.3	Allow parsing of BigInt literals
plugin-syntax-class-properties-7.12.13.tgz	7.12.13	Allow parsing of class properties
plugin-syntax-class-static-block-7.14.5.tgz	7.14.5	Allow parsing of class static blocks
plugin-syntax-dynamic-import-7.8.3.tgz	7.8.3	Allow parsing of import()
plugin-syntax-export-namespace-from-7.8.3.tgz	7.8.3	Allow parsing of export namespace from

plugin-syntax-import-assertions-7.20.0.tgz	7.20.0	Allow parsing of the module assertion attributes in the import statement
plugin-syntax-import-meta-7.10.4.tgz	7.10.4	Allow parsing of import.meta
plugin-syntax-json-strings-7.8.3.tgz	7.8.3	Allow parsing of the U+2028 LINE SEPARATOR and U+2029 PARAGRAPH SEPARATOR in JS strings
plugin-syntax-logical-assignment-operators-7.10.4.tgz	7.10.4	Allow parsing of the logical assignment operators
plugin-syntax-nullish-coalescing-operator-7.8.3.tgz	7.8.3	Allow parsing of the nullish-coalescing operator
plugin-syntax-numeric-separator-7.10.4.tgz	7.10.4	Allow parsing of Decimal, Binary, Hex and Octal literals that contain a Numeric Literal Separator
plugin-syntax-object-rest-spread-7.8.3.tgz	7.8.3	Allow parsing of object rest/spread
plugin-syntax-optional-catch-binding-7.8.3.tgz	7.8.3	Allow parsing of optional catch bindings
plugin-syntax-optional-chaining-7.8.3.tgz	7.8.3	Allow parsing of optional properties
plugin-syntax-private-property-in-object-7.14.5.tgz	7.14.5	Allow parsing of '#foo in obj' brand checks
plugin-syntax-top-level-await-7.14.5.tgz	7.14.5	Allow parsing of top-level await in modules
plugin-transform-arrow-functions-7.21.5.tgz	7.21.5	Compile ES2015 arrow functions to ES5
plugin-transform-async-to-generator-7.20.7.tgz	7.20.7	
plugin-transform-block-scoped-functions-7.18.6.tgz	7.18.6	Babel plugin to ensure function declarations at the block level are block scoped
plugin-transform-block-scoping-7.21.0.tgz	7.21.0	
plugin-transform-classes-7.21.0.tgz	7.21.0	

plugin-transform-computed-properties-7.21.5.tgz	7.21.5	Compile ES2015 computed properties to ES5
plugin-transform-destructuring-7.21.3.tgz	7.21.3	
plugin-transform-dotall-regex-7.18.6.tgz	7.18.6	Compile regular expressions using the `s` (`dotAll`) flag to ES5.
plugin-transform-duplicate-keys-7.18.9.tgz	7.18.9	Compile objects with duplicate keys to valid strict ES5
plugin-transform-exponentiation-operator-7.18.6.tgz	7.18.6	Compile exponentiation operator to ES5
plugin-transform-for-of-7.21.5.tgz	7.21.5	Compile ES2015 for...of to ES5
plugin-transform-function-name-7.18.9.tgz	7.18.9	Apply ES2015 function.name semantics to all functions
plugin-transform-literals-7.18.9.tgz	7.18.9	Compile ES2015 unicode string and number literals to ES5
plugin-transform-member-expression-literals-7.18.6.tgz	7.18.6	Ensure that reserved words are quoted in property accesses
plugin-transform-modules-amd-7.20.11.tgz	7.20.11	This plugin transforms ES2015 modules to AMD
plugin-transform-modules-commonjs-7.21.5.tgz	7.21.5	This plugin transforms ES2015 modules to CommonJS
plugin-transform-modules-systemjs-7.22.3.tgz	7.22.3	
plugin-transform-modules-umd-7.18.6.tgz	7.18.6	This plugin transforms ES2015 modules to UMD
plugin-transform-named-capturing-groups-regex-7.22.3.tgz	7.22.3	
plugin-transform-new-target-7.22.3.tgz	7.22.3	
plugin-transform-object-super-7.18.6.tgz	7.18.6	Compile ES2015 object super to ES5
plugin-transform-optional-chaining-7.22.3.tgz	7.22.3	

plugin-transform-parameters-7.22.3.tgz	7.22.3	
plugin-transform-property-literals-7.18.6.tgz	7.18.6	Ensure that reserved words are quoted in object property keys
plugin-transform-regenerator-7.21.5.tgz	7.21.5	Explode async and generator functions into a state machine.
plugin-transform-reserved-words-7.18.6.tgz	7.18.6	Ensure that no reserved words are used.
plugin-transform-shorthand-properties-7.18.6.tgz	7.18.6	Compile ES2015 shorthand properties to ES5
plugin-transform-spread-7.20.7.tgz	7.20.7	Compile ES2015 spread to ES5
plugin-transform-sticky-regex-7.18.6.tgz	7.18.6	Compile ES2015 sticky regex to an ES5 RegExp constructor
plugin-transform-template-literals-7.18.9.tgz	7.18.9	Compile ES2015 template literals to ES5
plugin-transform-typeof-symbol-7.18.9.tgz	7.18.9	This transformer wraps all typeof expressions with a method that replicates native behaviour. (ie. returning "symbol" for symbols)
plugin-transform-unicode-escapes-7.21.5.tgz	7.21.5	Compile ES2015 Unicode escapes to ES5
plugin-transform-unicode-regex-7.18.6.tgz	7.18.6	Compile ES2015 Unicode regex to ES5
plugin-with-absolute-member.zip		
plugin-with-parent-member.zip		
pn-1.1.0.tgz	1.1.0	Promisify the node standard library.
pngjs-2.3.1.tgz	2.3.1	PNG encoder/decoder in pure JS, supporting any bit size & interlace, async & sync with full test suite.
pngjs-3.4.0.tgz	3.4.0	PNG encoder/decoder in pure JS, supporting any bit

		size & interlace, async & sync with full test suite.
pngjs-6.0.0.tgz	6.0.0	PNG encoder/decoder in pure JS, supporting any bit size & interlace, async & sync with full test suite.
pngjs-image-0.11.7.tgz	0.11.7	JavaScript-based PNG image encoder, decoder, and manipulator
point-1.0.0.tgz	1.0.0	visx point
pool-1.1.0.tgz	1.1.0	A general purpose buffer pool.
posix-character-classes-0.1.1.tgz	0.1.1	POSIX character classes for creating regular expressions.
postcss-8.4.24.tgz	8.4.24	
postcss-attribute-case-insensitive-6.0.2.tgz	6.0.2	Enable support for case insensitive attribute matching in selectors
postcss-calc-8.2.4.tgz	8.2.4	PostCSS plugin to reduce calc()
postcss-cascade-layers-3.0.1.tgz	3.0.1	
postcss-clamp-4.1.0.tgz	4.1.0	PostCSS plugin to transform clamp() to combination of min/max
postcss-color-function-2.2.2.tgz	2.2.2	
postcss-color-functional-notation-5.0.2.tgz	5.0.2	Use space and slash separated color notation in CSS
postcss-color-hex-alpha-9.0.2.tgz	9.0.2	
postcss-color-rebeccapurple-8.0.2.tgz	8.0.2	Use the rebeccapurple color keyword in CSS
postcss-colormin-5.3.1.tgz	5.3.1	
postcss-convert-values-5.1.3.tgz	5.1.3	Convert values with PostCSS (e.g. ms -> s)
postcss-custom-media-9.1.3.tgz	9.1.3	Use Custom Media Queries in CSS
postcss-custom-properties-13.1.5.tgz	13.1.5	Use Custom Properties Queries in CSS

postcss-custom-selectors-7.1.3.tgz	7.1.3	Use Custom Selectors in CSS
postcss-dir-pseudo-class-7.0.2.tgz	7.0.2	Use the :dir pseudo-class in CSS
postcss-discard-comments-5.1.2.tgz	5.1.2	Discard comments in your CSS files with PostCSS.
postcss-discard-duplicates-5.1.0.tgz	5.1.0	Discard duplicate rules in your CSS files with PostCSS.
postcss-discard-empty-5.1.1.tgz	5.1.1	Discard empty rules and values with PostCSS.
postcss-discard-overridden-5.1.0.tgz	5.1.0	PostCSS plugin to discard overridden @keyframes or @counter-style.
postcss-double-position-gradients-4.0.3.tgz	4.0.3	
postcss-flexbugs-fixes-5.0.2.tgz	5.0.2	PostCSS plugin This project tries to fix all of flexbug's issues
postcss-focus-visible-8.0.2.tgz	8.0.2	Use the :focus-visible pseudo-selector in CSS
postcss-focus-within-7.0.2.tgz	7.0.2	
postcss-font-format-keywords-2.0.2.tgz	2.0.2	
postcss-font-variant-5.0.0.tgz	5.0.0	PostCSS plugin to transform W3C font-variant properties to more compatible CSS (font-feature-settings)
postcss-gap-properties-4.0.1.tgz	4.0.1	
postcss-hwb-function-2.2.2.tgz	2.2.2	
postcss-ic-unit-2.0.3.tgz	2.0.3	
postcss-image-set-function-5.0.2.tgz	5.0.2	Display resolution-dependent images using the image-set() function in CSS
postcss-initial-4.0.1.tgz	4.0.1	PostCSS plugin to fallback initial keyword.
postcss-is-pseudo-class-3.2.1.tgz	3.2.1	

postcss-lab-function-5.2.2.tgz	5.2.2	
postcss-loader-6.2.1.tgz	6.2.1	PostCSS loader for webpack
postcss-logical-6.2.0.tgz	6.2.0	
postcss-logical-float-and-clear-1.0.1.tgz	1.0.1	Use flow-relative (inline-start and inline-end) values for float and clear
postcss-logical-resize-1.0.1.tgz	1.0.1	
postcss-logical-viewport-units-1.0.3.tgz	1.0.3	Use vb and vi length units in CSS
postcss-media-minmax-5.0.0.tgz	5.0.0	Using more intuitive `>=`, `<=`, `>`, `<` instead of media queries min/max prefix.
postcss-media-queries-aspect-ratio-number-values-1.0.2.tgz	1.0.2	
postcss-merge-longhand-5.1.7.tgz	5.1.7	Merge longhand properties into shorthand with PostCSS.
postcss-merge-rules-5.1.4.tgz	5.1.4	
postcss-minify-font-values-5.1.0.tgz	5.1.0	Minify font declarations with PostCSS
postcss-minify-gradients-5.1.1.tgz	5.1.1	Minify gradient parameters with PostCSS.
postcss-minify-params-5.1.4.tgz	5.1.4	Minify at-rule params with PostCSS
postcss-minify-selectors-5.2.1.tgz	5.2.1	Minify selectors with PostCSS.
postcss-modules-extract-imports-3.0.0.tgz	3.0.0	A CSS Modules transform to extract local aliases for inline imports
postcss-modules-local-by-default-4.0.3.tgz	4.0.3	
postcss-modules-scope-3.0.0.tgz	3.0.0	A CSS Modules transform to extract export statements from local-scope classes
postcss-modules-values-4.0.0.tgz	4.0.0	PostCSS plugin for CSS Modules to pass arbitrary

		values between your module files
postcss-nested-calc-2.0.2.tgz	2.0.2	Use nested calc() expressions in CSS
postcss-nesting-11.2.2.tgz	11.2.2	Nest rules inside each other in CSS
postcss-normalize-charset-5.1.0.tgz	5.1.0	Add necessary or remove extra charset with PostCSS
postcss-normalize-display-values-2.0.1.tgz	2.0.1	Use two values display syntax for inner and outer display types.
postcss-normalize-display-values-5.1.0.tgz	5.1.0	Normalize multiple value display syntaxes into single values.
postcss-normalize-positions-5.1.1.tgz	5.1.1	Normalize keyword values for position into length values.
postcss-normalize-repeat-style-5.1.1.tgz	5.1.1	Convert two value syntax for repeat-style into one value.
postcss-normalize-string-5.1.0.tgz	5.1.0	Normalize wrapping quotes for CSS string literals.
postcss-normalize-timing-functions-5.1.0.tgz	5.1.0	Normalize CSS animation/transition timing functions.
postcss-normalize-unicode-5.1.1.tgz	5.1.1	Normalize unicode-range descriptors, and can convert to wildcard ranges.
postcss-normalize-url-5.1.0.tgz	5.1.0	Normalize URLs with PostCSS
postcss-normalize-whitespace-5.1.1.tgz	5.1.1	Trim whitespace inside and around CSS rules & declarations.
postcss-oklab-function-2.2.2.tgz	2.2.2	
postcss-opacity-percentage-1.1.3.tgz	1.1.3	
postcss-ordered-values-5.1.3.tgz	5.1.3	Ensure values are ordered consistently in your CSS.
postcss-overflow-shorthand-4.0.1.tgz	4.0.1	Use the overflow shorthand in CSS
postcss-page-break-3.0.4.tgz	3.0.4	PostCSS plugin postcss-page-break to fallback

		`break-` properties with `page-break-` alias
postcss-place-8.0.1.tgz	8.0.1	Use a place-* shorthand for align-* and justify-* in CSS
postcss-preset-env-8.0.1.tgz	8.0.1	Convert modern CSS into something browsers understand
postcss-progressive-custom-properties-2.2.0.tgz	2.2.0	
postcss-pseudo-class-any-link-8.0.2.tgz	8.0.2	Use the :any-link pseudo-class in CSS
postcss-reduce-initial-5.1.2.tgz	5.1.2	
postcss-reduce-transforms-5.1.0.tgz	5.1.0	Reduce transform functions with PostCSS.
postcss-replace-overflow-wrap-4.0.0.tgz	4.0.0	PostCSS plugin to replace overflow-wrap with word-wrap or optionally retain both declarations.
postcss-scope-pseudo-class-2.0.2.tgz	2.0.2	
postcss-selector-not-7.0.1.tgz	7.0.1	PostCSS plugin to transform :not() W3C CSS level 4 pseudo class to :not() CSS level 3 selectors
postcss-selector-parser-6.0.13.tgz	6.0.13	
postcss-stepped-value-functions-2.1.1.tgz	2.1.1	Use round, rem and mod functions in CSS
postcss-svg-5.1.0.tgz	5.1.0	Optimise inline SVG with PostCSS.
postcss-text-decoration-shorthand-2.2.4.tgz	2.2.4	
postcss-trigonometric-functions-2.1.1.tgz	2.1.1	Use sin(), cos(), tan(), acos(), atan(), and atan2() to compute trigonometric relationships
postcss-unique-selectors-5.1.1.tgz	5.1.1	Ensure CSS selectors are unique.
postcss-unset-value-2.0.1.tgz	2.0.1	
postcss-value-parser-4.2.0.tgz	4.2.0	Transforms css values and at-rule params into the tree

power-assert-1.6.1.tgz	1.6.1	Power Assert in JavaScript
power-assert-context-formatter-1.2.0.tgz	1.2.0	format power-assert context
power-assert-context-reducer-ast-1.2.0.tgz	1.2.0	append AST into power-assert context
power-assert-context-traversal-1.2.0.tgz	1.2.0	traverse power-assert context
power-assert-formatter-1.4.1.tgz	1.4.1	Power Assert output formatter
power-assert-renderer-assertion-1.2.0.tgz	1.2.0	assertion renderer for power-assert context
power-assert-renderer-base-1.1.1.tgz	1.1.1	base renderer for power-assert context
power-assert-renderer-comparison-1.2.0.tgz	1.2.0	comparison renderer for power-assert context
power-assert-renderer-diagram-1.2.0.tgz	1.2.0	diagram renderer for power-assert context
power-assert-renderer-file-1.2.0.tgz	1.2.0	filepath renderer for power-assert context
power-assert-util-string-width-1.2.0.tgz	1.2.0	calculates width of given string
preceptor-core-0.10.1.tgz	0.10.1	Core components for the preceptor test runner and aggregator
prefix-style-2.0.1.tgz	2.0.1	gets a prefixed name for a css style
prelude-ls-1.1.2.tgz	1.1.2	prelude.ls is a functionally oriented utility library. It is powerful and flexible. Almost all of its functions are curried. It is written in, and is the recommended base library for, LiveScript.
prelude-ls-1.2.1.tgz	1.2.1	prelude.ls is a functionally oriented utility library. It is powerful and flexible. Almost all of its functions are curried. It is written in, and is the recommended base library for, LiveScript.
preset-env-7.20.2.tgz	7.20.2	A Babel preset for each environment.

preset-modules-0.1.5.tgz	0.1.5	A Babel preset that targets modern browsers by fixing engine bugs.
prettier-1.19.1.tgz	1.19.1	TypeScript definitions for prettier
prettier-2.7.2.tgz	2.7.2	
prettier-2.8.8.tgz	2.8.8	Prettier is an opinionated code formatter
prettier-linter-helpers-1.0.0.tgz	1.0.0	Utilities to help expose prettier output in linting tools
pretty-bytes-5.6.0.tgz	5.6.0	Convert bytes to a human readable string: 1337 → 1.34 kB
pretty-error-4.0.0.tgz	4.0.0	See nodejs errors with less clutter
pretty-format-21.2.1.tgz	21.2.1	Stringify any JavaScript value.
pretty-format-26.6.2.tgz	26.6.2	Stringify any JavaScript value.
pretty-format-29.5.0.tgz	29.5.0	
prismjs-1.29.0.tgz	1.29.0	Lightweight, robust, elegant syntax highlighting. A spin-off project from Dabblet.
process-nextick-args-2.0.1.tgz	2.0.1	process.nextTick but always with args
progress-2.0.3.tgz	2.0.3	Flexible ascii progress bar
promise-6.0.0.tgz	6.0.0	Bare bones Promises/A+ implementation
promise-7.3.1.tgz	7.3.1	Bare bones Promises/A+ implementation
promise-deferred-1.1.1.tgz	1.1.1	Minimalist creation of promise wrappers, exposing the ability to resolve or reject the inner promise
prompts-2.4.2.tgz	2.4.2	Lightweight, beautiful and user-friendly prompts
prop-types-15.7.2.tgz	15.7.2	Runtime type checking for React props and similar objects.
prop-types-15.7.5.tgz	15.7.5	TypeScript definitions for prop-types

prop-types-15.8.1.tgz	15.8.1	Runtime type checking for React props and similar objects.
propagating-hammerjs-1.5.0.tgz	1.5.0	Extend hammer.js with event propagation
protobufjs-7.3.2.tgz	7.3.2	
proxy-agent-6.2.1.tgz	6.2.1	
proxy-from-env-1.1.0.tgz	1.1.0	Offers getProxyForUrl to get the proxy URL for a URL, respecting the *_PROXY (e.g. HTTP_PROXY) and NO_PROXY environment variables.
prrr-1.0.1.tgz	1.0.1	A better Object.defineProperty()
psl-1.9.0.tgz	1.9.0	Domain name parser based on the Public Suffix List
pstree.remy-1.1.8.tgz	1.1.8	Collects the full tree of processes from /proc
pump-3.0.0.tgz	3.0.0	pipe streams together and close all of them if one of them closes
punycode-1.3.2.tgz	1.3.2	A robust Punycode converter that fully complies to RFC 3492 and RFC 5891, and works on nearly all JavaScript platforms.
punycode-2.3.0.tgz	2.3.0	
puppeteer-20.5.0.tgz	20.5.0	
puppeteer-7.0.4.tgz	7.0.4	Stub TypeScript definitions entry for puppeteer, which provides its own types definitions
puppeteer-core-1.18.1.tgz	1.18.1	A high-level API to control headless Chrome over the DevTools Protocol
puppeteer-core-1.9.0.tgz	1.9.0	TypeScript definitions for puppeteer-core
puppeteer-core-20.5.0.tgz	20.5.0	
qs-6.5.3.tgz	6.5.3	A querystring parser that supports nesting and arrays, with a depth limit

qs-6.9.7.tgz	6.9.7	TypeScript definitions for qs
querystring-0.2.0.tgz	0.2.0	Node's querystring module for all engines.
querystringify-2.2.0.tgz	2.2.0	Querystringify - Small, simple but powerful query string parser.
queue-microtask-1.2.3.tgz	1.2.3	fast, tiny `queueMicrotask` shim for modern engines
raf-3.4.1.tgz	3.4.1	requestAnimationFrame polyfill for node and the browser
raf-schd-4.0.3.tgz	4.0.3	A scheduler based on requestAnimationFrame
ramda-0.27.1.tgz	0.27.1	A practical functional library for JavaScript programmers.
randombytes-2.1.0.tgz	2.1.0	random bytes from browserify stand alone
range-parser-1.2.4.tgz	1.2.4	TypeScript definitions for range-parser
rc-align-2.4.5.tgz	2.4.5	align ui component for react
rc-align-4.0.15.tgz	4.0.15	
rc-animate-2.11.1.tgz	2.11.1	css-transition ui component for react
rc-cascader-1.0.1.tgz	1.0.1	cascade select ui component for react
rc-drawer-3.1.3.tgz	3.1.3	drawer component for react
rc-motion-1.1.2.tgz	1.1.2	React lifecycle controlled motion library
rc-motion-2.7.3.tgz	2.7.3	
rc-slider-9.7.5.tgz	9.7.5	Slider UI component for React
rc-time-picker-3.7.3.tgz	3.7.3	React TimePicker
rc-tooltip-5.3.1.tgz	5.3.1	
rc-trigger-2.6.5.tgz	2.6.5	base abstract trigger component for react
rc-trigger-4.4.3.tgz	4.4.3	base abstract trigger component for react
rc-trigger-5.3.4.tgz	5.3.4	base abstract trigger component for react
rc-util-4.21.1.tgz	4.21.1	Common Utils For React Component
rc-util-5.32.4.tgz	5.32.4	

re-resizable-6.9.9.tgz	6.9.9	Resizable component for React.
react-11.10.6.tgz	11.10.6	
react-16.14.0.tgz	16.14.0	React is a JavaScript library for building user interfaces.
react-16.14.42.tgz	16.14.42	
react-17.0.1.tgz	17.0.1	React is a JavaScript library for building user interfaces.
react-18.2.7.tgz	18.2.7	
react-beautiful-dnd-12.1.2.tgz	12.1.2	TypeScript definitions for react-beautiful-dnd
react-beautiful-dnd-13.0.0.tgz	13.0.0	Beautiful and accessible drag and drop for lists with React
react-calendar-2.19.2.tgz	2.19.2	Ultimate calendar for your React app.
react-color-2.18.0.tgz	2.18.0	A Collection of Color Pickers from Sketch, Photoshop, Chrome & more
react-color-3.0.1.tgz	3.0.1	TypeScript definitions for react-color
react-custom-scrollbars-4.2.1.tgz	4.2.1	React scrollbars component
react-dev-utils-12.0.1.tgz	12.0.1	webpack utilities used by Create React App
react-dev-utils-9.0.11.tgz	9.0.11	TypeScript definitions for react-dev-utils
react-dom-17.0.1.tgz	17.0.1	React package for working with the DOM.
react-dom-18.2.4.tgz	18.2.4	
react-draggable-4.4.5.tgz	4.4.5	React draggable component
react-error-overlay-6.0.11.tgz	6.0.11	An overlay for displaying stack frames.
react-fast-compare-3.2.2.tgz	3.2.2	
react-grid-layout-1.2.0.tgz	1.2.0	A draggable and resizable grid layout with responsive breakpoints, for React.
react-highlight-words-0.16.0.tgz	0.16.0	React component to highlight words within a larger body of text

react-hook-form-5.1.3.tgz	5.1.3	Performant, flexible and extensible forms library for React Hooks
react-icon-base-2.1.0.tgz	2.1.0	base element for react-icons
react-icon-base-2.1.4.tgz	2.1.4	TypeScript definitions for react-icon-base
react-icons-2.2.7.tgz	2.2.7	svg react icons of popular icon packs using ES6 imports
react-icons-2.2.7.tgz	2.2.7	TypeScript definitions for react-icons
react-immutable-proptypes-2.2.0.tgz	2.2.0	PropTypes validators that work with Immutable.js.
react-input-autosize-2.2.2.tgz	2.2.2	Auto-resizing Input Component for React
react-is-16.13.1.tgz	16.13.1	Brand checking of React Elements.
react-is-17.0.2.tgz	17.0.2	Brand checking of React Elements.
react-is-18.2.0.tgz	18.2.0	Brand checking of React Elements.
react-lifecycles-compat-3.0.4.tgz	3.0.4	Backwards compatibility polyfill for React class components
react-loadable-5.5.0.tgz	5.5.0	A higher order component for loading components with promises
react-loadable-5.5.2.tgz	5.5.2	TypeScript definitions for react-loadable
react-monaco-editor-0.36.0.tgz	0.36.0	Monaco Editor for React
react-popover-2.2.4.tgz	2.2.4	Official library to use Popper on React projects
react-redux-7.1.25.tgz	7.1.25	TypeScript definitions for react-redux
react-redux-7.2.5.tgz	7.2.5	Official React bindings for Redux
react-redux-7.2.9.tgz	7.2.9	Official React bindings for Redux
react-resizable-1.11.1.tgz	1.11.1	A component that is resizable with handles.

react-reverse-portal-2.1.1.tgz	2.1.1	Build an element once, move it anywhere
react-select-3.0.8.tgz	3.0.8	TypeScript definitions for react-select
react-select-3.0.8.tgz	3.0.8	A Select control built with and for ReactJS
react-sizeme-2.6.12.tgz	2.6.12	Make your React Components aware of their width and/or height!
react-split-pane-0.1.89.tgz	0.1.89	React split-pane component
react-storybook-addon-props-combinations-1.1.0.tgz	1.1.0	Props Combinations addon for React Storybook
react-style-proptype-3.2.2.tgz	3.2.2	validates style objects by ensuring they only have valid keys
react-table-7.0.0.tgz	7.0.0	Hooks for building lightweight, fast and extendable datagrids for React
react-table-7.0.12.tgz	7.0.12	TypeScript definitions for react-table
react-transition-group-4.4.1.tgz	4.4.1	A react component toolset for managing animations
react-transition-group-4.4.5.tgz	4.4.5	A react component toolset for managing animations
react-transition-group-4.4.6.tgz	4.4.6	
react-unicons-1.1.4.tgz	1.1.4	1100+ vector icons as easy to use React Components
react-use-13.27.0.tgz	13.27.0	Collection of React Hooks
react-use-measure-2.0.3.tgz	2.0.3	measure view bounds
react-virtualized-auto-sizer-1.0.0.tgz	1.0.0	TypeScript definitions for react-virtualized-auto-sizer
react-virtualized-auto-sizer-1.0.2.tgz	1.0.2	Standalone version of the AutoSizer component from react-virtualized
react-window-1.8.5.tgz	1.8.5	React components for efficiently rendering large, scrollable lists and tabular data

reactcss-1.2.3.tgz	1.2.3	Bringing Classes to Inline Styles
read-pkg-3.0.0.tgz	3.0.0	Read a package.json file
read-pkg-4.0.1.tgz	4.0.1	Read a package.json file
read-pkg-5.2.0.tgz	5.2.0	Read a package.json file
read-pkg-up-4.0.0.tgz	4.0.0	Read the closest package.json file
read-pkg-up-7.0.1.tgz	7.0.1	Read the closest package.json file
readable-stream-2.3.8.tgz	2.3.8	
readable-stream-3.6.2.tgz	3.6.2	
readdirp-3.6.0.tgz	3.6.0	Recursive version of fs.readdir with streaming API.
realpath-native-1.1.0.tgz	1.1.0	Use the system's native `realpath`
recompose-0.25.1.tgz	0.25.1	A React utility belt for function components and higher-order components
recompose-0.30.10.tgz	0.30.10	TypeScript definitions for Recompose
recursive-readdir-2.2.3.tgz	2.2.3	Get an array of all files in a directory and subdirectories.
redent-3.0.0.tgz	3.0.0	Strip redundant indentation and indent the string
reduce-flatten-1.0.1.tgz	1.0.1	Flatten an array into the supplied array.
redux-4.0.5.tgz	4.0.5	Predictable state container for JavaScript apps
redux-4.2.1.tgz	4.2.1	
redux-logger-3.0.6.tgz	3.0.6	Logger for Redux
redux-thunk-2.3.0.tgz	2.3.0	Thunk middleware for Redux.
redux-thunk-2.4.2.tgz	2.4.2	Thunk middleware for Redux.
regenerate-1.4.2.tgz	1.4.2	Generate JavaScript-compatible regular expressions based on a given set of Unicode symbols or code points.

regenerate-unicode-properties-10.1.0.tgz	10.1.0	Regenerate sets for Unicode properties and values.
regenerator-runtime-0.11.1.tgz	0.11.1	Runtime for Regenerator-compiled generator and async functions.
regenerator-runtime-0.13.11.tgz	0.13.11	Runtime for Regenerator-compiled generator and async functions.
regenerator-runtime-0.13.3.tgz	0.13.3	Runtime for Regenerator-compiled generator and async functions.
regenerator-transform-0.15.1.tgz	0.15.1	Explode async and generator functions into a state machine.
regex-not-1.0.2.tgz	1.0.2	Create a javascript regular expression for matching everything except for the given string.
regexp.prototype.flags-1.5.0.tgz	1.5.0	
regexp-3.2.0.tgz	3.2.0	Regular expression parser for ECMAScript.
regexp-4.5.1.tgz	4.5.1	Regular expression parser for ECMAScript.
regexpu-core-5.3.2.tgz	5.3.2	
regjsgen-0.8.0.tgz	0.8.0	
regjsparser-0.9.1.tgz	0.9.1	Parsing the JavaScript's RegExp in JavaScript.
relateurl-0.2.29.tgz	0.2.29	TypeScript definitions for relateurl
relateurl-0.2.7.tgz	0.2.7	Minify URLs by converting them from absolute to relative.
remapping-2.2.1.tgz	2.2.1	
remove-trailing-separator-1.1.0.tgz	1.1.0	Removes separators from the end of the string.
renderkid-3.0.0.tgz	3.0.0	Stylish console.log for node
repeat-element-1.1.4.tgz	1.1.4	Create an array by repeating the given value n times.
repeat-string-1.6.1.tgz	1.6.1	Repeat the given string n times. Fastest

		implementation for repeating a string.
replace-in-file-webpack-plugin-1.0.6.tgz	1.0.6	A webpack plugin to replace strings in file(s) after building
reporters-26.6.2.tgz	26.6.2	Jest's reporters
request-2.88.11.tgz	2.88.11	
request-2.88.2.tgz	2.88.2	Simplified HTTP request client.
request-progress-3.0.0.tgz	3.0.0	Tracks the download progress of a request made with mikeal/request, giving insight of various metrics including progress percent, download speed and time remaining
request-promise-core-1.1.4.tgz	1.1.4	Core Promise support implementation for the simplified HTTP request client 'request'.
request-promise-native-1.0.9.tgz	1.0.9	The simplified HTTP request client 'request' with Promise support. Powered by native ES6 promises.
require-directory-2.1.1.tgz	2.1.1	Recursively iterates over specified directory, require()'ing each file, and returning a nested hash structure containing those modules.
require-from-string-2.0.2.tgz	2.0.2	Require module from string
require-main-filename-1.0.1.tgz	1.0.1	shim for require.main.filename() that works in as many environments as possible
require-main-filename-2.0.0.tgz	2.0.0	shim for require.main.filename() that works in as many environments as possible
requires-port-1.0.0.tgz	1.0.0	Check if a protocol requires a certain port number to be added to an URL.

reseselect-4.1.1.tgz	4.1.1	Selectors for Redux.
reseselect-4.1.8.tgz	4.1.8	
resize-observer-polyfill-1.5.1.tgz	1.5.1	A polyfill for the Resize Observer API
resolve-1.22.2.tgz	1.22.2	
resolve-2.0.0-next.4.tgz	2.0.0-next.4	resolve like require.resolve() on behalf of files asynchronously and synchronously
resolve-as-bin-2.1.0.tgz	2.1.0	Resolve a local npm package as binary path
resolve-cwd-3.0.0.tgz	3.0.0	Resolve the path of a module like `require.resolve()` but from the current working directory
resolve-from-4.0.0.tgz	4.0.0	Resolve the path of a module like `require.resolve()` but from a given path
resolve-from-5.0.0.tgz	5.0.0	Resolve the path of a module like `require.resolve()` but from a given path
resolve-uri-3.1.0.tgz	3.1.0	Resolve a URI relative to an optional base URI
resolve-url-0.2.1.tgz	0.2.1	Like Node.js' `path.resolve` / `url.resolve` for the browser.
restore-cursor-1.0.1.tgz	1.0.1	Gracefully restore the CLI cursor on exit
restore-cursor-2.0.0.tgz	2.0.0	Gracefully restore the CLI cursor on exit
restore-cursor-3.1.0.tgz	3.1.0	Gracefully restore the CLI cursor on exit
restore-cursor-4.0.0.tgz	4.0.0	Gracefully restore the CLI cursor on exit
restructured-0.0.11.tgz	0.0.11	A reStructuredText parser for JavaScript
ret-0.1.15.tgz	0.1.15	Tokenizes a string that represents a regular expression.

reusify-1.0.4.tgz	1.0.4	Reuse objects and functions with style
rfdc-1.3.0.tgz	1.3.0	Really Fast Deep Clone
rimraf-2.0.5.tgz	2.0.5	TypeScript definitions for rimraf
rimraf-2.7.1.tgz	2.7.1	A deep deletion module for node (like `rm -rf`)
rimraf-3.0.2.tgz	3.0.2	A deep deletion module for node (like `rm -rf`)
rimraf-4.4.1.tgz	4.4.1	A deep deletion module for node (like `rm -rf`)
rst2html-1.0.4.tgz	1.0.4	Convert reStructured Text to HTML
rsvp-4.8.5.tgz	4.8.5	A lightweight library that provides tools for organizing asynchronous code
rtl-css-js-1.16.1.tgz	1.16.1	
run-async-3.0.0.tgz	3.0.0	
run-parallel-1.2.0.tgz	1.2.0	Run an array of functions in parallel
runtime-7.22.3.tgz	7.22.3	
runtime-7.5.17.tgz	7.5.17	Grafana Runtime Library
runtime-corejs3-7.22.3.tgz	7.22.3	
rw-1.3.3.tgz	1.3.3	Now stdin and stdout are files.
rxjs-6.6.3.tgz	6.6.3	Reactive Extensions for modern JavaScript
rxjs-6.6.7.tgz	6.6.7	Reactive Extensions for modern JavaScript
rxjs-7.8.1.tgz	7.8.1	
safe-array-concat-1.0.0.tgz	1.0.0	
safe-buffer-5.1.2.tgz	5.1.2	Safer Node.js Buffer API
safe-buffer-5.2.1.tgz	5.2.1	Safer Node.js Buffer API
safe-regex-1.1.0.tgz	1.1.0	detect possibly catastrophic, exponential-time regular expressions
safe-regex-test-1.0.0.tgz	1.0.0	Give a regex, get a robust predicate function that tests it against a string.
safer-buffer-2.1.2.tgz	2.1.2	Modern Buffer API polyfill without footguns

sane-4.1.0.tgz	4.1.0	Sane aims to be fast, small, and reliable file system watcher.
sanitize-url-4.0.0.tgz	4.0.0	A url sanitizer
sass-1.60.0.tgz	1.60.0	A pure JavaScript implementation of Sass.
sass-loader-12.6.0.tgz	12.6.0	Sass loader for webpack
sax-0.2.0.tgz	0.2.0	An evented streaming XML parser in JavaScript
sax-1.2.4.tgz	1.2.4	An evented streaming XML parser in JavaScript
saxes-3.1.11.tgz	3.1.11	An evented streaming XML parser in JavaScript
saxes-5.0.1.tgz	5.0.1	An evented streaming XML parser in JavaScript
scale-1.4.0.tgz	1.4.0	visx scale
scheduler-0.16.3.tgz	0.16.3	TypeScript definitions for scheduler
scheduler-0.20.2.tgz	0.20.2	Cooperative scheduler for the browser environment.
schema-0.1.3.tgz	0.1.3	Schemas describing various structures used by nyc and istanbuljs
schema-utils-2.7.0.tgz	2.7.0	webpack Validation Utils
schema-utils-2.7.1.tgz	2.7.1	webpack Validation Utils
schema-utils-3.1.2.tgz	3.1.2	
schema-utils-4.0.1.tgz	4.0.1	
schemas-29.4.3.tgz	29.4.3	
scope-manager-5.42.0.tgz	5.42.0	TypeScript scope analyser for ESLint
scope-manager-5.57.1.tgz	5.57.1	TypeScript scope analyser for ESLint
screenfull-5.2.0.tgz	5.2.0	Simple wrapper for cross-browser usage of the JavaScript Fullscreen API, which lets you bring the page or any element into fullscreen.
scrollbar-width-1.9.4.tgz	1.9.4	A tool to get browser's scrollbars width.
search-query-parser-1.5.4.tgz	1.5.4	Parser for advanced search query syntax

select-1.1.2.tgz	1.1.2	Programmatically select the text of a HTML element
selection-is-backward-1.0.0.tgz	1.0.0	Returns `true` if the Selection is "backward", `false` otherwise
selector-specificity-2.2.0.tgz	2.2.0	
semver-6.2.3.tgz	6.2.3	TypeScript definitions for semver
semver-7.5.0.tgz	7.5.0	
semver-7.6.2.tgz	7.6.2	
send-0.17.1.tgz	0.17.1	TypeScript definitions for send
serialize-0.11.16.tgz	0.11.16	serialization utils for emotion
serialize-1.1.2.tgz	1.1.2	serialization utils for emotion
serialize-javascript-6.0.1.tgz	6.0.1	
serve-static-1.15.1.tgz	1.15.1	
set-array-1.1.2.tgz	1.1.2	Like a Set, but provides the index of the `key` in the backing array
set-blocking-2.0.0.tgz	2.0.0	set blocking stdout and stderr ensuring that terminal output does not truncate
set-harmonic-interval-1.0.1.tgz	1.0.1	Works similar to `setInterval`, but calls all callbacks scheduled using `setHarmonicInterval` all at once, which have same delay in milliseconds.
set-value-4.0.1.tgz	4.0.1	Set nested properties on an object using dot notation.
setimmediate-1.0.5.tgz	1.0.5	A shim for the setImmediate efficient script yielding API
shallowequal-1.1.0.tgz	1.1.0	Like lodash isEqualWith but for shallow equal.
shape-1.4.0.tgz	1.4.0	visx shape
shebang-command-1.2.0.tgz	1.2.0	Get the command from a shebang

shebang-command-2.0.0.tgz	2.0.0	Get the command from a shebang
shebang-regex-1.0.0.tgz	1.0.0	Regular expression for matching a shebang
shebang-regex-3.0.0.tgz	3.0.0	Regular expression for matching a shebang line
sheet-0.9.4.tgz	0.9.4	emotion's stylesheet
sheet-1.2.2.tgz	1.2.2	
shell-quote-1.7.3.tgz	1.7.3	quote and parse shell commands
shellwords-0.1.1.tgz	0.1.1	Manipulate strings according to the word parsing rules of the UNIX Bourne shell.
side-channel-1.0.4.tgz	1.0.4	Store information about any JS value in a side channel. Uses WeakMap if available.
signal-exit-3.0.7.tgz	3.0.7	when you want to fire an event no matter how a process exits.
simple-git-3.19.0.tgz	3.19.0	
simple-is-0.2.0.tgz	0.2.0	maximally minimal type-testing library
simple-update-notifier-1.1.0.tgz	1.1.0	Simple update notifier to check for npm updates for cli applications
sinonjs__fake-timers-6.0.4.tgz	6.0.4	TypeScript definitions for @sinonjs/fake-timers
sisteransi-1.0.5.tgz	1.0.5	ANSI escape codes for some terminal swag
sizzle-2.3.3.tgz	2.3.3	TypeScript definitions for sizzle
slash-2.0.0.tgz	2.0.0	Convert Windows backslash paths to slash paths
slash-3.0.0.tgz	3.0.0	Convert Windows backslash paths to slash paths
slash-4.0.0.tgz	4.0.0	Convert Windows backslash paths to slash paths

slate-0.47.9.tgz	0.47.9	A completely customizable framework for building rich text editors.
slate-0.47.9.tgz	0.47.9	TypeScript definitions for slate
slate-base64-serializer-0.2.115.tgz	0.2.115	A Base64 serializer for Slate editors.
slate-dev-environment-0.2.5.tgz	0.2.5	INTERNAL: A set of environment-related constants for Slate's core.
slate-hotkeys-0.2.11.tgz	0.2.11	A set of function to detect common keypresses in a platform-agnostic way
slate-plain-serializer-0.7.11.tgz	0.7.11	A plain text serializer for Slate editors.
slate-plain-serializer-0.7.13.tgz	0.7.13	A plain text serializer for Slate editors.
slate-plain-serializer-0.7.2.tgz	0.7.2	TypeScript definitions for slate-plain-serializer
slate-prop-types-0.5.44.tgz	0.5.44	A set of React prop type checkers for Slate editors.
slate-react-0.22.10.tgz	0.22.10	A set of React components for building completely customizable rich-text editors.
slate-react-0.22.9.tgz	0.22.9	TypeScript definitions for slate-react
slate-react-placeholder-0.2.9.tgz	0.2.9	A Slate plugin to render a placeholder with React.
slice-ansi-0.0.4.tgz	0.0.4	Slice a string with ANSI escape codes
smart-buffer-4.2.0.tgz	4.2.0	smart-buffer is a Buffer wrapper that adds automatic read & write offset tracking, string operations, data insertions, and more.
snapdragon-0.8.2.tgz	0.8.2	Fast, pluggable and easy-to-use parser-renderer factory.
snapdragon-node-2.1.1.tgz	2.1.1	Snapdragon utility for creating a new AST node in

		custom code, such as plugins.
snapdragon-util-3.0.1.tgz	3.0.1	Utilities for the snapdragon parser/compiler.
socks-2.7.1.tgz	2.7.1	Fully featured SOCKS proxy client supporting SOCKSv4, SOCKSv4a, and SOCKSv5. Includes Bind and Associate functionality.
socks-proxy-agent-8.0.1.tgz	8.0.1	
source-list-map-0.1.2.tgz	0.1.2	TypeScript definitions for source-list-map
source-map-0.3.3.tgz	0.3.3	
source-map-0.5.6.tgz	0.5.6	Generates and consumes source maps
source-map-0.5.7.tgz	0.5.7	Generates and consumes source maps
source-map-0.6.1.tgz	0.6.1	Generates and consumes source maps
source-map-0.7.4.tgz	0.7.4	Generates and consumes source maps
source-map-24.9.0.tgz	24.9.0	
source-map-26.6.2.tgz	26.6.2	
source-map-js-1.0.2.tgz	1.0.2	Generates and consumes source maps
source-map-resolve-0.5.3.tgz	0.5.3	Resolve the source map and/or sources for a generated file.
source-map-resolve-0.6.0.tgz	0.6.0	Resolve the source map and/or sources for a generated file.
source-map-support-0.5.21.tgz	0.5.21	Fixes stack traces for files with source maps
source-map-url-0.4.1.tgz	0.4.1	Tools for working with sourceMappingURL comments.
sourcemap-codec-1.4.14.tgz	1.4.14	Encode/decode sourcemap mappings
sourcemap-codec-1.4.15.tgz	1.4.15	
sourcemap-codec-1.4.8.tgz	1.4.8	Encode/decode sourcemap mappings

spawn-command-0.0.2-1.tgz	0.0.2-1	Spawn commands like <code>child_process.exec`</code> does but return a <code>ChildProcess`</code>
spdx-correct-3.2.0.tgz	3.2.0	
spdx-exceptions-2.3.0.tgz	2.3.0	list of SPDX standard license exceptions
spdx-expression-parse-3.0.1.tgz	3.0.1	parse SPDX license expressions
spdx-license-ids-3.0.13.tgz	3.0.13	
split-string-3.1.0.tgz	3.1.0	Split a string on a character except when the character is escaped.
sprintf-js-1.0.3.tgz	1.0.3	JavaScript sprintf implementation
sshpk-1.17.0.tgz	1.17.0	A library for finding and using SSH public keys
stable-0.1.8.tgz	0.1.8	A stable array sort for JavaScript
stack-generator-2.0.10.tgz	2.0.10	Generate artificial backtrace by walking <code>arguments.callee.caller</code> chain
stack-utils-1.0.1.tgz	1.0.1	TypeScript definitions for stack-utils
stack-utils-1.0.5.tgz	1.0.5	Captures and cleans stack traces
stack-utils-2.0.1.tgz	2.0.1	TypeScript definitions for stack-utils
stack-utils-2.0.6.tgz	2.0.6	Captures and cleans stack traces
stackframe-1.3.4.tgz	1.3.4	JS Object representation of a stack frame
stacktrace-gps-3.1.2.tgz	3.1.2	Turns partial code location into precise code location
stacktrace-js-2.0.2.tgz	2.0.2	Framework-agnostic, micro-library for getting stack traces in all environments
static-extend-0.1.2.tgz	0.1.2	Adds a static <code>extend`</code> method to a class, to simplify inheritance. Extends the static properties, prototype

		properties, and descriptors from a `Parent` constructor onto `Child` constructors.
stdin-discarder-0.1.0.tgz	0.1.0	Discard stdin input except for Ctrl+C
stealthy-require-1.1.1.tgz	1.1.1	The closest you can get to require something with bypassing the require cache
stream-buffers-1.0.1.tgz	1.0.1	Buffer-backed Streams for reading and writing.
stream-to-observable-0.3.1.tgz	0.3.1	Convert Node Streams into ECMAScript-Observables
streamroller-3.1.5.tgz	3.1.5	
string-length-4.0.2.tgz	4.0.2	Get the real length of a string - by correctly counting astral symbols and ignoring ansi escape codes
string-width-1.0.2.tgz	1.0.2	Get the visual width of a string - the number of columns required to display it
string-width-2.1.1.tgz	2.1.1	Get the visual width of a string - the number of columns required to display it
string-width-4.2.3.tgz	4.2.3	Get the visual width of a string - the number of columns required to display it
string.prototype.matchall-4.0.8.tgz	4.0.8	Spec-compliant polyfill for String.prototype.matchAll
string.prototype.trim-1.2.7.tgz	1.2.7	ES5 spec-compliant shim for String.prototype.trim
string.prototype.trimend-1.0.6.tgz	1.0.6	ES2019 spec-compliant String.prototype.trimEnd shim.
string.prototype.trimstart-1.0.6.tgz	1.0.6	ES2019 spec-compliant String.prototype.trimStart shim.
stringifier-1.4.0.tgz	1.4.0	Yet another stringify function

string_decoder-1.1.1.tgz	1.1.1	The string_decoder module from Node core
string_decoder-1.3.0.tgz	1.3.0	The string_decoder module from Node core
strip-ansi-3.0.1.tgz	3.0.1	Strip ANSI escape codes
strip-ansi-4.0.0.tgz	4.0.0	Strip ANSI escape codes
strip-ansi-6.0.1.tgz	6.0.1	Strip ANSI escape codes from a string
strip-ansi-7.1.0.tgz	7.1.0	
strip-bom-3.0.0.tgz	3.0.0	Strip UTF-8 byte order mark (BOM) from a string
strip-bom-4.0.0.tgz	4.0.0	Strip UTF-8 byte order mark (BOM) from a string
strip-eof-1.0.0.tgz	1.0.0	Strip the End-Of-File (EOF) character from a string/buffer
strip-final-newline-2.0.0.tgz	2.0.0	Strip the final newline character from a string/buffer
strip-indent-3.0.0.tgz	3.0.0	Strip leading whitespace from each line in a string
strip-json-comments-3.1.1.tgz	3.1.1	Strip comments from JSON. Lets you use comments in your JSON files!
style-loader-3.3.3.tgz	3.3.3	
stylehacks-5.1.1.tgz	5.1.1	Detect/remove browser hacks from CSS files.
stylis-0.8.5.tgz	0.8.5	A custom build of Stylis
stylis-4.2.0.tgz	4.2.0	
supports-color-2.0.0.tgz	2.0.0	Detect whether a terminal supports color
supports-color-4.5.0.tgz	4.5.0	Detect whether a terminal supports color
supports-color-5.5.0.tgz	5.5.0	Detect whether a terminal supports color
supports-color-6.1.0.tgz	6.1.0	Detect whether a terminal supports color
supports-color-7.2.0.tgz	7.2.0	Detect whether a terminal supports color
supports-color-8.1.1.tgz	8.1.1	Detect whether a terminal supports color

supports-hyperlinks-2.3.0.tgz	2.3.0	Detect if your terminal emulator supports hyperlinks
supports-preserve-symlinks-flag-1.0.0.tgz	1.0.0	Determine if the current node version supports the `--preserve-symlinks` flag.
svgo-2.8.0.tgz	2.8.0	Nodejs-based tool for optimizing SVG vector graphics files
symbol-observable-1.2.0.tgz	1.2.0	Symbol.observable ponyfill
symbol-tree-3.2.4.tgz	3.2.4	Turn any collection of objects into its own efficient tree or linked list using Symbol
systemjs-0.20.19.tgz	0.20.19	Dynamic ES module loader
systemjs-plugin-css-0.1.37.tgz	0.1.37	css ===
table-layout-0.4.5.tgz	0.4.5	Stylable text tables, handling ansi colour. Useful for console output.
tapable-1.0.8.tgz	1.0.8	TypeScript definitions for tapable
tapable-1.1.3.tgz	1.1.3	Just a little module for plugins.
tapable-2.2.1.tgz	2.2.1	Just a little module for plugins.
tar-fs-2.1.1.tgz	2.1.1	filesystem bindings for tar-stream
tar-stream-2.2.0.tgz	2.2.0	tar-stream is a streaming tar parser and generator and nothing else. It is streams2 and operates purely using streams which means you can easily extract/parse tarballs without ever hitting the file system.
template-7.21.9.tgz	7.21.9	
terminal-link-2.1.1.tgz	2.1.1	Create clickable links in the terminal
terser-5.17.6.tgz	5.17.6	
terser-webpack-plugin-5.3.9.tgz	5.3.9	

test-exclude-5.2.3.tgz	5.2.3	test for inclusion or exclusion of paths using pkg-conf and globs
test-exclude-6.0.0.tgz	6.0.0	test for inclusion or exclusion of paths using globs
test-result-24.9.0.tgz	24.9.0	
test-result-26.6.2.tgz	26.6.2	
test-sequencer-26.6.3.tgz	26.6.3	
test-value-3.0.0.tgz	3.0.0	Test a value in a variety of ways
testing-library__jest-dom-5.14.6.tgz	5.14.6	
tether-1.4.7.tgz	1.4.7	A client-side library to make absolutely positioned elements attach to elements in the page efficiently.
tether-drop-1.5.0.tgz	1.5.0	
text-encoding-utf-8-1.0.2.tgz	1.0.2	UTF-8 only polyfill for the Encoding Living Standard's API.
text-encoding-utf-8-1.0.2.tgz	1.0.2	TypeScript definitions for text-encoding-utf-8
text-table-0.2.0.tgz	0.2.0	borderless text tables with alignment
throat-5.0.0.tgz	5.0.0	Throttle the parallelism of an asynchronous (promise returning) function / functions
throttle-debounce-2.3.0.tgz	2.3.0	Throttle and debounce functions.
throttleit-1.0.0.tgz	1.0.0	Throttle a function
through-0.0.30.tgz	0.0.30	TypeScript definitions for through
through-2.3.8.tgz	2.3.8	simplified stream construction
timsort-0.3.0.tgz	0.3.0	TimSort: Fast Sorting for Node.js
tiny-emitter-2.1.0.tgz	2.1.0	A tiny (less than 1k) event emitter library
tiny-invariant-1.3.1.tgz	1.3.1	A tiny invariant function
tiny-warning-0.0.3.tgz	0.0.3	A tiny warning function

tinycolor2-1.4.1.tgz	1.4.1	Fast Color Parsing and Manipulation
tinycolor2-1.6.0.tgz	1.6.0	
tmp-0.0.33.tgz	0.0.33	Temporary file and directory creator
tmp-0.1.0.tgz	0.1.0	TypeScript definitions for tmp
tmp-0.2.1.tgz	0.2.1	Temporary file and directory creator
tmpl-1.0.5.tgz	1.0.5	JavaScript micro templates.
to-camel-case-1.0.0.tgz	1.0.0	Convert a string to camel case.
to-fast-properties-2.0.0.tgz	2.0.0	Force V8 to use fast properties for an object
to-no-case-1.0.2.tgz	1.0.2	Remove any existing casing from a string.
to-object-path-0.3.0.tgz	0.3.0	Create an object path from a list or array of strings.
to-regex-3.0.2.tgz	3.0.2	Generate a regex from a string or array of strings.
to-regex-range-2.1.1.tgz	2.1.1	Pass two numbers, get a regex-compatible source string for matching ranges. Validated against more than 2.78 million test assertions.
to-regex-range-5.0.1.tgz	5.0.1	Pass two numbers, get a regex-compatible source string for matching ranges. Validated against more than 2.78 million test assertions.
to-space-case-1.0.0.tgz	1.0.0	Convert a string to space case.
toggle-selection-1.0.6.tgz	1.0.6	Toggle current selected content in browser
toolkit-1.5.0.tgz	1.5.0	The official, opinionated, batteries-included toolset for efficient Redux development
toolkit-7.5.17.tgz	7.5.17	Grafana Toolkit
tooltip-1.3.0.tgz	1.3.0	visx tooltip
touch-3.1.0.tgz	3.1.0	like touch(1) in node
tough-cookie-4.1.3.tgz	4.1.3	

tr46-0.0.3.tgz	0.0.3	An implementation of the Unicode TR46 spec
tr46-1.0.1.tgz	1.0.1	An implementation of the Unicode TR46 spec
tr46-2.1.0.tgz	2.1.0	An implementation of the Unicode UTS #46: Unicode IDNA Compatibility Processing
trace-mapping-0.3.18.tgz	0.3.18	
transform-24.9.0.tgz	24.9.0	
transform-26.6.2.tgz	26.6.2	
traverse-0.6.7.tgz	0.6.7	traverse and transform objects by visiting every node on a recursive walk
traverse-7.22.4.tgz	7.22.4	
tree-kill-1.2.2.tgz	1.2.2	kill trees of processes
ts-easing-0.2.0.tgz	0.2.0	Collection of easing functions in TypeScript
ts-jest-26.4.4.tgz	26.4.4	A preprocessor with source maps support to help use TypeScript with Jest
ts-loader-9.4.2.tgz	9.4.2	
ts-loader-9.4.3.tgz	9.4.3	
ts-node-9.0.0.tgz	9.0.0	TypeScript execution environment and REPL for node.js, with source map support
tsconfig-1.0.0-rc1.tgz	1.0.0-rc1	Grafana's TypeScript config
tslib-1.14.1.tgz	1.14.1	Runtime library for TypeScript helper functions
tslib-2.0.3.tgz	2.0.3	Runtime library for TypeScript helper functions
tslib-2.5.2.tgz	2.5.2	
tsutils-3.21.0.tgz	3.21.0	utilities for working with typescript's AST
tti-polyfill-0.2.2.tgz	0.2.2	Polyfill for Time to Interactive. See https://goo.gl/OSmrPk
tunnel-agent-0.6.0.tgz	0.6.0	HTTP proxy tunneling agent. Formerly part of mikeal/request, now a standalone module.

tween-functions-1.2.0.tgz	1.2.0	Robert Penner's easing functions, slightly modified
tweetnacl-0.14.5.tgz	0.14.5	Port of TweetNaCl cryptographic library to JavaScript
type-check-0.3.2.tgz	0.3.2	type-check allows you to check the types of JavaScript values at runtime with a Haskell like type syntax.
type-check-0.4.0.tgz	0.4.0	type-check allows you to check the types of JavaScript values at runtime with a Haskell like type syntax.
type-detect-4.0.8.tgz	4.0.8	Improved typeof detection for node.js and the browser.
type-fest-0.20.2.tgz	0.20.2	A collection of essential TypeScript types
type-fest-0.21.3.tgz	0.21.3	A collection of essential TypeScript types
type-fest-0.6.0.tgz	0.6.0	A collection of essential TypeScript types
type-fest-0.8.1.tgz	0.8.1	A collection of essential TypeScript types
type-name-2.0.2.tgz	2.0.2	Just a reasonable typeof
type-of-2.0.1.tgz	2.0.1	Type assertions aka less-broken typeof.
type-utils-5.42.0.tgz	5.42.0	Type utilities for working with TypeScript + ESLint together
type-utils-5.57.1.tgz	5.57.1	Type utilities for working with TypeScript + ESLint together
typebox-0.25.24.tgz	0.25.24	
typed-array-length-1.0.4.tgz	1.0.4	
typedarray-0.0.6.tgz	0.0.6	TypedArray polyfill for old browsers
typedarray-to-buffer-3.1.5.tgz	3.1.5	Convert a typed array to a Buffer without a copy
types-24.9.0.tgz	24.9.0	
types-26.6.2.tgz	26.6.2	
types-29.5.0.tgz	29.5.0	

types-5.24.2.tgz	5.24.2	Types for all Sentry JavaScript SDKs
types-5.25.0.tgz	5.25.0	Types for all Sentry JavaScript SDKs
types-5.42.0.tgz	5.42.0	Types for the TypeScript-ESTree AST spec
types-5.57.1.tgz	5.57.1	
types-7.22.4.tgz	7.22.4	
typescript-4.1.2.tgz	4.1.2	TypeScript is a language for application scale JavaScript development
typescript-4.8.4.tgz	4.8.4	TypeScript is a language for application scale JavaScript development
typescript-estree-5.42.0.tgz	5.42.0	A parser that converts TypeScript source code into an ESTree compatible form
typescript-estree-5.57.1.tgz	5.57.1	
typical-2.6.1.tgz	2.6.1	Robust Javascript type-checking
ua-parser-js-0.7.25.tgz	0.7.25	Lightweight JavaScript-based user-agent string parser
uglify-js-3.17.1.tgz	3.17.1	TypeScript definitions for UglifyJS
ui-7.5.17.tgz	7.5.17	Grafana Components Library
unbox-primitive-1.0.2.tgz	1.0.2	Unbox a boxed JS primitive value.
unbzip2-stream-1.4.3.tgz	1.4.3	streaming unbzip2 implementation in pure javascript for node and browsers
undefsafe-2.0.5.tgz	2.0.5	Undefined safe way of extracting object properties
underscore-1.13.6.tgz	1.13.6	JavaScript's functional programming helper library.
unicode-canonical-property-names-ecmascript-2.0.0.tgz	2.0.0	The set of canonical Unicode property names supported in ECMAScript RegExp property escapes.
unicode-match-property-ecmascript-2.0.0.tgz	2.0.0	Match a Unicode property or property alias to its

		canonical property name per the algorithm used for RegExp Unicode property escapes in ECMAScript.
unicode-match-property-value-ecmascript-2.1.0.tgz	2.1.0	
unicode-property-aliases-ecmascript-2.1.0.tgz	2.1.0	Unicode property alias mappings in JavaScript format for property names that are supported in ECMAScript RegExp property escapes.
union-value-1.0.1.tgz	1.0.1	Set an array of unique values as the property of an object. Supports setting deeply nested properties using using object-paths/dot notation.
unist-util-map-1.0.5.tgz	1.0.5	Create a new Unist tree with all nodes that mapped by the provided function
unitless-0.7.5.tgz	0.7.5	An object of css properties that don't accept values with units
unitless-0.8.1.tgz	0.8.1	
universal-deep-strict-equal-1.2.2.tgz	1.2.2	A port of Node v6's internal <code>_deepEqual</code> function in a universal style
universalify-0.1.2.tgz	0.1.2	Make a callback- or promise-based function support both promises and callbacks.
universalify-0.2.0.tgz	0.2.0	Make a callback- or promise-based function support both promises and callbacks.
universalify-2.0.0.tgz	2.0.0	Make a callback- or promise-based function support both promises and callbacks.
unset-value-1.0.0.tgz	1.0.0	Delete nested properties from an object using dot notation.

untildify-4.0.0.tgz	4.0.0	Convert a tilde path to an absolute path: `~/dev` → `/Users/sindresorhus/dev`
update-browserslist-db-1.0.11.tgz	1.0.11	
uri-js-4.4.1.tgz	4.4.1	An RFC 3986/3987 compliant, scheme extendable URI/IRI parsing/validating/resolving library for JavaScript.
urix-0.1.0.tgz	0.1.0	Makes Windows-style paths more unix and URI friendly.
url-0.11.0.tgz	0.11.0	The core `url` packaged standalone for use with Browserify.
url-loader-2.3.0.tgz	2.3.0	A loader for webpack which transforms files into base64 URIs
url-parse-1.5.10.tgz	1.5.10	Small footprint URL parser that works seamlessly across Node.js and browser environments
use-3.1.1.tgz	3.1.1	Easily add plugin support to your node.js application.
use-insertion-effect-with-fallbacks-1.0.1.tgz	1.0.1	
use-memo-one-1.1.3.tgz	1.1.3	useMemo and useCallback but with a stable cache
utf8-1.1.0.tgz	1.1.0	A minimal UTF8 implementation for number arrays.
utf8-1.11.1.tgz	1.11.1	UTF8 encoder/decoder for WASM
utf8-1.11.6.tgz	1.11.6	
util-deprecate-1.0.2.tgz	1.0.2	The Node.js `util.deprecate()` function with browser support
util.promisify-1.1.2.tgz	1.1.2	Polyfill/shim for util.promisify in node versions < v8
utila-0.4.0.tgz	0.4.0	notareplacementforunders core
utils-0.11.3.tgz	0.11.3	internal utils for emotion

utils-1.2.1.tgz	1.2.1	internal utils for emotion
utils-5.24.2.tgz	5.24.2	Utilities for all Sentry JavaScript SDKs
utils-5.25.0.tgz	5.25.0	Utilities for all Sentry JavaScript SDKs
utils-5.42.0.tgz	5.42.0	Utilities for working with TypeScript + ESLint together
utils-5.57.1.tgz	5.57.1	Utilities for working with TypeScript + ESLint together
uuid-3.4.0.tgz	3.4.0	RFC4122 (v1, v4, and v5) UUIDs
uuid-8.3.0.tgz	8.3.0	RFC4122 (v1, v4, and v5) UUIDs
uuid-8.3.0.tgz	8.3.0	TypeScript definitions for uuid
uuid-8.3.2.tgz	8.3.2	RFC4122 (v1, v4, and v5) UUIDs
v8-coverage-0.2.3.tgz	0.2.3	Helper functions for V8 coverage files.
v8-to-istanbul-7.1.2.tgz	7.1.2	convert from v8 coverage format to istanbul's format
validate-npm-package-license-3.0.4.tgz	3.0.4	Give me a string and I'll tell you if it's a valid npm package license string
verror-1.10.0.tgz	1.10.0	richer JavaScript errors
visitor-keys-5.42.0.tgz	5.42.0	Visitor keys used to help traverse the TypeScript-ESTree AST
visitor-keys-5.57.1.tgz	5.57.1	
visjs-network-4.25.0.tgz	4.25.0	A dynamic, browser-based network visualization library.
vm2-3.9.19.tgz	3.9.19	
w3c-hr-time-1.0.2.tgz	1.0.2	An implementation of the W3C High Resolution Time Level 2 specification.
w3c-xmlserializer-1.1.2.tgz	1.1.2	A per-spec XML serializer implementation
w3c-xmlserializer-2.0.0.tgz	2.0.0	A per-spec XML serializer implementation
walker-1.0.8.tgz	1.0.8	A simple directory tree walker.

warning-4.0.3.tgz	4.0.3	A mirror of Facebook's Warning
wasm-edit-1.11.1.tgz	1.11.1	> Rewrite a WASM binary
wasm-edit-1.11.6.tgz	1.11.6	
wasm-gen-1.11.1.tgz	1.11.1	WebAssembly binary format printer
wasm-gen-1.11.6.tgz	1.11.6	
wasm-opt-1.11.1.tgz	1.11.1	
wasm-opt-1.11.6.tgz	1.11.6	
wasm-parser-1.11.1.tgz	1.11.1	WebAssembly binary format parser
wasm-parser-1.11.6.tgz	1.11.6	
wast-printer-1.11.1.tgz	1.11.1	WebAssembly text format printer
wast-printer-1.11.6.tgz	1.11.6	
watch-1.0.4.tgz	1.0.4	Utilities for watching file trees.
watchpack-2.4.0.tgz	2.4.0	Wrapper library for directory and file watching.
wcwidth-1.0.1.tgz	1.0.1	Port of C's wcwidth() and wcswidth()
weak-memoize-0.2.5.tgz	0.2.5	A memoization function that uses a WeakMap
weak-memoize-0.3.1.tgz	0.3.1	
webidl-conversions-3.0.1.tgz	3.0.1	Implements the WebIDL algorithms for converting to and from JavaScript values
webidl-conversions-4.0.2.tgz	4.0.2	Implements the WebIDL algorithms for converting to and from JavaScript values
webidl-conversions-5.0.0.tgz	5.0.0	Implements the WebIDL algorithms for converting to and from JavaScript values
webidl-conversions-6.1.0.tgz	6.1.0	Implements the WebIDL algorithms for converting to and from JavaScript values
webpack-4.41.33.tgz	4.41.33	TypeScript definitions for webpack
webpack-5.28.0.tgz	5.28.0	TypeScript definitions for webpack
webpack-5.28.1.tgz	5.28.1	TypeScript definitions for webpack
webpack-5.76.2.tgz	5.76.2	

webpack-5.84.1.tgz	5.84.1	
webpack-dev-server-3.11.6.tgz	3.11.6	TypeScript definitions for webpack-dev-server
webpack-preprocessor-5.17.0.tgz	5.17.0	
webpack-sources-3.2.0.tgz	3.2.0	TypeScript definitions for webpack-sources
webpack-sources-3.2.3.tgz	3.2.3	Source code handling classes for webpack
whatwg-encoding-1.0.5.tgz	1.0.5	Decode strings according to the WHATWG Encoding Standard
whatwg-fetch-3.1.0.tgz	3.1.0	A window.fetch polyfill.
whatwg-fetch-3.6.2.tgz	3.6.2	A window.fetch polyfill.
whatwg-mimetype-2.3.0.tgz	2.3.0	Parses, serializes, and manipulates MIME types, according to the WHATWG MIME Sniffing Standard
whatwg-url-5.0.0.tgz	5.0.0	An implementation of the WHATWG URL Standard's URL API and parsing machinery
whatwg-url-7.1.0.tgz	7.1.0	An implementation of the WHATWG URL Standard's URL API and parsing machinery
whatwg-url-8.7.0.tgz	8.7.0	An implementation of the WHATWG URL Standard's URL API and parsing machinery
which-1.3.1.tgz	1.3.1	Like which(1) unix command. Find the first instance of an executable in the PATH.
which-2.0.2.tgz	2.0.2	Like which(1) unix command. Find the first instance of an executable in the PATH.
which-boxed-primitive-1.0.2.tgz	1.0.2	Which kind of boxed JS primitive is this?
which-module-2.0.1.tgz	2.0.1	Find the module object for something that was require()d

which-typed-array-1.1.9.tgz	1.1.9	Which kind of Typed Array is this JavaScript value? Works cross-realm, without `instanceof`, and despite Symbol.toStringTag.
why-did-you-render-4.0.6.tgz	4.0.6	Monkey patches React to notify you about avoidable re-renders.
word-wrap-1.2.5.tgz	1.2.5	
wordwrapjs-3.0.0.tgz	3.0.0	Word-wrapping for javascript.
wrap-ansi-2.1.0.tgz	2.1.0	Wordwrap a string with ANSI escape codes
wrap-ansi-3.0.1.tgz	3.0.1	Wordwrap a string with ANSI escape codes
wrap-ansi-6.2.0.tgz	6.2.0	Wordwrap a string with ANSI escape codes
wrap-ansi-7.0.0.tgz	7.0.0	Wordwrap a string with ANSI escape codes
wrappy-1.0.2.tgz	1.0.2	Callback wrapping utility
write-file-atomic-2.4.1.tgz	2.4.1	Write files in an atomic fashion w/configurable ownership
write-file-atomic-3.0.3.tgz	3.0.3	Write files in an atomic fashion w/configurable ownership
ws-6.2.2.tgz	6.2.2	Simple to use, blazing fast and thoroughly tested websocket client and server for Node.js
ws-7.5.9.tgz	7.5.9	Simple to use, blazing fast and thoroughly tested websocket client and server for Node.js
ws-8.13.0.tgz	8.13.0	
xml-1.0.1.tgz	1.0.1	Fast and simple xml generator. Supports attributes, CDATA, etc. Includes tests and examples.
xml-name-validator-3.0.0.tgz	3.0.0	Validates whether a string matches the production for

		an XML name or qualified name
xmlchars-2.2.0.tgz	2.2.0	Utilities for determining if characters belong to character classes defined by the XML specs.
xss-1.0.6.tgz	1.0.6	Sanitize untrusted HTML (to prevent XSS) with a configuration specified by a Whitelist
xtend-4.0.2.tgz	4.0.2	extend like a boss
xvfb-1.2.4.tgz	1.2.4	Easily start and stop an X Virtual Frame Buffer from your node apps.
y18n-4.0.3.tgz	4.0.3	the bare-bones internationalization library used by yargs
y18n-5.0.8.tgz	5.0.8	the bare-bones internationalization library used by yargs
yallist-3.1.1.tgz	3.1.1	Yet Another Linked List
yaml-1.10.2.tgz	1.10.2	JavaScript parser and stringifier for YAML
yargs-12.0.5.tgz	12.0.5	yargs the modern, pirate-themed, successor to optimist.
yargs-13.0.12.tgz	13.0.12	TypeScript definitions for yargs
yargs-15.0.15.tgz	15.0.15	
yargs-15.4.1.tgz	15.4.1	yargs the modern, pirate-themed, successor to optimist.
yargs-17.0.24.tgz	17.0.24	
yargs-17.7.1.tgz	17.7.1	yargs the modern, pirate-themed, successor to optimist.
yargs-parser-11.1.1.tgz	11.1.1	the mighty option parser used by yargs
yargs-parser-18.1.3.tgz	18.1.3	the mighty option parser used by yargs
yargs-parser-20.2.9.tgz	20.2.9	the mighty option parser used by yargs

yargs-parser-21.0.0.tgz	21.0.0	TypeScript definitions for yargs-parser
yargs-parser-21.1.1.tgz	21.1.1	the mighty option parser used by yargs
yauzl-2.10.0.tgz	2.10.0	yet another unzip library for node
yauzl-2.10.0.tgz	2.10.0	TypeScript definitions for yauzl
yn-3.1.1.tgz	3.1.1	Parse yes/no like values
yocto-queue-0.1.0.tgz	0.1.0	Tiny queue data structure